

GAS CYLINDER (HYDROSTATIC CERTIFICATE)

Al Takamul Yard North Rumailah, Iraq

• Phone : +964 7810009138 • www.qualitycontrol-iraq.com • E-mail: op@qualitycontrol-iraq.com

Date of Issue: July 30, 2024

Page 1 of 1

REQUEST NUMBER	By Contract	CUSTOMER DETAILS	
JOB NUMBER	QC-CAL-24304	Name	Halliburton Worldwide IRAQ (TSS)
REPORT NUMBER	QC-CAL-24304-06	Address	Western Burjesia, Oil Street, District Zubair-South Iraq

EQUIPMENT IDENTIFICATION AND SPECIFICATIONS

Description : **Gas Cylinder Hydrotest**
 Manufacturer : NA
 Model No. : NA
 Cylinder Serial No. : T3753
 Work Pressure : 260 psi
 Test Pressure : 390 psi
 Test Date : July 30, 2024
 Test Due : **July 29, 2029**



ENVIRONMENTAL CONDITIONS DURING TEST

Ambient Temperature 28.0 ± 2°C Humidity : 20.0 ± 5 % RH Atm. Pressure

Testing Method

Standard Method ISO 7866 : 2012 was used to test the unit under test. By filled with water after removing valves. The system is pressurized up to 150 % of MAWP . The system is isolated from filling system and observed for any leakage/pressure drop or deformation. If the system maintains its integrity, it is validated for use.

TRACEABILITY

standard. The measurements made by Quality Control, realize the physical units of measurements of (SI), through its state the art calibration standards that are controlled and maintained by QC.

REFERENCE EQUIPMENT USED :

DESCRIPTION	SERIAL NO.	MAKE / MODEL	CALIBRATION DATE	CALIBRATION DUE DATE
Digital Pressure Gauge	468802	AMETEK / XP2i	20 Nov, 2023	19 Nov, 2024

TEST RESULTS

Test Description	Test Pressure	Holding Time	Result			
Hydrostatic Pressure Test	PSI	Minutes				
Medium : Water	390	30 Minutes	<input checked="" type="checkbox"/> Pass	Pass	<input type="checkbox"/>	Fail

On the basis of above mentioned results unit under test has been found complying with the requirements given by the :

- Customer
- Standard Method
- Manufacturer Specifications

CALIBRATED BY	REVIWED & APPROVED BY LAB INCHARGE	CLIENT
 Abdulrahman Loay	 LAB INCHARGE Asjad Rafiq	

This certificate is issued in accordance with the laboratory accreditation requirements as per ISO/IEC17025:2017. This certificate may not be reproduced other than in full, unless permission for the publication of an approved extract has been obtained in writing from the director of QC. It does not of itself impute to the subject of the calibration any attributes beyond those shown by the data contained herein.