




**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**
Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON (HCT)	Report No:	QC-25-02-MS-HCT-052
Location:	HALLIBURTON HCT WORKSHOP	Job Number:	18022025
Inspection Date:	Wednesday, February 19, 2025	Next Inspection Date:	Monday, August 18, 2025
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	STANDARD:	DS-1 VOLUME-4 FIFTH EDITION CLASS A1
		HCT DOC:	MAN-GL-HAL-HCT-900 REV NO.6.3
		UNIT DESCRIPTION:	LEAD CONE
		IDENTIFICATION NUMBER:	M102679760, ALK190540-2
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
MAGNETIC PARTICLE INSPECTION	FULL Body areas inspected and found free from cracks and other defects		
FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED		
COMMENT:			
(MPI Wet Fluorescent Inspection Body With UltraViolet Light)			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT: 3150 μw/cm ²	INSPECTOR NAME:	M.Shahzad Ahmed	SENIOR INSPECTOR:	NAVEED HUSSAIN
S.NO:	201504052	S.NO:	22650	S.NO:	1898977	QUALIFICATION:	ASNT LEVEL II MT & PT & VT	SUPERVISOR:	HANI ALI
Cal Due Date:	11.APRIL.2025	Cal Due Date:	12.APRIL.2025	Cal Due Date:	11.APRIL.2025		STAMP & SIGNATURE:	CLIENT:	
FLUORESCENT 14HF	Magnaflux	Batch No:	230503	EXPIRE DATE:	MAY.2026				
White Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	EXPIRE DATE:	APRIL,2026				
TECHNICAL DETAILS	Digital Lux Meter WHITE LIGHT INTENSITY: 3620 Lux/S.NO:2722003 Cal Due Date:13.APRIL.2025		Black Magnetic Ink Manufacture:7HF Batch No:230604 EXPIRE DATE: JUNE.2026						
	Wet FLUORESCENT Particle Concentration 14 HF	0.1 to 0.4 ml/100 ml		Batch No:230604					
	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE: JUNE.2026					

Original - Client Files Copy - Area Office QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021