




Client:	Hong Hua Oil& Gas Engineering Services Ltd		
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027


INSPECTION RIG: HH008


AI TAKAMUL COMPANY Would Like to Thank You for allowing Us to Work With
You Honorable Company

Inspection Date:	24-January-2025	Validity Date:	23-January-2027
Inspector:	Khaled Mahmoud	Operation Mangar:	Ahmed Abd Elkader



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-001
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027
Serial Number	Description of the examined equipment		Result
JJ-12-041	Monkey Board Connecting Fingers		Accept
Connecting SN:	MB20, MB21, MB22, MB23, MB24, MB25, MB26, MB27, MB28, MB29, MB30, MB31		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEE & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-002
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027

Serial Number	Description of the examined equipment	Result
JJ-12-041	Monkey Board Connecting Pad Eyes	Accept
Connecting SN:	MB01, MB02	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-003
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027

Serial Number	Description of the examined equipment	Result
JJ-12-041	Monkey Board Connecting Pad Eyes	Accept
Connecting SN:	MB03, MB04, MB05, MB06, MB07, MB08, MB09, MB10	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report



Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-004
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027

Serial Number	Description of the examined equipment	Result
JJ-12-041	Monkey Board Connecting Pad Eyes	Accept
Connecting SN:	MB11, MB12, MB13, MB14	



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEE & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-005
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027

Serial Number	Description of the examined equipment	Result
JJ-12-041	Monkey Board Connecting Pad Eyes of Backup Post	Accept
Connecting SN:	MB17	





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-006
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027

Serial Number	Description of the examined equipment	Result
JJ-12-041	Monkey Board Connecting Pad Eyes of Backup Post & Base	Accept
Connecting SN:	MB18	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-007
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027
Serial Number	Description of the examined equipment		Result
JJ-12-041	Monkey Board Connecting Pad Eyes of Backup Post & Base		Accept
Connecting SN:	MB18		





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-008
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027
Serial Number	Description of the examined equipment		Result
JJ-12-041	Monkey Board Base of Air Winch		Accept
Connecting SN:	/		





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-009
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027
Serial Number	Description of the examined equipment		Result
JJ-12-041	Monkey Board Connecting Pad Eyes		Accept
Connecting SN:	MB31, MB32		





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-010
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027
Serial Number	Description of the examined equipment		Result
JJ-12-041	Monkey Board Connecting Pad Eyes		Accept
Connecting SN:	MB38, MB39, MB40, MB41, MB42, MB43, MB44, MB45		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-011
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027
Serial Number	Description of the examined equipment		Result
JJ-12-041	Monkey Board Connecting Pad Eyes		Accept
Connecting SN:	MB46, MB47, MB48, MB49		





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-016-012
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-016
Date of Examination:	24-January-2025	Next Inspection Due:	23-January-2027
Serial Number	Description of the examined equipment		Result
JJ-12-041	Monkey Board Base of Air Winch		Accept
Connecting SN:	/		




NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Khaled Mahmoud		Mohamed Abdulla	