





CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION													
Client:		HALLIBURTON			Report No:		QC-25-WPS-0705-005						
Location:		WPS			Job Number:		70525						
Date:		Wednesday, May 7, 2025			Next Inspection Date:		Thursday, November 6, 2025						
Type Of Inspection:		VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			Specification:		ASTM E709 -21 LATEST EDITION						
				UNIT DESCRIPTION:		LIFTING CAP WITH 3 1/2 IF PIN CONNECTION							
				UNIT S/N:		A5983							
				INSPECTION RESULT :									
				VISUAL , THOROUGH EXAMINATION		VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION							
				MAGNETIC PARTICLE INSPECTION		Thread & Available critical areas inspected and found free from cracks and other defects							
				FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED							
COMMENT: (MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast													
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY					
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT: 3250 μw/cm ²		INSPECTOR NAME:	M.SHAHZAD AHMED					
S.NO:	201504052	S.NO:	22650	S.NO:	1898977			SENIOR INSPECTOR:	NAVEED HUSSAIN				
Cal Due Date:	14.OCT.2024	Cal Due Date:	15.OCT.2024	Cal Due Date:	14.OCT.2024			QUALIFICATION:	ASNT LEVEL II MT & PT & VT				
FLUORESCENT 14HF	Magnaflux	Batch No:	220306	EXPIRE DATE:	MARCH,2025			SUPERVISOR:	HANI ALI				
White Contrast Paint Manufacture:	Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025			CLIENT:	ALi Talib HB48903 Date: 09/05/2025 Signature  Haliburton				
TECHNICAL DETAILS					STAMP & SIGNATURE:								
Digital Lux Meter WHITE LIGHT INTENSITY:		Black Magnetic Ink Manufacture:7HF			Batch No:220605								
3640 Lux/S.NO:2722003		Wet FLUORESCENT Particle Concentration 14 HF			0.1 to 0.4 ml/100 ml		EXPIRE DATE: Jul-25						
Cal Due Date:16.OCT.2024		Black Magnetic Ink Concentration 7 HF			1.2 to 2.4 ml/100 ml								

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021