




Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-01
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number:	QTY	Description	Pad Eye SWL:	Date of last Thorough examination
079-1 079-2 079-3 079-4	04	Fabricated Pad Eyes Centrifuge 12CF079 Pad Eye Dimension Thickness: 20 mm Pin Hole: 23 mm Length: 113 mm Height: 67 mm	1 TON	N/A
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months?	YES	✓	NO	
					With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		By an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)

VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaad	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-01A
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number	Description of the examined equipment	Result
12CF079	Centrifuge Pad Eyes	Accept
Pad Eyes S/N:	079-1 , 079-2 , 079-3 , 079-4	SWL: 1 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026


NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-02
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number:	QTY	Description	Pad Eye SWL:	Date of last Thorough examination
SV-10 SV-11 SV-12 SV-13	04	Fabricated Pad Eyes Centrifuge 110965 Pad Eye Dimension Thickness: 20 mm Pin Hole: 23 mm Length: 102 mm Height: 91 mm	2 TON	N/A
				

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-02A
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number	Description of the examined equipment	Result
110965	Centrifuge Pad Eyes	Accept
Pad Eyes S/N:	SV-10 , SV-11 , SV-12 , SV-13	SWL: 2 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026


NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-03
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number:	QTY	Description	Pad Eye SWL:	Date of last Thorough examination
VD-1 VD-2 VD-3 VD-4	04	Fabricated Pad Eyes Vacuum Degasser Skid 12-8-15 Pad Eye Dimension Thickness: 16 mm Pin Hole: 31 mm Length: 142 mm Height: 107 mm	1 TON	N/A
				

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	
	YES	NO			YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE) **VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-03A
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number	Description of the examined equipment	Result
12-8-15	Vacuum Degasser Skid Pad Eyes	Accept
Pad Eyes S/N:	VD-1 , VD-2 , VD-3 , VD-4	SWL: 1 Ton



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-04
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number:	QTY	Description	Pad Eye SWL:	Date of last Thorough examination
D1 D2 D3 D4	04	Fabricated Pad Eyes Mud Cleaner 4500845 Pad Eye Dimension Thickness: 14 mm Pin Hole: 37 mm Length: 95 mm Height: 73 mm	1 TON	N/A
				

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaad	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-04A
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number	Description of the examined equipment		Result
4500845	Mud Cleaner Pad Eyes		Accept
Pad Eyes S/N:	D1 , D2 , D3, D4	SWL:	1 Ton



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
 Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-05
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number:	QTY	Description	Pad Eye SWL:	Date of last Thorough examination
SH9 SH10 SH11 SH12	04	Fabricated Pad Eyes Shale Shaker MPRO-F-331 Pad Eye Dimension Thickness: 14 mm Pin Hole: 37 mm Length: 95 mm Height: 73 mm	1 TON	N/A
				

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	
	YES	NO			YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE) **VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaad	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-05A
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number	Description of the examined equipment	Result
MPRO-F-331	Shale Shaker Pad Eyes	Accept
Pad Eyes S/N:	SH9 , SH10 , SH11 , SH12	SWL: 1 Ton



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026
NDT procedure					
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect: None					
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None					
All MPI Performed as Per Instructions of OEM:					


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-06
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number:	QTY	Description	Pad Eye SWL:	Date of last Thorough examination
SH5 SH6 SH7 SH8	04	Fabricated Pad Eyes Shale Shaker MRM-0795 Pad Eye Dimension Thickness: 14 mm Pin Hole: 37 mm Length: 95 mm Height: 73 mm	1 TON	N/A
				

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-06A
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number	Description of the examined equipment	Result
MRM-0795	Shale Shaker Pad Eyes	Accept
Pad Eyes S/N:	SH5 , SH6 , SH7 , SH8	SWL: 1 Ton



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-07
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number:	QTY	Description	Pad Eye SWL:	Date of last Thorough examination
SH1 SH2 SH3 SH4	04	Fabricated Pad Eyes Shale Shaker MPF-2217 Pad Eye Dimension Thickness: 14 mm Pin Hole: 37 mm Length: 95 mm Height: 73 mm	1 TON	N/A
				

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-07A
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number	Description of the examined equipment	Result
MPF-2217	Shale Shaker Pad Eyes	Accept
Pad Eyes S/N:	SH1 , SH2 , SH3 , SH4	SWL: 1 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-08
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number:	QTY	Description	Pad Eye SWL:	Date of last Thorough examination
01	04	Fabricated Pad Eyes	3 TON	23-08-2024
02		Mud Tank Cover DQ012-CV-01		
03		Pad Eye Dimension		
04		Thickness: 28 mm		
	Pin Hole: 22 mm			
		Length: 73 mm		
		Height: 73 mm		

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months?	YES	✓	NO	
					With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		By an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-08A
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ012-CV-01	Mud Tank Cover Pad Eyes	Accept
Pad Eyes S/N:	01 , 02 , 03 , 04	SWL: 3 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-09
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number:	QTY	Description	Pad Eye SWL:	Date of last Thorough examination
05	04	Fabricated Pad Eyes	3 TON	23-08-2024
06		Mud Tank Cover DQ012-CV-02		
07		Pad Eye Dimension		
08		Thickness: 28 mm		
	Pin Hole: 22 mm			
		Length: 73 mm		
		Height: 73 mm		

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months?	YES	✓	NO	
					With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		By an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by:

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)

VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES ✓ NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0303-09A
Location:	DQ Rig 012	Job Order No:	QC-B-05-25-0303
Date of Examination:	21-May-2025	Next Inspection Due:	20-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ012-CV-02	Mud Tank Cover Pad Eyes	Accept
Pad Eyes S/N:	05 , 06 , 07 , 08	SWL: 3 Ton



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	