




CERTIFICATE OF QUALIFICATION VISUAL INSPECTION & ULTRASONIC WALL THICKNESS MEASUREMENT

THIS REPORT COMPLIES WITH RECOGNIZED INTERNATIONAL STANDARDS & TECHNICAL REQUIEREMENTS

CLIENT:	HALLIBURTON	REPORT NO :	HALL.25-AUG-NDT-HPS-010
LOCATION:	HPS (Burjesia Halliburton Camp)	SPECIFICATION:	ASTM E797-21
INSPECTION DATE:	Friday, August 8, 2025	INSPECTION DUE DATE:	Saturday, February 7, 2026
TYPE OF INSPECTION:	VISUAL INSPECTION & ULTRASONIC WALL THICKNESS MEASUREMENT		
DESCRIPTION:	ACCUMULATOR BOTTLE	SERIAL NO:	12D007015
UNIT NAME:	POWER PACK	UNIT NO:	12173665



**** ALL READINGS IN INCHES**
****MINIMUM THICKNESS PROVIDED BY CUSTOMER**



THICKNESS POINTS AREA	WALL THICKNESS RESULT			MINIMUM THICKNESS	REMARKS
	120°	240°	360°		
(TOP HEAD A)	0.632	0.639	0.630	0.500 INCH	ACCEPTED
(BOTTOM HEAD B)	0.639	0.631	0.624		
(BODY C)	0.447	0.452	0.443	0.300 INCH	
(BODY D)	0.435	0.444	0.448		

INSPECTION RESULT

Visual fully inspected and found freedom from deforms, cracks, corrosion & mechanical damage

U.T-The Above Item Was Found Acceptable As Per ASTM E797-21

INSPECTION EQUIPMENT DETAILS

UT THICKNESS GAUGE:	5500391	CAL DUE DATE	7-Oct-25	WHITE LIGHT INTENSITY: 3570 lux
UT TEST BLOCK:	NoBo5087	CAL DUE DATE	8-Oct-25	
Digital Lux Meter WHITE LIGHT	2722003	CAL DUE DATE	9-Oct-25	

PERSON DETAILS

REVIEW BY

INSPECTOR NAME:	M.Shahred Ahmed	SENIOR INSPECTOR:	NAVEED HUSSAIN	CLIENT:	
QUALIFICATION:	AI TAKAMUL COMPANY	INSPECTION SUPERVISOR:	HANI ALI	HR&SIGN	
SIGNATURE & STAMP:				DATE:	

