



CERTIFICATE OF THOROUGH EXAMINATION & NDT

This Certificate complies with the requirements of the ASTM & Lifting Equipment Operations and Lifting Equipment Regulations

Client	HALLIBURTON	Report No:	QC-24-01/HALL-HPS-15/C01
Item Description	Injector Head	Job No:	QC-24-01/HALL-HPS-15
General Scope of Activity	Coil Tubing Unit-1 Injector Head	Date of Inspection	15-DEC-2024
Place of Inspection	HPS Yard	Valid Until:	14-JULY-2024
Reference Standards:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)		

This is to certify that the undersigned did at the request of Halliburton, Al Burjesia Base attend their facilities at HPS Department on **15-DEC-2024** in order to carry out the scope of services as described below.

1.0 Scope of Activity:

- 1.1) Visual Inspection of Coil Tubing Unit – **Injector head Lifting Padeyes**
- 1.2) Magnetic Particle Inspection (MPI).
- 1.3) Review of maintenance records and Previous reports
- 1.4) Issue of Report.

2.0 Summary of Inspection:

- 2.1) Thorough visual inspection of Coil Tubing Unit-Injector head, **SAP No- 11454365** carried out and found satisfactory.
- 2.2) MPI was performed on accessible Pad eyes and its associated welds. The result was found satisfactory.
- 2.3) Dimensions of pad eyes were taken. The result was found satisfactory.
- 2.4) The maintenance record of the vehicle was reviewed.

3.0 Identification of item(s) verified & Details of Inspection:

A) Injector Head

SAP NO:	11454365
MANUFACTURER	HYDRA RIG
UNIT:	CTU-01

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of ASTM & Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





CERTIFICATE OF THOROUGH EXAMINATION & NDT

This Certificate complies with the requirements of the ASTM & Lifting Equipment Operations and Lifting Equipment Regulations

3.1) Visual Inspection:

- The visual Inspection of the Coil Tubing Unit- **Injector Head** were carried out as follows:
- The **Structure welds** of the Unit were inspected and NO visible damages observed
- The visual Inspection of **Lifting and Securing Pad Eyes** was done and found satisfactory.
- The visual Inspection of **Fall Arrestor Pole** was done and found satisfactory.
- No visual damages on **Painting** were observed on the external surfaces.

FINAL RESULT: PASS

3.2) Magnetic Particle Inspection (MPI):

Magnetic particle Inspection was performed on the following components.:

- **Pad Eyes** and its Associated welds
- **Fall Arrestor Pole**

FINAL RESULT: PASS

3.3) Review of maintenance Record:

The maintenance records and test reports accessories were reviewed and found satisfactory

FINAL RESULT: PASS

4.0 CONCLUSION:

The above Coil Tubing Unit- **Injector Head** was found to be in satisfactory condition after carrying out necessary inspection and tests subjected to proper maintenance according to manufacturer recommendation.

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of ASTM & Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







CERTIFICATE OF THOROUGH EXAMINATION & NDT

This Certificate complies with the requirements of the ASTM & Lifting Equipment Operations and Lifting Equipment Regulations

Photographs Of Activity



PAD EYE DIMENSION				
Serial No:	PE-01, PE-02			SWL
THICK.	HOLE	HEIGHT	WIDTH	
14 mm	17 mm	58 mm	114 mm	2 TON



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of ASTM & Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION & NDT

This Certificate complies with the requirements of the ASTM & Lifting Equipment Operations and Lifting Equipment Regulations

PAD EYE DIMENSION				
Serial No:	A, B, C, D			
THICK.	HOLE	HEIGHT	WIDTH	SWL
24 mm	26 mm	65 mm	75 mm	17 TON

PAD EYE DIMENSION				
Serial No:	1,2			SWL
THICK.	HOLE	HEIGHT	WIDTH	SWL
24 mm	26 mm	65 mm	75 mm	17 TON



Equipment Details

Technical Details

Equipment:	AC/DC Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke PERMANET HAND MAGNATIC	Magnetic Particle Concentration	1.2 to 2.4 ml/100 ml
Serial No:	1657	Serial No:	2722003	Serial No:	PY - 019 PY - 02	Method	Wet Magnetic Particle Testing (WMPT)
Cal. Date:	14-Feb-2024	Cal. Date:	16-Feb-2024	Cal. Date:	14-Feb-2024		
Black Magnetic Ink Manufacture:	7 HF	Magnaflux	Batch No:	220605	Expiry Date:	July-2025	WMPT Light Intensity
White Contrast Paint Manufacture:	WCP 2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025	

	INSPECTED & PREPARED BY	REVIEWED & APPROVED BY	CLIENT SIGNATURE & STAMP
NAME:	Aizaz Farhat LEEA NDT LEVEL II	Ashraf Elsaid LEEA NDT LEVEL II	
DESIGNATION	Inspector	Supervisor	
SIGNATURE & SEAL			

REV:01 DATED: 20 JUNE 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of ASTM & Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

