




Certificate of Thorough Examination & NDT of Lifting Equipment


This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/01		
Serial Number:	QTY	Description	SWL Each Pad Eye:
2-1 2-2 2-3 2-4	04	Fabricated Pad Eyes Up Crown Block Pad Eye Dimension Thickness: 30 mm Pin Hole: 40 mm Length: 164 mm Height: 172 mm	55 KN
			Date of last Thorough examination
			26.10.2023



Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	
		Was the examination carried out: Within an interval of 6 months?	✓
		With an interval of 12 months?	✓
		In accordance with an examination scheme?	✓
		After the occurrence of exceptional circumstances?	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:			NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
IS THIS EQUIPMENT SAFE TO OPERATE?			YES ✓ NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	16-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/02		
Serial Number	Description of the examined equipment		Result
TC19-010	Fabricated Pad Eyes Up Crown Block		Pass
Pad Eyes Serial Number	2-1 & 2-2 & 2-3 & 2-4	SWL Each Pad Eye:	55 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024



REV: 01 Dated: 20 June 2022





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/03		
Serial Number:	QTY	Description	SWL Each Pad Eye:
1-1 1-2	02	Fabricated Pad Eyes Up Crown Block Pad Eye Dimension Thickness: 30 mm Pin Hole: 40 mm Length: 250 mm Height: 170 mm	110 KN
			
Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		YES by: _____	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
IS THIS EQUIPMENT SAFE TO OPERATE?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details			
Standard	ASTM E709	Viewing Condition:	Colored Media
Yoke	Permanent	Serial No:	PY-011
White Contrast	WCP-2	Batch No:	220602
Black Ink	7HF	Batch No:	220605
NDT procedure			
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection			
Identification of any part found to have a defect and a description of the defect:			
None			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
None			
ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/04		
Serial Number	Description of the examined equipment		Result
TC19-010	Fabricated Pad Eyes Up Crown Block		Pass
Pad Eyes Serial Number	1-1 & 1-2	SWL Each Pad Eye:	110 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024



REV: 01 Dated: 20 June 2022





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/05		
Serial Number:	QTY	Description	SWL Each Pad Eye:
10-1	01	Hanging Pad Eye Under Crown Block Pad Eye Dimension Thickness: 50 mm Pin Hole: 60 mm X 2 Holle Length: 480 mm Height: 170 mm	400 KN
		Date of last Thorough examination 26.10.2023	
			
Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?		Was the examination carried out: Within an interval of 6 months?	
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		With an interval of 12 months?	
<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
		In accordance with an examination scheme?	
		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
		After the occurrence of exceptional circumstances?	
		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
IS THIS EQUIPMENT SAFE TO OPERATE?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details			
Standard	ASTM E709	Viewing Condition:	Colored Media
Yoke	Permanent	Serial No:	PY-011
White Contrast	WCP-2	Batch No:	220602
Black Ink	7HF	Batch No:	220605
Method	WET		
Due Date	16-02-2024		
Due Date	06-2025		
Due Date	7-1-2025		
NDT procedure			
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection			
Identification of any part found to have a defect and a description of the defect:			
None			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
None			
ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/06		
Serial Number	Description of the examined equipment		Result
TC19-010	Hanging Pad Eye Under Crown Block		Pass
Pad Eyes Serial Number	10-1	SWL Each Pad Eye:	400 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024


REV: 01 Dated: 20 June 2022






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/07		
Serial Number:	QTY	Description	SWL Each Pad Eye:
9-1 9-2	02	Fabricated Pad Eyes Under Crown Block Pad Eye Dimension Thickness: 30 mm Pin Hole: 25 mm Length: 140 mm Height: 168 mm	50 KN
			Date of last Thorough examination
			26.10.2023
			

Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	
		Was the examination carried out: Within an interval of 6 months?	YES ✓ NO
		With an interval of 12 months?	YES NO ✓
		In accordance with an examination scheme?	YES ✓ NO
		After the occurrence of exceptional circumstances?	YES NO ✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:			YES NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
IS THIS EQUIPMENT SAFE TO OPERATE?			YES ✓ NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	16-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/08		
Serial Number	Description of the examined equipment		Result
TC19-010	Fabricated Pad Eyes Up Crown Block		Pass
Pad Eyes Serial Number	9-1 & 9-2	SWL Each Pad Eye:	50 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024



REV: 01 Dated: 20 June 2022





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/09		
Serial Number:	QTY	Description	SWL Each Pad Eye:
7-1 7-2	02	Fabricated Pad Eyes Under Crown Block Pad Eye Dimension Thickness: 30 mm Pin Hole: 59 mm Length: 210 mm Height: 265 mm	200 KN
			
Date of last Thorough examination		26.10.2023	
Reference Standard: LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		YES by: _____	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
IS THIS EQUIPMENT SAFE TO OPERATE?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details			
Standard	ASTM E709	Viewing Condition:	Colored Media
Yoke	Permanent	Serial No:	PY-011
White Contrast	WCP-2	Batch No:	220602
Black Ink	7HF	Batch No:	220605
Method			
WET			
Due Date			
16-02-2024			
Batch No:			
06-2025			
Due Date			
7-1-2025			
NDT procedure			
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection			
Identification of any part found to have a defect and a description of the defect:			
None			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
None			
ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024


REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/10		
Serial Number	Description of the examined equipment		Result
TC19-010	Fabricated Pad Eyes Up Crown Block		Pass
Pad Eyes Serial Number	7-1 & 7-2	SWL Each Pad Eye:	200 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024


REV: 01 Dated: 20 June 2022






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/11		
Serial Number:	QTY	Description	SWL Each Pad Eye:
4-1 5-1	02	Pads Eye Under Crown Block for air winch with Secure pad eyes Pad Eye Dimension Thickness: 63 mm Pin Hole: 41 mm Length: 220 mm Height: 240 mm	100 KN
			Date of last Thorough examination 26.10.2023
			

Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓
		Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES ✓ NO YES ✓ NO ✓ YES ✓ NO ✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:		YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
IS THIS EQUIPMENT SAFE TO OPERATE?		YES	NO ✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	16-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/12		
Serial Number	Description of the examined equipment		Result
TC19-010	Pads Eye Under Crown Block for air winch with Secure pad eyes		Pass
Pad Eyes Serial Number	4-1 & 5-1	SWL Each Pad Eye:	100 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024



REV: 01 Dated: 20 June 2022





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/13		
Serial Number:	QTY	Description	SWL Each Pad Eye:
8-1	01	Pad Eye Under Crown Block for man raider with Secure pad eyes Pad Eye Dimension Thickness: 27 mm Pin Hole: 47 mm Length: 191 mm Height: 191 mm	100 KN
		Date of last Thorough examination 26.10.2023	
			
Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?		Was the examination carried out: Within an interval of 6 months?	
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		With an interval of 12 months?	
<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
		In accordance with an examination scheme?	
		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
		After the occurrence of exceptional circumstances?	
		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
IS THIS EQUIPMENT SAFE TO OPERATE?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details			
Standard	ASTM E709	Viewing Condition:	Colored Media
Yoke	Permanent	Serial No:	PY-011
White Contrast	WCP-2	Batch No:	220602
Black Ink	7HF	Batch No:	220605
Method	WET		
Due Date	16-02-2024		
Due Date	06-2025		
Due Date	7-1-2025		
NDT procedure			
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection			
Identification of any part found to have a defect and a description of the defect:			
None			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
None			
ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/14		
Serial Number	Description of the examined equipment		Result
TC19-010	Pad Eye Under Crown Block for man raider with Secure pad eyes		Pass
Pad Eyes Serial Number	8-1	SWL Each Pad Eye:	100 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024


REV: 01 Dated: 20 June 2022





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016		
Date of Examination:	06.01.2024	Location:	HH Rig 029		
Certificate No:	QC-HH-2024-0016/15				
Serial Number:	QTY	Description	SWL Each Pad Eye:		
3-1	01	Pad Eye Under Crown Block with Secure pad eyes	110 KN		
		Pad Eye Dimension Thickness: 20 mm Pin Hole: 30 mm Length: 200 mm Height: 270 mm	Date of last Thorough examination 26.10.2023		
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		Was the examination carried out: Within an interval of 6 months?			
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
If the answer to the above question is YES has the equipment been installed correctly?		With an interval of 12 months?			
<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
		In accordance with an examination scheme?			
		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
		After the occurrence of exceptional circumstances?			
		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY					
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	16-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:		Authenticating This Report:		Signature & Stamp:	
Khaled Mahmoud		Mohamed Abdalla			
				05.07.2024	

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/16		
Serial Number	Description of the examined equipment		Result
TC19-010	Pad Eye Under Crown Block for with Secure pad eyes		Pass
Pad Eyes Serial Number	3-1	SWL Each Pad Eye:	110 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024


REV: 01 Dated: 20 June 2022






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016	
Date of Examination:	06.01.2024	Location:	HH Rig 029	
Certificate No:	QC-HH-2024-0016/17			
Serial Number:	QTY	Description	SWL Each Pad Eye:	
56-1	05	Pad Eye Crown Block For fall arrestor with Secure pad eyes Pad Eye Dimension Thickness: 16 mm Pin Hole: 28 mm x 54 mm Length: 100 mm Height: 70 mm	25 KN	
56-2			26.10.2023	
56-3				
56-4				
56-5				

Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓
	YES	NO	✓
Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?			
		YES	✓
		YES	✓
		YES	✓
		YES	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:		YES	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
IS THIS EQUIPMENT SAFE TO OPERATE?		YES	✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	16-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024

REV: 01 Dated: 20 June 2022





Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-2024-0016
Date of Examination:	06.01.2024	Location:	HH Rig 029
Certificate No:	QC-HH-2024-0016/18		
Serial Number	Description of the examined equipment		Result
TC19-010	Pad Eye Crown Block For fall arrestor with Secure pad eyes		Pass
Pad Eyes Serial Number	56-1 & 56-2 & 56-3 & 56-4 & 56-5	SWL Each Pad Eye:	25 KN



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdalla		05.07.2024

REV: 01 Dated: 20 June 2022

