



## Visual & Magnetic Particles Examination Report

|                             |   |                        |                         |
|-----------------------------|---|------------------------|-------------------------|
| <b>Client Name:</b>         | Zhongman Petroleum and Natural Gas Group Corp CO.<br>Ltd. (ZPEC ( Basra ,Iraq ) | <b>Job Number:</b>     | QC-ZPEC-01-2024-0028    |
| <b>Date of Examination:</b> | 16.01.2024  | <b>Location:</b>       | ZPEC RIG 35             |
|                             |   | <b>Certificate No:</b> | QC-ZPEC-01-2024-0028/20 |
| <b>Serial Number</b>        | <b>Description of the examined equipment</b>                                    |                        | <b>Result</b>           |
| TR-01                       | CABLE TREY LIFTING LUGS   |                        | Pass                    |
| <b>LUGS S/N:</b>            | J1, J2, J3, J4  |                        |                         |



### NDT Equipment Details

|                |           |                    |               |          |            |
|----------------|-----------|--------------------|---------------|----------|------------|
| Standard       | ASTM E709 | Viewing Condition: | Colored Media | Method   | WET        |
| Yoke           | Permanent | Serial No:         | PY-10         | Due Date | 17-02-2024 |
| White Contrast | WCP-2     | Batch No:          | 220602        | Due Date | 06-2025    |
| Black Ink      | 7HF       | Batch No:          | 220605        | Due Date | 7-1-2025   |

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

|                                      |                                    |  |  |
|--------------------------------------|------------------------------------|--|--|
| <b>ASNT Level II Inspector Name:</b> | <b>Authenticating This Report:</b> | <b>Signature &amp; Stamp:</b>  | <b>Date of Next Through Examination:</b> |
| Khaled Mahmoud                       | Mohamed Abdalla                    |  | 15.07.2024                               |

REV: 01 Dated: 20 June 2022





## Visual & Magnetic Particles Examination Report

|                             |   |                        |                         |
|-----------------------------|---|------------------------|-------------------------|
| <b>Client Name:</b>         | Zhongman Petroleum and Natural Gas Group Corp CO.<br>Ltd. (ZPEC ( Basra ,Iraq ) | <b>Job Number:</b>     | QC-ZPEC-01-2024-0028    |
| <b>Date of Examination:</b> | 16.01.2024  | <b>Location:</b>       | ZEPC RIG 35             |
|                             |   | <b>Certificate No:</b> | QC-ZPEC-01-2024-0028/21 |
| <b>Serial Number</b>        | <b>Description of the examined equipment</b>                                    |                        | <b>Result</b>           |
| TR-02                       | CABLE TREY LIFTING LUGS   |                        | Pass                    |
| <b>LUGS S/N:</b>            | J5, J6, J7, J8  |                        |                         |



### NDT Equipment Details

|                |           |                    |               |          |            |
|----------------|-----------|--------------------|---------------|----------|------------|
| Standard       | ASTM E709 | Viewing Condition: | Colored Media | Method   | WET        |
| Yoke           | Permanent | Serial No:         | PY-10         | Due Date | 17-02-2024 |
| White Contrast | WCP-2     | Batch No:          | 220602        | Due Date | 06-2025    |
| Black Ink      | 7HF       | Batch No:          | 220605        | Due Date | 7-1-2025   |

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

|                                      |                                    |  |  |
|--------------------------------------|------------------------------------|--|--|
| <b>ASNT Level II Inspector Name:</b> | <b>Authenticating This Report:</b> | <b>Signature &amp; Stamp:</b>  | <b>Date of Next Through Examination:</b> |
| Khaled Mahmoud                       | Mohamed Abdalla                    |  | 15.07.2024                               |

REV: 01 Dated: 20 June 2022





## Visual & Magnetic Particles Examination Report

|                             |   |                        |                         |
|-----------------------------|---|------------------------|-------------------------|
| <b>Client Name:</b>         | Zhongman Petroleum and Natural Gas Group Corp CO.<br>Ltd. (ZPEC ( Basra ,Iraq ) | <b>Job Number:</b>     | QC-ZPEC-01-2024-0028    |
| <b>Date of Examination:</b> | 16.01.2024  | <b>Location:</b>       | ZPEC RIG 35             |
|                             |   | <b>Certificate No:</b> | QC-ZPEC-01-2024-0028/22 |
| <b>Serial Number</b>        | <b>Description of the examined equipment</b>                                    |                        | <b>Result</b>           |
| TR-04                       | CABLE TREY LIFTING LUGS   |                        | Pass                    |
| <b>LUGS S/N:</b>            | J9, J10, J11, J12   |                        |                         |



### NDT Equipment Details

|                |           |                    |               |          |            |
|----------------|-----------|--------------------|---------------|----------|------------|
| Standard       | ASTM E709 | Viewing Condition: | Colored Media | Method   | WET        |
| Yoke           | Permanent | Serial No:         | PY-10         | Due Date | 17-02-2024 |
| White Contrast | WCP-2     | Batch No:          | 220602        | Due Date | 06-2025    |
| Black Ink      | 7HF       | Batch No:          | 220605        | Due Date | 7-1-2025   |

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

|                                      |                                    |  |  |
|--------------------------------------|------------------------------------|--|--|
| <b>ASNT Level II Inspector Name:</b> | <b>Authenticating This Report:</b> | <b>Signature &amp; Stamp:</b>  | <b>Date of Next Through Examination:</b> |
| Khaled Mahmoud                       | Mohamed Abdalla                    |  | 15.07.2024                               |

REV: 01 Dated: 20 June 2022





## Visual & Magnetic Particles Examination Report

|                             |   |                        |                         |
|-----------------------------|---|------------------------|-------------------------|
| <b>Client Name:</b>         | Zhongman Petroleum and Natural Gas Group Corp CO.<br>Ltd. (ZPEC ( Basra ,Iraq ) | <b>Job Number:</b>     | QC-ZPEC-01-2024-0028    |
| <b>Date of Examination:</b> | 16.01.2024  | <b>Location:</b>       | ZPEC RIG 35             |
|                             |   | <b>Certificate No:</b> | QC-ZPEC-01-2024-0028/23 |
| <b>Serial Number</b>        | <b>Description of the examined equipment</b>                                    |                        | <b>Result</b>           |
| TR-03                       | CABLE TREY LIFTING LUGS   |                        | Pass                    |
| <b>LUGS S/N:</b>            | J13, J14, J15, J16  |                        |                         |



### NDT Equipment Details

|                |           |                    |               |          |            |
|----------------|-----------|--------------------|---------------|----------|------------|
| Standard       | ASTM E709 | Viewing Condition: | Colored Media | Method   | WET        |
| Yoke           | Permanent | Serial No:         | PY-10         | Due Date | 17-02-2024 |
| White Contrast | WCP-2     | Batch No:          | 220602        | Due Date | 06-2025    |
| Black Ink      | 7HF       | Batch No:          | 220605        | Due Date | 7-1-2025   |

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

|                                      |                                    |  |  |
|--------------------------------------|------------------------------------|--|--|
| <b>ASNT Level II Inspector Name:</b> | <b>Authenticating This Report:</b> | <b>Signature &amp; Stamp:</b>  | <b>Date of Next Through Examination:</b> |
| Khaled Mahmoud                       | Mohamed Abdalla                    |  | 15.07.2024                               |

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

|                             |   |                    |                      |
|-----------------------------|---|--------------------|----------------------|
| <b>Client Name:</b>         | Zhongman Petroleum and Natural Gas Group Corp CO.<br>Ltd. (ZPEC ( Basra ,Iraq ) | <b>Job Number:</b> | QC-ZPEC-01-2024-0028 |
| <b>Date of Examination:</b> | 16.01.2024  | <b>Location:</b>   | ZPEC RIG 35          |
| <b>Certificate No:</b>      | QC-ZPEC-01-2024-0028/24   |                    |                      |
| <b>Serial Number</b>        | <b>Description of the examined equipment</b>                                    |                    | <b>Result</b>        |
| TR-05                       | CABLE TREY LIFTING LUGS   |                    | Pass                 |
| LUGS S/N:                   | J17, J18, J19, J20  |                    |                      |



| NDT Equipment Details  |           |                    |               |          |            |
|--|-----------|--------------------|---------------|----------|------------|
| Standard   | ASTM E709 | Viewing Condition: | Colored Media | Method   | WET        |
| Yoke   | Permanent | Serial No:         | PY-10         | Due Date | 17-02-2024 |
| White Contrast   | WCP-2     | Batch No:          | 220602        | Due Date | 06-2025    |
| Black Ink  | 7HF       | Batch No:          | 220605        | Due Date | 7-1-2025   |
| NDT procedure  |           |                    |               |          |            |
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection |           |                    |               |          |            |
| Identification of any part found to have a defect and a description of the defect:                               |           |                    |               |          |            |
| None   |           |                    |               |          |            |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above:                 |           |                    |               |          |            |
| None   |           |                    |               |          |            |

|                                      |                                    |  |  |
|--------------------------------------|------------------------------------|--|--|
| <b>ASNT Level II Inspector Name:</b> | <b>Authenticating This Report:</b> | <b>Signature &amp; Stamp:</b>  | <b>Date of Next Through Examination:</b> |
| Khaled Mahmoud                       | Mohamed Abdalla                    |  | 15.07.2024                               |

REV: 01 Dated: 20 June 2022





## Visual & Magnetic Particles Examination Report

|                             |   |                        |                         |
|-----------------------------|---|------------------------|-------------------------|
| <b>Client Name:</b>         | Zhongman Petroleum and Natural Gas Group Corp CO.<br>Ltd. (ZPEC ( Basra ,Iraq ) | <b>Job Number:</b>     | QC-ZPEC-01-2024-0028    |
| <b>Date of Examination:</b> | 16.01.2024  | <b>Location:</b>       | ZPEC RIG 35             |
|                             |   | <b>Certificate No:</b> | QC-ZPEC-01-2024-0028/25 |
| <b>Serial Number</b>        | <b>Description of the examined equipment</b>                                    |                        | <b>Result</b>           |
| TR-06                       | CABLE TREY LIFTING LUGS   |                        | Pass                    |
| <b>LUGS S/N:</b>            | J21, J22, J23, J24  |                        |                         |



### NDT Equipment Details

|                |           |                    |               |          |            |
|----------------|-----------|--------------------|---------------|----------|------------|
| Standard       | ASTM E709 | Viewing Condition: | Colored Media | Method   | WET        |
| Yoke           | Permanent | Serial No:         | PY-10         | Due Date | 17-02-2024 |
| White Contrast | WCP-2     | Batch No:          | 220602        | Due Date | 06-2025    |
| Black Ink      | 7HF       | Batch No:          | 220605        | Due Date | 7-1-2025   |

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

|                                      |                                    |  |  |
|--------------------------------------|------------------------------------|--|--|
| <b>ASNT Level II Inspector Name:</b> | <b>Authenticating This Report:</b> | <b>Signature &amp; Stamp:</b>  | <b>Date of Next Through Examination:</b> |
| Khaled Mahmoud                       | Mohamed Abdalla                    |  | 15.07.2024                               |

REV: 01 Dated: 20 June 2022

