



















CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-010			
Rig Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGSJ003-278			
					UNIT SIZE & SWL:	5 Ton / 2 7/8"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA		
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025			
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		
							SENIOR INSPECTOR	WAQAS AWAN	
							SUPERVISOR:	M ABDULLAH	
							CLIENT:		




CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-011			
Rig Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGGSJ002-278			
					UNIT SIZE & SWL:	5 Ton / 2 7/8"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	CERTIFICATION			SENIOR INSPECTOR	WAQAS AWAN	
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA	SUPERVISOR:	M ABDULLAH
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025		CLIENT:	
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		




CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION										
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-012				
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576				
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024				
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)				
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR				
					UNIT S/N:	BGGSJ002-35				
					UNIT SIZE & SWL:	5 Ton / 3 1/2"				
					INSPECTION RESULT :					
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.				
MAGNETIC PARTICLE INSPECTION					M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS					
FINAL RESULTS					THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION					
COMMENT:					Online Traceability 					
					MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT					
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY		
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			SENIOR INSPECTOR	WAQAS AWAN
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI				
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			SUPERVISOR:	M ABDULLAH
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA			
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025				
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		CLIENT:	
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux					
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021			









CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION										
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-013				
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576				
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024				
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)				
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR				
					UNIT S/N:	BGGJSJ001-35				
					UNIT SIZE & SWL:	5 Ton / 3 1/2"				
					INSPECTION RESULT :					
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.				
MAGNETIC PARTICLE INSPECTION					M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS					
FINAL RESULTS					THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION					
COMMENT:					Online Traceability 					
					MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT					
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY		
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			SENIOR INSPECTOR	WAQAS AWAN
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI				
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			SUPERVISOR:	M ABDULLAH
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA			
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025			CLIENT:	
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:			
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux					
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021			




CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-014			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGGSJ003-45			
					UNIT SIZE & SWL:	5 Ton / 4 1/2"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025			
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025			
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity				
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		
							SENIOR INSPECTOR	WAQAS AWAN	
							SUPERVISOR:	M ABDULLAH	
							CLIENT:		



CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-015			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGGSJ002-45			
					UNIT SIZE & SWL:	5 Ton / 4 1/2"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA		
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025			
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		
								SENIOR INSPECTOR	WAQAS AWAN
								SUPERVISOR:	M ABDULLAH
								CLIENT:	


CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-016			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGGSJ002-55			
					UNIT SIZE & SWL:	5 Ton / 5 1/2"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	CERTIFICATION			SENIOR INSPECTOR	WAQAS AWAN	
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA	SUPERVISOR:	M ABDULLAH
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025		CLIENT:	
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		

CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-017			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	25-June-2023				Inspection Due Date:	24-Dec-2023			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGGSJ001-55			
					UNIT SIZE & SWL:	5 Ton / 5 1/2"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18-Aug-23	Cal Due Date:	18-Aug-23			CERTIFICATION			
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA		
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025			
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		
								SENIOR INSPECTOR	WAQAS AWAN
								SUPERVISOR:	M ABDULLAH
								CLIENT:	




CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-018			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGGSJ001-7			
					UNIT SIZE & SWL:	5 Ton / 7"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18-Aug-23			CERTIFICATION			
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025			
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025			
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity	STAMP & SIGNATURE:			
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		




CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-019			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGGSJ002-7			
					UNIT SIZE & SWL:	5 Ton / 7"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18-Aug-23	Cal Due Date:	18-Aug-23	CERTIFICATION			SENIOR INSPECTOR	WAQAS AWAN	
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA	SUPERVISOR:	M ABDULLAH
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025		CLIENT:	
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	Black Gold Gulf Oil & Gas Services Co.Ltd Basra Iraq	Report No:	2023-0800-SJ01
Location:	YARD	Job Number:	2023-0800
Date:	02-01-2024	Next Inspection Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	(API RP 8B CAT-III) ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	2 7/8" SINGLE JOINT ELEVATOR
		UNIT S/N:	BGGSJ001-278
		UNIT TON:	5 TON
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Available critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
COMMENT:-			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			



EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC YOKE	EQUIPMENT :	Digital Lux Meter	EQUIPMENT :	AC-Yoke Test Block		INSPECTOR NAME: MUHAMMAD FAHAD		SENIOR INSPECTOR:	WAQAS AWAN
S.NO:	201504048	S.NO:	2722003	S.NO:	1657				QUALIFICATION: ASNT LEVEL II MT , PT & UT	SUPERVISOR:
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024		STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:7HF		Magnaflux	Batch No:	220605	EXPIRE DATE:	Jul-25				
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025				
TECHNICAL DETAILS		Magnetic Partical Concentration		Method		WMPT Light Intensity				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files		Copy - Area Office		QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021						




CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-020			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGGSJ003-7			
					UNIT SIZE & SWL:	5 Ton / 7"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
FINAL RESULTS					THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION				
COMMENT:					Online Traceability 				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025			
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025			
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office				
					QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021				

CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-021			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINTS ELEVATOR			
					UNIT S/N:	BGGSJ 002			
					UNIT SIZE & SWL:	5 Ton / 11 3/4"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
FINAL RESULTS					THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION				
COMMENT:					Online Traceability 				
					MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT				
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA		
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025			
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office				
					QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021				
					SENIOR INSPECTOR: WAQAS AWAN SUPERVISOR: M ABDULLAH CLIENT:				

CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq	Report No:	QC-BG-MPI-0576-022
Location:	BLACK GOLD YARD	Job Number:	QC-BG-JUN-2023-0576
Inspection Date:	02-01-2024	Inspection Due Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)
		UNIT DESCRIPTION:	SINGLE JOINTS ELEVATOR
		UNIT S/N:	BGGSJ 007
		UNIT SIZE & SWL:	5 Ton / 11 3/4"
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.
MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS		
FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION	
COMMENT:		Online Traceability 	
		MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT	

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:		SENIOR INSPECTOR	WAQAS AWAN
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			
Black Magnetic Ink Manufacture: 7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA		SUPERVISOR:	M ABDULLAH
White Contrast Paint Manufacture: WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025				
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:	CLIENT:	
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files						Copy - Area Office		QC/FN/MP/065 Rev.00 Dated 07 Nov 2021	

Original - Client Files

Copy - Area Office

QC/FN/MPI/065

Rev.00

Dated 07 Nov 2021






Corporate Partner





Address: Noth Rumaila, Al Takamul Yard
Contact: +9647810009138


Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-023			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINTS ELEVATOR			
					UNIT S/N:	BGGSJ 003-13			
					UNIT SIZE & SWL:	5 Ton / 13 3/8"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
FINAL RESULTS					THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION				
COMMENT:					Online Traceability 				
					MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT				
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025			
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025			
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		
							SENIOR INSPECTOR	WAQAS AWAN	
							SUPERVISOR:	M ABDULLAH	
							CLIENT:		

CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq	Report No:	QC-BG-MPI-0576-024
Location:	BLACK GOLD YARD	Job Number:	QC-BG-JUN-2023-0576
Inspection Date:	02-01-2024	Inspection Due Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)
		UNIT DESCRIPTION:	SINGLE JOINTS ELEVATOR
		UNIT S/N:	BGGSJ 004-18
		UNIT SIZE & SWL:	5 Ton / 18 5/8"
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.
MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS		
FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION	
COMMENT:		Online Traceability 	
		MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT	

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:		SENIOR INSPECTOR	WAQAS AWAN
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI		SUPERVISOR:	M ABDULLAH
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	CERTIFICATION	ASNT LEVEL II VT,MT,PT,UT & LEEA	CLIENT:			
Black Magnetic Ink Manufacture: 7-HF		Magnaflux		Batch No:	220605	Expiry Date:	March-2025		
White Contrast Paint Manufacture: WCP-2		Magnaflux		Batch No:	220602	Expiry Date:	June-2025		
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity			
		1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux			
						STAMP & SIGNATURE:			

Original - Client Files



Copy - Area Office


QC/FN/MPI/065

Rev.00

Dated 07 Nov 2021

CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq	Report No:	QC-BG-MPI-0576-025
Location:	BLACK GOLD YARD	Job Number:	QC-BG-JUN-2023-0576
Inspection Date:	02-01-2024	Inspection Due Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		
		UNIT DESCRIPTION:	SINGLE JOINTS ELEVATOR
		UNIT S/N:	BGGSJ003-18
		UNIT SIZE & SWL:	5 Ton / 18 5/8"
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.
		MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS
FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION	
COMMENT:		Online Traceability 	
		MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT	

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:		SENIOR INSPECTOR	WAQAS AWAN
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CERTIFICATION			
Black Magnetic Ink Manufacture: 7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA		SUPERVISOR:	M ABDULLAH
White Contrast Paint Manufacture: WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025				
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:	CLIENT:	
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files			Copy - Area Office			QC/FN/MP1/065 Rev.00 Dated 07 Nov 2021			

Original - Client Files

Copy - Area Office

QC/FN/MPI/065

Rev.00

Dated 07 Nov 2021






Corporate Partner







Address: Noth Rumaila, Al Takamul Yard
Contact: +9647810009138


Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com


CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-026			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINTS ELEVATOR			
					UNIT S/N:	BGGSJ002-18			
					UNIT SIZE & SWL:	5 Ton / 18 5/8"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	CERTIFICATION			SENIOR INSPECTOR	WAQAS AWAN	
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA	SUPERVISOR:	M ABDULLAH
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025		CLIENT:	
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		


CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-027			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019) (CAT III)			
					UNIT DESCRIPTION:	SINGLE JOINTS ELEVATOR			
					UNIT S/N:	BGGSJ001-18			
					UNIT SIZE & SWL:	5 Ton / 18 5/8"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION			
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	CERTIFICATION			SENIOR INSPECTOR	WAQAS AWAN	
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA	SUPERVISOR:	M ABDULLAH
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025		CLIENT:	
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	Black Gold Gulf Oil & Gas Services Co.Ltd Basra Iraq	Report No:	2023-0800-SJ02
Location:	YARD	Job Number:	2023-0800
Date:	02-01-2024	Next Inspection Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification: (API RP 8B CAT-III) ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	4 1/2" SINGLE JOINT ELEVATOR
		UNIT S/N:	BGGSJ001-45
		UNIT TON:	5 TON
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Available critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
		COMMENT:- Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast	


EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC YOKE	EQUIPMENT :	Digital Lux Meter	EQUIPMENT :	AC-Yoke Test Block		INSPECTOR NAME: MUHAMMAD FAHAD		SENIOR INSPECTOR:	WAQAS AWAN
S.NO:	201504048	S.NO:	2722003	S.NO:	1657				QUALIFICATION: ASNT LEVEL II MT , PT & UT	SUPERVISOR:
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024		STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:7HF		Magnaflux	Batch No:	220605	EXPIRE DATE:	Jul-25				
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025				
TECHNICAL DETAILS		Magnetic Partical Concentration		Method		WMPT Light Intensity				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files		Copy - Area Office		QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021						




CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	Black Gold Gulf Oil & Gas Services Co.Ltd Basra Iraq	Report No:	2023-0800-SJ03
Location:	YARD	Job Number:	2023-0800
Date:	02-01-2024	Next Inspection Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification:
		UNIT DESCRIPTION:	3 1/2" SINGLE JOINT ELEVATOR
		UNIT S/N:	BGGSJ003-35
		UNIT TON:	5 TON
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Available critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
		COMMENT:-	
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			


EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC YOKE	EQUIPMENT :	Digital Lux Meter	EQUIPMENT :	AC-Yoke Test Block		INSPECTOR NAME: MUHAMMAD FAHAD		SENIOR INSPECTOR:	WAQAS AWAN
S.NO:	201504048	S.NO:	2722003	S.NO:	1657				QUALIFICATION: ASNT LEVEL II MT , PT & UT	SUPERVISOR:
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024					
Black Magnetic Ink Manufacture:7HF		Magnaflux	Batch No:	220605	EXPIRE DATE:	Jul-25				
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025				
TECHNICAL DETAILS		Magnetic Partical Concentration		Method		WMPT Light Intensity	STAMP & SIGNATURE:		CLIENT:	
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files		Copy - Area Office		QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021						




CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	Black Gold Gulf Oil & Gas Services Co.Ltd Basra Iraq	Report No:	2023-0800-SJ04
Location:	YARD	Job Number:	2023-0800
Date:	02-01-2024	Next Inspection Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification:
		UNIT DESCRIPTION:	13" SINGLE JOINT ELEVATOR
		UNIT S/N:	BGGSJ002-13
		UNIT TON:	5 TON
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Available critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
		COMMENT:-	
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			


EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC YOKE	EQUIPMENT :	Digital Lux Meter	EQUIPMENT :	AC-Yoke Test Block		INSPECTOR NAME: MUHAMMAD FAHAD		SENIOR INSPECTOR:	WAQAS AWAN
S.NO:	201504048	S.NO:	2722003	S.NO:	1657				QUALIFICATION: ASNT LEVEL II MT , PT & UT	SUPERVISOR:
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024		STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:7HF		Magnaflux	Batch No:	220605	EXPIRE DATE:	Jul-25				
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025				
TECHNICAL DETAILS		Magnetic Partical Concentration		Method		WMPT Light Intensity				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00	DATED 07 NOV 2021			




CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	Black Gold Gulf Oil & Gas Services Co.Ltd Basra Iraq	Report No:	2023-0800-SJ05
Location:	YARD	Job Number:	2023-0800
Date:	02-01-2024	Next Inspection Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification:
		UNIT DESCRIPTION:	13" SINGLE JOINT ELEVATOR
		UNIT S/N:	BGGSJ001-13
		UNIT TON:	5 TON
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Available critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
		COMMENT:-	
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			


EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC YOKE	EQUIPMENT :	Digital Lux Meter	EQUIPMENT :	AC-Yoke Test Block		INSPECTOR NAME: MUHAMMAD FAHAD		SENIOR INSPECTOR:	WAQAS AWAN
S.NO:	201504048	S.NO:	2722003	S.NO:	1657				QUALIFICATION: ASNT LEVEL II MT , PT & UT	SUPERVISOR:
Cal Due Date:	18.AUG.2023	Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024		STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:7HF		Magnaflux	Batch No:	220605	EXPIRE DATE:	Jul-25				
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025				
TECHNICAL DETAILS		Magnetic Partical Concentration		Method		WMPT Light Intensity				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files		Copy - Area Office		QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021						




CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	Black Gold Gulf Oil & Gas Services Co.Ltd Basra Iraq	Report No:	2023-0800-SJ06
Location:	YARD	Job Number:	2023-0800
Date:	02-01-2024	Next Inspection Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	(API RP 8B CAT-III) ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	9" SINGLE JOINT ELEVATOR
		UNIT S/N:	BGGSJ002-9
		UNIT TON:	5 TON
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Available critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
		COMMENT:-	
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC YOKE	EQUIPMENT :	Digital Lux Meter	EQUIPMENT :	AC-Yoke Test Block	INSPECTOR NAME:	MUHAMMAD FAHAD	SENIOR INSPECTOR:	WAQAS AWAN
S.NO:	201504048	S.NO:	2722003	S.NO:	1657	QUALIFICATION:	ASNT LEVEL II MT , PT & UT	SUPERVISOR:	MUHAMMAD NAQQASH
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024			CLIENT:	
Black Magnetic Ink Manufacture:7HF		Magnaflux	Batch No:	220605	EXPIRE DATE:		Jul-25		
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:		JUN,2025		
TECHNICAL DETAILS		Magnetic Partical Concentration		Method		WMPT Light Intensity			
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux			
Original - Client Files Copy - Area Office QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021									






CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	Black Gold Gulf Oil & Gas Services Co.Ltd Basra Iraq	Report No:	2023-0800-SJ07
Location:	YARD	Job Number:	2023-0800
Date:	02-01-2024	Next Inspection Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification:
		UNIT DESCRIPTION:	20" SINGLE JOINT ELEVATOR
		UNIT S/N:	BGGSJ001-20
		UNIT TON:	5 TON
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Available critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
		COMMENT:-	
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY		
EQUIPMENT :	AC/DC YOKE	EQUIPMENT :	Digital Lux Meter	EQUIPMENT :	AC-Yoke Test Block	INSPECTOR NAME:	MUHAMMAD FAHAD	SENIOR INSPECTOR:	WAQAS AWAN	
S.NO:	201504048	S.NO:	2722003	S.NO:	1657	QUALIFICATION:	ASNT LEVEL II MT , PT & UT	SUPERVISOR:	MUHAMMAD NAQQASH	
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024		STAMP & SIGNATURE:	CLIENT:		
Black Magnetic Ink Manufacture:7HF		Magnaflux	Batch No:	220605	EXPIRE DATE:					Jul-25
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:					JUN,2025
TECHNICAL DETAILS		Magnetic Partical Concentration		Method		WMPT Light Intensity				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				




Original - Client Files Copy - Area Office QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021






CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	Black Gold Gulf Oil & Gas Services Co.Ltd Basra Iraq	Report No:	2023-0800-SJ08
Location:	YARD	Job Number:	2023-0800
Date:	02-01-2024	Next Inspection Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	(API RP 8B CAT-III) ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	9" SINGLE JOINT ELEVATOR
		UNIT S/N:	BGGSJ001-9
		UNIT TON:	5 TON
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Available critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
COMMENT:-			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC YOKE	EQUIPMENT :	Digital Lux Meter	EQUIPMENT :	AC-Yoke Test Block		INSPECTOR NAME: MUHAMMAD FAHAD		SENIOR INSPECTOR:	WAQAS AWAN
S.NO:	201504048	S.NO:	2722003	S.NO:	1657				QUALIFICATION: ASNT LEVEL II MT , PT & UT	SUPERVISOR:
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024					
Black Magnetic Ink Manufacture:7HF		Magnaflux	Batch No:	220605	EXPIRE DATE:	Jul-25				
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025				
TECHNICAL DETAILS		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:	CLIENT:	
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00		DATED 07 NOV 2021		



CERTIFICAT OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	Black Gold Gulf Oil And Gas Services Co.Ltd Basra Iraq				Report No:	QC-BG-MPI-0576-093			
Location:	BLACK GOLD YARD				Job Number:	QC-BG-JUN-2023-0576			
Inspection Date:	02-01-2024				Inspection Due Date:	01-07-2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 API RP 8B & ASTM E 1444 (2016) ASME V Article 7 (2019)			
					UNIT DESCRIPTION:	SINGLE JOINT ELEVATOR			
					UNIT S/N:	BGGSJ 019			
					UNIT SIZE & SWL:	5 Ton / 3 1/2"			
					INSPECTION RESULT :				
					VISUAL , THOROUGH EXAMINATION	VISUALLY INSPECTED AND FOUND FREE FROM DEFORMATIONS, CORROSIONS, AND OTHER DEFECTS.			
					MAGNETIC PARTICLE INSPECTION	M.P.I HAS BEEN DONE ON AVAILABLE CRITICAL AREAS AND FOUND FREE FROM CRACKS AND OTHER DEFECTS			
FINAL RESULTS					THE ABOVE INSPECTED AREAS WAS ACCEPTED AT THE TIME OF INSPECTION				
COMMENT:					Online Traceability				
MAGNETIC PARTICLE INSPECTION WITH AC YOKE, BLACK INK, AND WHITE CONTRAST PAINT									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC / DC Yoke	INSPECTOR NAME:			
S.No:	1657	S.No:	1932401	S.No:	201504048	SYED AAMIR ALI			
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	CERTIFICATION			SENIOR INSPECTOR	WAQAS AWAN	
Black Magnetic Ink Manufacture:	7-HF	Magnaflux	Batch No:	220605	Expiry Date:	March-2025	ASNT LEVEL II VT,MT,PT,UT & LEEA	SUPERVISOR:	M ABDULLAH
White Contrast Paint Manufacture:	WCP-2	Magnaflux	Batch No:	220602	Expiry Date:	June-2025		CLIENT:	
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		
	1.2 to 2.4 ml / 100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 Dated 07 Nov 2021		

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	Black Gold Gulf Oil & Gas Services Co.Ltd Basra Iraq	Report No:	2023-0800-SJ09
Location:	YARD	Job Number:	2023-0800
Date:	02-01-2024	Next Inspection Date:	01-07-2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	(API RP 8B CAT-III) ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	7" SINGLE JOINT ELEVATOR
		UNIT S/N:	BGGSJ004-7
		UNIT TON:	5 TON
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Available critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
COMMENT:-			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY		
EQUIPMENT :	AC/DC YOKE	EQUIPMENT :	Digital Lux Meter	EQUIPMENT :	AC-Yoke Test Block	INSPECTOR NAME:	MUHAMMAD FAHAD	SENIOR INSPECTOR:	WAQAS AWAN	
S.NO:	201504048	S.NO:	2722003	S.NO:	1657	QUALIFICATION:	ASNT LEVEL II MT , PT & UT	SUPERVISOR:	MUHAMMAD NAQQASH	
Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024	Cal Due Date:	18.Mar.2024		STAMP & SIGNATURE:	CLIENT:		
Black Magnetic Ink Manufacture:	7HF	Magnaflux	Batch No:	220605	EXPIRE DATE:					Jul-25
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:					JUN,2025
TECHNICAL DETAILS		Magnetic Partical Concentration		Method		WMPT Light Intensity				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		1350 Lux				

Original - Client Files Copy - Area Office QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021

