



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION											
Client:		HALLIBURTON (WPS)			Report No:		QC-24-02-RS-WPS-008				
Location:		HALLIBURTON WPS WORKSHOP			Job Number:		QC-24-02-RS-001				
Date:		12.FEB.2024			Next Inspection Date:		11.AUG.2024				
Type Of Inspection:		VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			Specification:		ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)				
					UNIT DESCRIPTION:		TANK				
					IDENTIFICATION NUMBER:		AW-TK-003				
					DIM:		2M (L) X 1M (W) X 1.6M (H)				
					INSPECTION RESULT :						
					VISUAL , THOROUGH EXAMINATION		VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION				
					MAGNETIC PARTICLE INSPECTION		Thread & Available critical areas inspected and found free from cracks and other defects				
					FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED				
COMMENT:											
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast											
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY			
EQUIPMENT :	AC/DC Yoke PERMANENT HAND MAGNETIC	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT: 3180 μw/cm ²	INSPECTOR NAME: SOHAIL RAO		SENIOR INSPECTOR: NAVEED HUSSEIN			
S.NO:	201504048 USA PYO-019CM (PY-02)	S.NO:	22650	S.NO:	1932401						
Cal Due Date:	14.FEB.2024	Cal Due Date:	14.FEB.2024	Cal Due Date:	14.FEB.2024	QUALIFICATION: ASNT LEVEL II MT & PT & VT		SUPERVISOR: HANI ALI			
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:					MARCH,2025	
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025	STAMP & SIGNATURE:		CLIENT:		
Digital Lux Meter WHITE LIGHT INTENSITY:		TECHNICAL DETAILS			Black Magnetic Ink Manufacture:7HF						
3510 Lux/S.NO:2722003		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml		Batch No:220605					
16.FEB.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE: Jul-25					

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021