



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION														
Client:		HALLIBURTON(SPERRY)				Report No:		QC-24-04-HALL-SPY-003						
Location:		Halliburton Burjesia (SPERRY) Yard				Job Number:		QC-24-04-HALL-SPY						
Date:		Monday, March 11, 2024				Next Inspection Date:		Tuesday, September 10, 2024						
Type Of Inspection:		VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:		DS-1 Volume 3 Fifth Edition,						
					Halliburton Doc		Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D							
					UNIT DESCRIPTION:		FLOW LOOP TEST CAP							
					CONNECTION:		4 1/2" IF Pin X 4" 206 THREAD							
					UNIT S/N:		102760622							
					INSPECTION RESULT :									
					VISUAL , THOROUGH EXAMINATION		VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION							
					MAGNETIC PARTICLE INSPECTION		Thread & critical areas inspected and found freedom from cracks and other defects							
					FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED							
					COMMENT:									
					(MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY						
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT:	INSPECTOR NAME: USMAN SHABBIR		SENIOR INSPECTOR:	NAVEED HUSSAIN					
S.NO:	201504052	S.NO:	22650	S.NO:	1898977									
Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	QUALIFICATION: ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI					
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:					MARCH,2025				
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025	STAMP & SIGNATURE:		CLIENT:					
Digital Lux Meter		TECHNICAL DETAILS				Black Magnetic Ink								
WHITE LIGHT INTENSITY:						Wet FLUORESCENT Particle Concentration 14 HF				0.1 to 0.4 ml/100 ml		Manufacture:7HF		
3570 Lux/S.NO:2722003		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		Batch No:220605								
Cal Due Date:14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE:		Jul-25						
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00		DATED 07 NOV 2021						