

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	HALLIBURTON(SPERRY)				Report No:	QC-24-04-HALL-SPY-007			
Location:	Halliburton Burjesia (SPERRY) Yard				Job Number:	QC-24-04-HALL-SPY			
Date:	Monday, March 11, 2024				Next Inspection Date:	Tuesday, September 10, 2024			
Type Of Inspection:	VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	DS-1 Volume 3 Fifth Edition,			
					Halliburton Doc	Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D			
					UNIT DESCRIPTION:	FLOW LOOP TEST CAP			
					CONNECTION:	7 5/8" REG Pin X 4" 206 THREAD			
					UNIT S/N:	ABB-00721			
					INSPECTION RESULT :				
					VISUAL, THOROUGH EXAMINATION		VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION		
					MAGNETIC PARTICLE INSPECTION		Thread & critical areas inspected and found freedom from cracks and other defects		
					FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED		
					COMMENT:				
					(MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast				
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT:	INSPECTOR NAME:		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.NO:	201504052	S.NO:	22650	S.NO:	3240 µw/cm²	USMAN SHABBIR			
Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	QUALIFICATION:		SUPERVISOR:	HANI ALI
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:	ASNT LEVEL II MT & PT & VT			
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025		CLIENT:	
Digital Lux Meter		TECHNICAL DETAILS			Black Magnetic Ink				
WHITE LIGHT INTENSITY:					Manufacture:7HF				
3570 Lux/S.NO:2722003		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml		Batch No:220605			
Cal Due Date:14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE:		Jul-25	
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021		