

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION											
Client:		AL-ESNAAD OIL TOOL FOR OIL SERVICES.LLC			Report No:		QC-24-04-AL-ESNAAD-013				
Location:		AL-ESNAAD OIL TOOL YARD			Job Number:		AL-ESNAAD-24-04-0136				
Date:		28.APR.2024			Next Inspection Date:		27.OCT2024				
Type Of Inspection:		VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			Specification:		ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)				
					UNIT DESCRIPTION:		RETAINER NUT&BALL CATCHER GAUGE				
					UNIT S/N:		N/A				
					INSPECTION RESULT :						
					VISUAL , THOROUGH EXAMINATION		VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION				
					MAGNETIC PARTICLE INSPECTION		Thread& Critical areas inspected and found free from cracks and other defects				
FINAL RESULTS		unit found satisfactory and free of defects at the time of inspection									
COMMENT:											
(MPI Wet Fluorescent Inspection Thread & Body With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast											
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY			
Equipment:	ASTM Test Block	Equipment:	UV BLACK LIGHT:2900 μw/cm ²	Equipment:	AC/DC Yoke PERMANENT HAND MAGNETIC	INSPECTOR NAME:		SENIOR INSPECTOR:	M.FHAD		
S.No:	1657	S.No:	1900084	S.No:	201504048 PY-09	RAO SOHAIL					
Cal Due Date:	12.AUG.2024	Cal Due Date:	14.AUG.2024	Cal Due Date:	14.AUG.2024	QUALIFICATION: ASNT LEVEL II MT & PT & VT		SUPERVISOR:	WAQAS AWAN		
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:					MARCH,2025	
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025	STAMP & SIGNATURE:		CLIENT:		
Digital Lux Meter WHITE LIGHT INTENSITY:		TECHNICAL DETAILS			Black Magnetic Ink Manufacture:7HF						
3450 Lux/S.NO:2722003		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml		Batch No:220605					
14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE: Jul-25					

Original - Client Files Copy - Area Office QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021