



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION										
Client:		HALLIBURTON(SPERRY)			Report No:		QC-24-04-HALL-SPY-020			
Location:		Halliburton Burjesia (SPERRY) Yard			Job Number:		QC-24-04-HALL-SPY			
Date:		Monday, March 11, 2024			Next Inspection Date:		Tuesday, September 10, 2024			
Type Of Inspection:		VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			Specification:		DS-1 Volume 3 Fifth Edition,			
					Halliburton Doc		Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D			
					UNIT DESCRIPTION:		LIFTING CAP			
					CONNECTION:		3 1/2" IF Pin			
					UNIT S/N:		CP 1525539- MC-101336665-C			
					INSPECTION RESULT :					
VISUAL , THOROUGH EXAMINATION			VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION							
MAGNETIC PARTICLE INSPECTION			Thread & critical areas inspected and found freedom from cracks and other defects							
FINAL RESULTS			THE ABOVE INSPECTED AREAS WAS ACCEPTED							
COMMENT:										
(MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast										
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY		
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT:	INSPECTOR NAME: USMAN SHABBAR		SENIOR INSPECTOR:	NAVEED HUSSAIN	
S.NO:	201504052	S.NO:	22650	S.NO:	3240 µw/cm²					
Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	QUALIFICATION: ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI	
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:					MARCH,2025
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025	STAMP & SIGNATURE:		CLIENT:	
Digital Lux Meter		TECHNICAL DETAILS				Black Magnetic Ink				
WHITE LIGHT INTENSITY:		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml		Manufacture:7HF				
3570 Lux/S.NO:2722003		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		Batch No:220605				
Cal Due Date:14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE:		Jul-25		
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00		DATED 07 NOV 2021		