



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION										
Client:		HALLIBURTON(SPERRY)			Report No:		QC-24-04-HALL-SPY-030			
Location:		Halliburton Burjesia (SPERRY) Yard			Job Number:		QC-24-04-HALL-SPY			
Date:		Monday, March 11, 2024			Next Inspection Date:		Tuesday, September 10, 2024			
Type Of Inspection:		VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			Specification:		DS-1 Volume 3 Fifth Edition,			
					Halliburton Doc		Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D			
					UNIT DESCRIPTION:		FLOW LOOP TEST CAP			
					CONNECTION:		4 1/2" IF PIN			
					UNIT S/N:		OSS11-01275B			
					INSPECTION RESULT :					
					VISUAL, THOROUGH EXAMINATION		VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION			
					MAGNETIC PARTICLE INSPECTION		Thread & critical areas inspected and found freedom from cracks and other defects			
					FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED			
					COMMENT:					
					(MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast					
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY		
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT: 3240 μw/cm²	INSPECTOR NAME:	USMAN SHABBIR	SENIOR INSPECTOR:	NAVEED HUSSAIN	
S.NO:	201504052	S.NO:	22650	S.NO:	1898977	QUALIFICATION:	ASNT LEVEL II MT & PT & VT	SUPERVISOR:	HANI ALI	
Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024					
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:					MARCH,2025
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:					JUN,2025
Digital Lux Meter WHITE LIGHT INTENSITY:		TECHNICAL DETAILS			Black Magnetic Ink Manufacture:7HF					
3570 Lux/S.NO:2722003		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml		Batch No:220605		CLIENT:		
Cal Due Date:14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE: Jul-25				
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00 DATED 07 NOV 2021				

