




CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION											
Client:	HALLIBURTON(SPERRY)				Report No:	QC-24-04-HALL-SPY-031					
Location:	Halliburton Burjesia (SPERRY) Yard				Job Number:	QC-24-04-HALL-SPY					
Date:	Monday, March 11, 2024				Next Inspection Date:	Tuesday, September 10, 2024					
Type Of Inspection:	VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	DS-1 Volume 3 Fifth Edition,					
	Halliburton Doc				Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D						
	UNIT DESCRIPTION:				LIFTING CAP						
	CONNECTION:				4 1/2" IF PIN						
	UNIT S/N:				A8527						
	INSPECTION RESULT :										
	VISUAL, THOROUGH EXAMINATION				VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION						
	MAGNETIC PARTICLE INSPECTION				Thread & critical areas inspected and found freedom from cracks and other defects						
	FINAL RESULTS				THE ABOVE INSPECTED AREAS WAS ACCEPTED						
	COMMENT:										
	(MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast										
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY			
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT:	INSPECTOR NAME: USMAN SHABBIR QUALIFICATION: ASNT LEVEL II MT & PT & VT STAMP & SIGNATURE: 		SENIOR INSPECTOR:	NAVEED HUSSAIN		
S.NO:	201504052	S.NO:	22650	S.NO:	1898977			SUPERVISOR:	HANI ALI		
Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	CLIENT:					
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:			MARCH,2025			
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:			JUN,2025			
Digital Lux Meter WHITE LIGHT INTENSITY:		TECHNICAL DETAILS			Black Magnetic Ink Manufacture:7HF						
3570 Lux/S.NO:2722003		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml		Batch No:220605					
Cal Due Date:14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE:		Jul-25			
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00		DATED 07 NOV 2021			