




CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION												
Client:	HALLIBURTON(SPERRY)				Report No:	QC-24-04-HALL-SPY-037						
Location:	Halliburton Burjesia (SPERRY) Yard				Job Number:	QC-24-04-HALL-SPY						
Date:	Monday, March 11, 2024				Next Inspection Date:	Tuesday, September 10, 2024						
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	DS-1 Volume 3 Fifth Edition,						
					Halliburton Doc	Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D						
					UNIT DESCRIPTION:	FLOW LOOP TEST CAP						
					CONNECTION:	7 5/8" REG PIN						
					UNIT S/N:	OSS19-00160C						
					INSPECTION RESULT :							
					VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION						
					MAGNETIC PARTICLE INSPECTION	Thread & critical areas inspected and found freedom from cracks and other defects						
					FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED						
					COMMENT:							
					(MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast							
												
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY				
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT:	INSPECTOR NAME: USMAN SHABBIR		SENIOR INSPECTOR:	NAVEED HUSSAIN			
S.NO:	201504052	S.NO:	22650	S.NO:	1898977							
Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	QUALIFICATION: ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI			
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:					MARCH,2025		
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025	STAMP & SIGNATURE:		CLIENT:			
Digital Lux Meter		TECHNICAL DETAILS										
WHITE LIGHT INTENSITY:		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml						Black Magnetic Ink Manufacture:7HF		
3570 Lux/S.NO:2722003		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml						Batch No:220605		
Cal Due Date:14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml				EXPIRE DATE:		Jul-25		
Original - Client Files					Copy - Area Office			QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021				