





CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION									
Client:	HALLIBURTON(SPERRY)				Report No:	QC-24-04-HALL-SPY-040			
Location:	Halliburton Burjesia (SPERRY) Yard				Job Number:	QC-24-04-HALL-SPY			
Date:	Monday, March 11, 2024				Next Inspection Date:	Tuesday, September 10, 2024			
Type Of Inspection:	VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	DS-1 Volume 3 Fifth Edition,			
					Halliburton Doc	Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D			
					UNIT DESCRIPTION:	FLOW LOOP TEST CAP			
					CONNECTION:	6 5/8 REG PIN			
					UNIT S/N:	OSS14-01341E			
					INSPECTION RESULT :				
					VISUAL, THOROUGH EXAMINATION		VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION		
MAGNETIC PARTICLE INSPECTION		Thread & critical areas inspected and found freedom from cracks and other defects							
FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED							
COMMENT:									
(MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast									
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY	
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT:	INSPECTOR NAME:		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.NO:	201504052	S.NO:	22650	S.NO:	1898977			QUALIFICATION:	SUPERVISOR:
Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	STAMP & SIGNATURE:		CLIENT:	
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:			MARCH,2025	
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:			JUN,2025	
Digital Lux Meter		TECHNICAL DETAILS			Black Magnetic Ink Manufacture:7HF				
WHITE LIGHT INTENSITY:		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml		Batch No:220605			
Cal Due Date:14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE: Jul-25			
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00		DATED 07 NOV 2021	