




CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION										
Client:		HALLIBURTON(SPERRY)			Report No:		QC-24-04-HALL-SPY-047			
Location:		Halliburton Burjesia (SPERRY) Yard			Job Number:					
Date:		Monday, March 11, 2024			Next Inspection Date:		Tuesday, September 10, 2024			
Type Of Inspection:		VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			Specification:		DS-1 Volume 3 Fifth Edition,			
					Halliburton Doc		Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D			
					UNIT DESCRIPTION:		LIFTING CAP			
					CONNECTION:		7 5/8" REG PIN			
					UNIT S/N:		CP3001209			
					INSPECTION RESULT :					
					VISUAL , THOROUGH EXAMINATION		VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION			
					MAGNETIC PARTICLE INSPECTION		Thread & critical areas inspected and found freedom from cracks and other defects			
FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED								
COMMENT:										
(MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast										
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY		
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT:	INSPECTOR NAME: USMAN SHABBIR		SENIOR INSPECTOR:	NAVEED HUSSAIN	
S.NO:	201504052	S.NO:	22650	S.NO:	1898977					
Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	QUALIFICATION: ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI	
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:					MARCH,2025
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025			CLIENT:	
Digital Lux Meter		TECHNICAL DETAILS				STAMP & SIGNATURE:				
WHITE LIGHT INTENSITY:		Black Magnetic Ink Manufacture:7HF		Batch No:220605						
3570 Lux/S.NO:2722003		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml						
Cal Due Date:14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml				EXPIRE DATE: Jul-25		
Original - Client Files					Copy - Area Office		QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021			