Al TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED



Basra, North Rumaila, Quality Control Yard - Iraq

Ī	Client:	HALLIBURTON HPS	Report No:	QC-24-05-HALL-HPS-010
Ī	Location:	HPS Yard	Job Number:	HPS-12-05-2024
Ī	Date:	Sunday, May 12, 2024	Next Inspection Date:	Monday, November 11, 2024
Ī	Type Of Inspection:	VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	DS-1 Volume 4 Fifth Edition,
			Halliburton Doc	Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D
			UNIT DESCRIPTION:	X-OVER (1 1/4"AMMT PIN X 1 1/2" AMMT BOX)
			UNIT S/N:	1884

VISUAL

MAGN

CERTIFICATION OF VISUAL, THOROUGH EXAMINATON & MAGNETIC PARTICLE INSPECTION



INSPECTION RESULT :						
L , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE OF THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION					
NETIC PARTICLE INSPECTION	Thread & Body areas inspected and found freedom from cracks and other defects					

FINAL RESULTS THE ABOVE INSPECTED AREAS WAS ACCEPTED

COMMENT:

(MPI Wet Fluorescent inspection Thread & Body With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke, Black & White Contrast



								[E] A 374 ACC.				
EQUIPMENT DETAILS									PERSON DETAILS		REVIEW BY	
EQUIPMENT:	AC/DC HAND Y	oke EQUIPMENT	Shooting C	oil DC	EQUI	PMENT:	UV BLACK LIGHT: 3240 μw/cm ²		INSPECTOR NAME:	A Como	SENIOR INSPECTOR:	NAVEED HUSSAIN
S.NO:	201504052	S.NO:	22650	22650 S.N		.NO:	1898977 12.AUG.2024		M.Shahzad Ahmed QUALIFICATION: ASNT LEVEL II	O VINE TO	SENIOR INSI ECTOR.	NAVEED HOSSAIN
Cal Due Date:	12.AUG.2024	4 Cal Due Date	12.AUG.2	024	Cal Due Date: 220306 EXPIRE DA						SUPERVISOR:	HANI ALI
FLUORE	SCENT 14HF	Magnaflux	Batch 1	No: 2			ATE: M.	ARCH,2025	MT & PT & VT			
Whie Contrast	Paint Manufacture	e: Magnaflux	x Batch No:		220602	EXPIRE D.	ATE:	JUN,2025				
Digital Lux WHITE LIGHT I		TECHNICAL DETAILS					ignetic Ink cture:7HF	STAMP & SIGNATURE:	or Ingineering	CLIENT:		
3570 Lux/S.NO	0:2722003	Wet FLUORESCENT Particle Concentration 14 I		0.1 to	o 0.4 ml/100 ml		Batch No:220605 EXPIRE DATE: Jul-25		STAME & SIGNATURE.		CEILIVI.	
Cal Due Date:1	4.AUG.2024	Black Magnetic Ink Concentration 7 HF 1.2 to 2.4 ml/1			2.4 ml/100) ml						



Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021















