

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION														
Client:		HALLIBURTON HPS			Report No:		QC-24-05-HALL-HPS-015							
Location:		HPS Yard			Job Number:		HPS-12-05-2024							
Date:		Thursday, May 16, 2024			Next Inspection Date:		Thursday, November 14, 2024							
Type Of Inspection:		VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			Specification:		DS-1 Volume 4 Fifth Edition,							
					Halliburton Doc		Visual Procedure D00305796 Revision U MPI Procedure D00976850 Revision D							
					UNIT DESCRIPTION:		2 1/8" MHA (1 1/2" AMMT CONNECTION PIN X BOX)							
					UNIT S/N:		P060B4082-9-2							
					INSPECTION RESULT :									
					VISUAL , THOROUGH EXAMINATION		VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION							
					MAGNETIC PARTICLE INSPECTION		Thread & Body areas inspected and found freedom from cracks and other defects							
					FINAL RESULTS		THE ABOVE INSPECTED AREAS WAS ACCEPTED							
COMMENT: (MPI Wet Fluorescent inspection Thread & Body With UltraViolet Light)														
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY						
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT: 3180 μw/cm ²		INSPECTOR NAME:	M.Shahzad Ahmed						
S.NO:	201504052	S.NO:	22650	S.NO:	1898977		QUALIFICATION:	ASNT LEVEL II MT & PT & VT						
Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024	Cal Due Date:	12.AUG.2024			SENIOR INSPECTOR:	NAVEED HUSSAIN					
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:	MARCH,2025		SUPERVISOR:	HANI ALI					
White Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025	STAMP & SIGNATURE:	CLIENT:						
Digital Lux Meter WHITE LIGHT INTENSITY:		TECHNICAL DETAILS			Black Magnetic Ink Manufacture:7HF									
3590 Lux/S.NO:2722003		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml		Batch No:220605								
Cal Due Date:14.AUG.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE:		Jul-25						

Original - Client Files Copy - Area Office QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021