




CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-01		
Serial Number	Description of the examined equipment		Result
HG-29-1	Lifting Point for Welding Work Shop		Pass
Lifting Point SN:	HG-1 TO HG-4	Eash Point SWL:	4 TON



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-02		
Serial Number	Description of the examined equipment		Result
JX-29-1	Lifting Point for Electric Work Shop		Pass
Lifting Point SN:	JX-1 TO JX-4	Eash Point SWL:	5 TON



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-03		
Serial Number	Description of the examined equipment		Result
SLEM15135734	ISO Corner for Store Container		Pass
Lifting Point SN:	/	Eash Point SWL:	/



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-04		
Serial Number	Description of the examined equipment		Result
HH29-01	ISO Corner for Store Container		Pass
Lifting Point SN:	/	Eash Point SWL:	/



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-05		
Serial Number	Description of the examined equipment		Result
CBHU6055580	ISO Corner for Store Container		Pass
Lifting Point SN:	/	Eash Point SWL:	/



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations & Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-06		
Serial Number	Description of the examined equipment		Result
375	ISO Corner for Store Container		Pass
Lifting Point SN:	/	Eash Point SWL:	/



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-07		
Serial Number	Description of the examined equipment		Result
EISU1386364	ISO Corner for Store Container		Pass
Lifting Point SN:	/	Eash Point SWL:	/



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-08		
Serial Number	Description of the examined equipment		Result
CKLU4010066	ISO Corner for Store Container		Pass
Lifting Point SN:	/	Eash Point SWL:	/



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-09		
Serial Number	Description of the examined equipment		Result
HXDU1281886	ISO Corner for Store Container		Pass
Lifting Point SN:	/	Eash Point SWL:	/



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations & Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135		
Date of Examination:	26.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-02-10
Pad Eyes Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination	
HXDU -01 HXDU -02 HXDU -03 HXDU -04	04	Fabricated Pad Eyes for Store Container No: HXDU12817300 Pad Eye Dimension Thickness: 24 mm Pin Hole: 28 mm Length: 135 mm Height: 120 mm	6.5 TON	08.10.2023	
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above: None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-11		
Serial Number	Description of the examined equipment		Result
HXDU12817300	Pad Eyes for Store Container		Pass
Lifting Point SN:	HXDU -01 TO HXDU -04	Eash Point SWL:	6.5 TON



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-12		
Serial Number	Description of the examined equipment		Result
SNBU2220810	ISO Corner for Store Container		Pass
Lifting Point SN:	/	Eash Point SWL:	/



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations & Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-13		
Serial Number	Description of the examined equipment		Result
299906E	ISO Corner for Store Container		Pass
Lifting Point SN:	/	Eash Point SWL:	/



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations & Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135		
Date of Examination:	26.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-02-14
Pad Eyes Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination	
SPX-01 SPX-02 SPX-03 SPX-04	04	Fabricated Pad Eyes for Store Container No: SPX-027 Pad Eye Dimension Thickness: 24 mm Pin Hole: 28 mm Length: 135 mm Height: 120 mm	6.5 TON	08.10.2023	
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above: None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATION OF Visual, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-04-24-0135
Date of Examination:	26.04.2024	Location:	HH Rig 029
Certificate No:	QC-HH-04-24-0135-02-15		
Serial Number	Description of the examined equipment		Result
SPX-027	Pad Eyes for Store Container		Pass
Lifting Point SN:	SPX-01 TO SPX-04	Eash Point SWL:	6.5 TON



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdulla		25.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

