




Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-01

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
33	04	Fabricated Pad Eyes SECURITY TOWER CT-1 Pad Eye Dimension Thickness: 20 MM Pin Hole: 59 MM Length: 157 MM Height: 121 MM	3 Ton	11-11-2023
34				Last Proof Load Test:- 13-05-2023 BY GAMMA
35				
36				

Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	Was the examination carried out:	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
		Within an interval of 6 months?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
		With an interval of 12 months?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Is the answer to the above question is YES has the equipment been installed correctly?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	In accordance with an examination scheme?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
		After the occurrence of exceptional circumstances?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE			
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-01A
Unit Serial Number	Description of the examined equipment				Result
CT-1	SECURITY TOWER 1# LIFTING PAD EYES				Pass
PAD EYES SN:	33 , 34 , 35 , 36				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-02

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
37 38 39 40	04	Fabricated Pad Eyes SECURITY TOWER CT-2 Pad Eye Dimension Thickness: 20 MM Pin Hole: 59 MM Length: 157 MM Height: 121 MM	3 Ton Last Proof Load Test:- 13-05-2023 BY GAMMA 	11-11-2023

Reference Standard:		LEEA DOC 048:2015									
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓			
	YES	NO	YES		NO	YES	NO	YES	NO		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE											
Is the above a defect which is of immediate danger to persons:								YES	NO	✓	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:											
IS THIS EQUIPMENT SAFE TO OPERATE?								YES	✓	NO	✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-02A
Unit Serial Number	Description of the examined equipment				Result
CT-2	SECURITY TOWER 2# LIFTING PAD EYES				Pass
PAD EYES SN:	37 , 38 , 39 , 40				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-03

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
25	04	Fabricated Pad Eyes SECURITY TOWER CT-3 Pad Eye Dimension Thickness: 20 MM Pin Hole: 59 MM Length: 157 MM Height: 121 MM	3 Ton	11-11-2023
26				Last Proof Load Test:- 13-05-2023 BY GAMMA
27				
28				

Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
		Within an interval of 6 months?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
		With an interval of 12 months?	<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the answer to the above question is YES has the equipment been installed correctly?	<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	In accordance with an examination scheme?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
		After the occurrence of exceptional circumstances?	<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE			
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-03A
Unit Serial Number	Description of the examined equipment				Result
CT-3	SECURITY TOWER 3# LIFTING PAD EYES				Pass
PAD EYES SN:	25 , 26 , 27 , 28				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-04

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
29	04	Fabricated Pad Eyes SECURITY TOWER CT-4 Pad Eye Dimension Thickness: 20 MM Pin Hole: 59 MM Length: 157 MM Height: 121 MM	3 Ton	11-11-2023
30				Last Proof Load Test:- 13-05-2023 BY GAMMA
31				
32				

Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	Was the examination carried out:	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
		Within an interval of 6 months?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
		With an interval of 12 months?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Is the answer to the above question is YES has the equipment been installed correctly?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	In accordance with an examination scheme?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
		After the occurrence of exceptional circumstances?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE			
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-04A
Unit Serial Number	Description of the examined equipment				Result
CT-4	SECURITY TOWER 4# LIFTING PAD EYES				Pass
PAD EYES SN:	29 , 30 , 31 , 32				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-05
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
21	04	Fabricated Pad Eyes	3 Ton	11-11-2023	
22		SECURITY MAIN GATE ROOM CR-DQ-1			
23		Pad Eye Dimension			
24		Thickness: 20 MM Pin Hole: 59 MM Length: 157 MM Height: 121 MM			
				Last Proof Load Test:- 13-05-2023 BY GAMMA	
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		
				Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES ✓ NO YES NO ✓ YES ✓ NO YES NO ✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO ✓
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Abdullah Mofeed	Mohamed Abdullah			27-10-2024	

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-05A
Unit Serial Number	Description of the examined equipment				Result
CR-DQ-1	SECURITY MAIN GATE ROOM LIFTING PAD EYES				Pass
PAD EYES SN:	21 , 22 , 23 , 24				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-06

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
33 993 39 339	04	Fabricated Pad Eyes SECURITY TOWER LADDER DQ-LD-01 Pad Eye Dimension Thickness: 20 MM Pin Hole: 22 MM Length: 110 MM Height: 84 MM	1 Ton	11-11-2023
			Last Proof Load Test:- 13-05-2023 BY GAMMA	
				

Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	
		Was the examination carried out: Within an interval of 6 months? YES ✓ NO With an interval of 12 months? YES NO ✓ In accordance with an examination scheme? YES ✓ NO After the occurrence of exceptional circumstances? YES NO ✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE			
Is the above a defect which is of immediate danger to persons:		YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
IS THIS EQUIPMENT SAFE TO OPERATE?		YES	NO ✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-6A
Unit Serial Number	Description of the examined equipment				Result
DQ-LD-01	SECURITY TOWER LADDER 1# LIFTING PAD EYES				Pass
PAD EYES SN:	33 , 993 , 39 , 339				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-07
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
S933 S93 S9333 S93333	04	Fabricated Pad Eyes SECURITY TOWER LADDER DQ-LD-02 Pad Eye Dimension Thickness: 20 MM Pin Hole: 22 MM Length: 110 MM Height: 84 MM	1 Ton	11-11-2023	
			Last Proof Load Test:- 13-05-2023 BY GAMMA		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Abdullah Mofeed	Mohamed Abdullah			27-10-2024	

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-7A
Unit Serial Number	Description of the examined equipment				Result
DQ-LD-02	SECURITY TOWER LADDER 2# LIFTING PAD EYES				Pass
PAD EYES SN:	S933 , S93 , S9333 , S93333				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-08
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
S9339 99333 3999 S399	04	Fabricated Pad Eyes SECURITY TOWER LADDER DQ-LD-03 Pad Eye Dimension Thickness: 20 MM Pin Hole: 22 MM Length: 110 MM Height: 84 MM	1 Ton	11-11-2023	
			Last Proof Load Test:- 13-05-2023 BY GAMMA		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Abdullah Mofeed	Mohamed Abdullah			27-10-2024	

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-8A
Unit Serial Number	Description of the examined equipment				Result
DQ-LD-03	SECURITY TOWER LADDER 3# LIFTING PAD EYES				Pass
PAD EYES SN:	S9339 , 99333 , 3999 , S399				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-09

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
SS3 SS33 SS9 SS99	04	Fabricated Pad Eyes SECURITY TOWER LADDER DQ-LD-04 Pad Eye Dimension Thickness: 20 MM Pin Hole: 22 MM Length: 110 MM Height: 84 MM	1 Ton	11-11-2023
			Last Proof Load Test:- 13-05-2023 BY GAMMA	
				

Reference Standard:		LEEA DOC 048:2015	
----------------------------	--	-------------------	--

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	
				With an interval of 12 months?	YES		NO	✓
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓


Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

IS THIS EQUIPMENT SAFE TO OPERATE? YES ✓ NO

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	28-04-2024	Date of Report:	28-04-2024	Certificate No:	QC-DQ-04-24-0138-4-9A
Unit Serial Number	Description of the examined equipment				Result
DQ-LD-04	SECURITY TOWER LADDER 4# LIFTING PAD EYES				Pass
PAD EYES SN:	SS3 , SS33 , SS9 , SS99				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-10
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
81	04	Fabricated Pad Eyes	500 Kg	06-12-2023	
82		Security Escape Bridge			
83		Pad Eye Dimension			
84		Thickness: 30 MM Pin Hole: 20 MM Length: 63 MM Height: 90 MM			
				Last Proof Load Test:- 13-05-2023 BY GAMMA	
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-10A
Unit Serial Number	Description of the examined equipment				Result
EB1	Security Escape Bridge Lifting Pad Eyes				Pass
Pad Eyes SN:	81 , 82 , 83 , 84				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-11

Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
77 78 79 80	04	Fabricated Pad Eyes Security Escape Bridge Base Pad Eye Dimension Thickness: 30 MM Pin Hole: 20 MM Length: 63 MM Height: 90 MM	1 Ton Last Proof Load Test:- 13-05-2023 BY GAMMA	06-12-2023 	

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------


Is this the first examination after Installation or assembly at a new site or location?	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
		With an interval of 12 months?	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES <input type="checkbox"/> NO <input type="checkbox"/>	In accordance with an examination scheme?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
		After the occurrence of exceptional circumstances?	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE	
Is the above a defect which is of immediate danger to persons:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)	N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	

IS THIS EQUIPMENT SAFE TO OPERATE?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
---	---

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-11A
Unit Serial Number	Description of the examined equipment				Result
EB1	Security Escape Bridge Base Lifting Pad Eyes				Pass
Pad Eyes SN:	77 , 78 , 79 , 80				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-12
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
65 66 67 68	04	Fabricated Pad Eyes T WALL TW-01 Pad Eye Dimension Thickness: 21 MM Pin Hole: 41 MM Length: 125 MM Height: 100 MM	2 Ton	06-12-2023	
			Last Proof Load Test:- 13-05-2023 BY GAMMA		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-12A
Unit Serial Number	Description of the examined equipment				Result
TW-01	T WALL Lifting Pad Eyes				Pass
Pad Eyes SN:	65 , 66 , 67 , 68				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-13

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
69 70 71 72	04	Fabricated Pad Eyes T WALL TW-02 Pad Eye Dimension Thickness: 21 MM Pin Hole: 41 MM Length: 125 MM Height: 100 MM	2 Ton	06-12-2023
			Last Proof Load Test:- 13-05-2023 BY GAMMA	
				

Reference Standard:		LEEA DOC 048:2015								
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓		
	YES	NO			YES		NO			
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES		NO			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE										
Is the above a defect which is of immediate danger to persons:								YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
IS THIS EQUIPMENT SAFE TO OPERATE?								YES	NO	✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-13A
Unit Serial Number	Description of the examined equipment				Result
TW-02	T WALL Lifting Pad Eyes				Pass
Pad Eyes SN:	69 , 70 , 71 , 72				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-14

Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
73 74 75 76	04	Fabricated Pad Eyes T WALL TW-03 Pad Eye Dimension Thickness: 21 MM Pin Hole: 41 MM Length: 125 MM Height: 100 MM	2 Ton	06-12-2023	
			Last Proof Load Test:- 13-05-2023 BY GAMMA		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	Was the examination carried out: Within an interval of 6 months? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO		<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO			<input type="checkbox"/> YES <input type="checkbox"/> NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:					<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?					<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-4-14A
Unit Serial Number	Description of the examined equipment				Result
TW-03	T WALL Lifting Pad Eyes				Pass
Pad Eyes SN:	73 , 74 , 75 , 76				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

