




## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	28-04-2024	<b>Date of Report:</b>	28-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-01

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
B1 B2 B3 B4	04	Fabricated Pad Eyes Tools Box SN: DQDGBZT-1-1  Pad Eye Dimension Thickness: 25 MM Pin Hole: 49 MM Length: 85 MM Height: 95 MM	2 Ton  Last Proof Load Test:- 30.05.2023 By Gamma	04-12-2023
				

<b>Reference Standard:</b>		LEEA DOC 048:2015	
----------------------------	--	-------------------	--

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	
				With an interval of 12 months?	YES		NO	✓
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES ☐ NO ☒

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ☒ NO ☐

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

**NDT procedure**


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	28-04-2024	<b>Date of Report:</b>	28-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-01A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
DQDGBZT-1-1	Tools Box Lifting Pad Eyes				Pass
<b>PAD EYES SN:</b>	B1 , B2 , B3 , B4				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	28-04-2024	<b>Date of Report:</b>	28-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-02

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
B5 B6 B7 B8	04	Fabricated Pad Eyes Tools Box SN: DQDGBZT-1-2  Pad Eye Dimension Thickness: 25 MM Pin Hole: 49 MM Length: 85 MM Height: 95 MM	2 Ton  Last Proof Load Test:- 30.05.2023 By Gamma	04-12-2023
				

<b>Reference Standard:</b>		LEEA DOC 048:2015	
----------------------------	--	-------------------	--

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
				With an interval of 12 months?	YES	NO	✓
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	NO	✓
				After the occurrence of exceptional circumstances?	YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES ☐ NO ☒

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ☒ NO ☐

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

**NDT procedure**


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	28-04-2024	<b>Date of Report:</b>	28-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-02A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
DQDGBZT-1-2	Tools Box Lifting Pad Eyes				Pass
<b>PAD EYES SN:</b>	B5 , B6 , B7 , B8				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	28-04-2024	<b>Date of Report:</b>	28-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-03

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
B9 B10 B11 B12	04	Fabricated Pad Eyes Tools Box SN: DQDGBZT-1-3  Pad Eye Dimension Thickness: 25 MM Pin Hole: 49 MM Length: 85 MM Height: 95 MM	2 Ton  Last Proof Load Test:- 30.05.2023 By Gamma	04-12-2023
				

<b>Reference Standard:</b>		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	
		Was the examination carried out: Within an interval of 6 months? YES ✓ NO With an interval of 12 months? YES NO ✓ In accordance with an examination scheme? YES ✓ NO After the occurrence of exceptional circumstances? YES NO ✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>			
Is the above a defect which is of immediate danger to persons:		YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>		YES	NO ✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	28-04-2024	<b>Date of Report:</b>	28-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-03A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
DQDGBZT-1-3	Tools Box Lifting Pad Eyes				Pass
<b>PAD EYES SN:</b>	B9 , B10 , B11 , B12				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		27-10-2024

REV: 01 Dated: 20 June 2022



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-04
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
S1	10	Fabricated Pad Eyes	3 Ton	14-11-2023	
S2		EMERGENCY SLEDGE 701120864100		Last Proof Load Test:- 30-05-2023 BY GAMMA	
S3		Pad Eye Dimension			
S4		Thickness: 16 MM			
S5		Pin Hole: 34 MM			
S6		Length: 170 MM			
S7		Height: 95 MM			
S8					
S9					
S10					
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			29-10-2024	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-04A

Unit Serial Number	Description of the examined equipment	Result
701120864100	EMERGENCY SLEDGE PAD EYES	Pass
<b>LUGS SN:</b>	S1 , S2 , S3 , S4 , S5 , S6 , S7 , S8 , S9 , S10	



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-05

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
F1 F2 F3 F4 F5 F6	06	Fabricated Pad Eyes FLOW LINE MF-DQ-01  Pad Eye Dimension Thickness: 25 MM Pin Hole: 51 MM Length: 139 MM Height: 168 MM	6 Ton  Last Proof Load Test:- 30-05-2023BY GAMMA  	13-11-2023

<b>Reference Standard:</b>		LEEA DOC 048:2015								
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓		
	YES	NO	YES		NO	YES	NO	YES	NO	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>										
Is the above a defect which is of immediate danger to persons:								YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>								YES	NO	✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-05A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
MF-DQ-01	FLOW LINE PAD EYES				Pass
<b>LUGS SN:</b>	F1 , F2 , F3 , F4 , F5 , F6				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-06
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
V9 V10 V11 V12	04	Fabricated Pad Eyes V – DOOR 701120151100  Pad Eye Dimension Thickness: 21 MM Pin Hole: 40 MM Length: 170 MM Height: 140 MM	6 Ton	13-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			29-10-2024	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-06A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701120151100	V – DOOR PAD EYES				Pass
<b>PAD EYES SN:</b>	V9 , V10 , V11 , V12				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-07
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
V1 V2 V3 V4 V5 V6 V7 V8	08	Fabricated Pad Eyes V – DOOR 701120151100 Pad Eye Dimension Thickness: 15 MM Pin Hole: 40 MM Length: 370 MM Height: 170 MM	2 Ton	13-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			29-10-2024	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-07A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701120151100	V – DOOR PAD EYES				Pass
<b>PAD EYES SN:</b>	V1 , V2 , V3 , V4 , V5 , V6 , V7 , V8				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-08

Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
P1 P2 P3 P4	04	Fabricated Pad Eyes MUD BIT WATER PUMP MB-DQ-S1  Pad Eye Dimension Thickness: 20 MM Pin Hole: 25 MM Length: 64 MM Height: 103 MM	6 Ton	14-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
				With an interval of 12 months?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	NO	
				After the occurrence of exceptional circumstances?	YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES ☐ NO ☒

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) **N/A**

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ☒ NO ☐

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-08A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
MB-DQ-S1	MUD BIT WATER PUMP PAD EYES				Pass
<b>PAD EYES SN:</b>	P1 , P2 , P3 , P4				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-09

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
P1 P2	02	Fabricated Pad Eyes BELL NIPPLE BN-054  Pad Eye Dimension Thickness: 16 MM Pin Hole: 42 MM Length: 102 MM Height: 127 MM	2 Ton	13-11-2023
			Last Proof Load Test:- N/A	
				

<b>Reference Standard:</b>	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	✓
				With an interval of 12 months?	YES		NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons:	YES	NO	✓
--	-----	----	---


Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) **N/A**

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>	YES	✓	NO
---	-----	---	----

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-09A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
BN-054	BELL NIPPLE PAD EYES				Pass
<b>PAD EYES SN:</b>	P1 , P2				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-10
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
R1 R2 R3 R4 R5 R6	06	Fabricated Pad Eyes RISER R001  Pad Eye Dimension Thickness: 21 MM Pin Hole: 40 MM Length: 126 MM Height: 104 MM	6 Ton	22-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				Within an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	30-04-2024	Date of Report:	30-04-2024	Certificate No:	QC-DQ-04-24-0138-6-10A
Unit Serial Number	Description of the examined equipment				Result
R001	RISER PAD EYES				Pass
PAD EYES SN:	R1 , R2 , R3 , R4 , R5 , R6				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.









## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-11
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
P1 P2	02	Fabricated Pad Eyes BELL NIPPLE BN-033  Pad Eye Dimension Thickness: 20 MM Pin Hole: 38 MM Length: 152 MM Height: 107 MM	2 Ton	N/A	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>		<b>Name of person authenticating:</b>		<b>Signature &amp; Stamp:</b>	
Abdullah Mofeed		Mohamed Abdullah			
				<b>Date of Next Through Examination:</b>	
				29-10-2024	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	30-04-2024	<b>Date of Report:</b>	30-04-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-6-11A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
BN-033	BELL NIPPLE PAD EYES				Pass
<b>PAD EYES SN:</b>	P1 , P2				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		29-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

