



Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|---|------------------------|---------------|------------------------|-----------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 28-04-2024 | Date of Report: | 28-04-2024 | Certificate No: | QC-DQ-04-24-0138-8-01 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| DFSU4234530 | Container Store Lifting ISO Corner | | | | Pass |
| ISO Corner SN: | DFSU4234530-1 , DFSU4234530-2 , DFSU4234530-3 , DFSU4234530-4 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 27-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|---|------------------------|---------------|------------------------|-----------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 28-04-2024 | Date of Report: | 28-04-2024 | Certificate No: | QC-DQ-04-24-0138-8-02 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 402323 | Container Store Lifting Gear Lifting ISO Corner | | | | Pass |
| ISO Corner SN: | 402323-1 , 402323-2 , 402323-3 , 402323-4 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 27-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|-----------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 28-04-2024 | Date of Report: | 28-04-2024 | Certificate No: | QC-DQ-04-24-0138-8-03 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 190045 | COMBINATION LOGGING SYSTEM ISO CORNER | | | | Pass |
| ISO CORNER SN: | 190045-1 , 190045-2 , 190045-3 , 190045-4 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 27-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|---|------------------------|---------------|------------------------|-----------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 28-04-2024 | Date of Report: | 28-04-2024 | Certificate No: | QC-DQ-04-24-0138-8-04 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| DFSU4234253 | Container Store Lifting ISO Corner | | | | Pass |
| ISO Corner SN: | DFSU4234253-1 , DFSU4234253-2 , DFSU4234253-3 , DFSU4234253-4 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 27-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

