Al TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	21/06/2024		Date of Report:	21/06/202		4	Certificate No:		QC/24/HALL-2106-08		
Client Name:	На	lliburton	Location:		НСТ		Job Number:		210624		
Serial Number:	QTY			SWL		Date of manufacture if known:		Date of last thorough examination			
	02	SAFETY PIN BOW SHACKLE MANUFACTURE: CROSBY									
111 113			GRADE: 6 SIZE: 3/4"				N/A		15/03/2023		
Reference Standard	:	F.O.S: 6:: BS EN 138	HAL-HSE-0420C REV 1								
Is this the first examination after Installation or assembly at a new site or loc If the answer to the above question is YES I equipment been installed correctly?			YES NO Within an intervalue with a window window with a window					? Y	ES ES	√ N N √ N N	0 √ 0 √
Particulars of any repair, renewal or alteration required to remedy the defect identified above: Particulars of any tests carried out as part of the examination: (If none state NONE)							N/A	YES NO √			
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspectations satisfactory IS THIS EQUIPMENT SAFE TO OPERATE?								YES	n and 1	NO	
Name of Inspector:			Name of person authenticating this report:			Signature & Stamp:					
ASHRAF ELSAID			MOHAMED ABDALLAH				Anul Company				
Date of Next Through Examination:			20/12/2024				NAU DU			M	
REV: 01 Dated: 20 June 2022							10/3			_	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



















