





## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-01
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
16761 L2790 C4080 C4084 F6762	05	SAFETY PIN BOW SHACKLE  Size: 1 1/2" Grade: 6 Manufacture: Crosby Safety Factor: 6:1    Location: Store		17 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-02
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
I5314 I537 J530 J532 J535 J536	06	SAFETY PIN BOW SHACKLE  Size: 1 1/2" Grade: 6 Manufacture: G T Safety Factor: 6:1   Location: Store		17 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	✓
With an interval of 12 months?		YES	✓	NO	✓
In accordance with an examination scheme?		YES	✓	NO	✓
After the occurrence of exceptional circumstances?		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-03
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
I1449 I1440 I1441 I1444 H8785 H6784 H6786 H8781 H678 86781	10	SAFETY PIN BOW SHACKLE  Size: 1 1/2" Grade: 6 Manufacture: Bash-p Safety Factor: 6:1  Location: Store		17 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	NO	✓	
With an interval of 12 months?		YES	NO	✓	
In accordance with an examination scheme?		YES	NO	✓	
After the occurrence of exceptional circumstances?		YES	NO	✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-04
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
H94	10	SAFETY PIN BOW SHACKLE  Size: 1 1/2" Grade: 6 Manufacture: DY Safety Factor: 6:1    Location: Store		17 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	✓
With an interval of 12 months?		YES	✓	NO	✓
In accordance with an examination scheme?		YES	✓	NO	✓
After the occurrence of exceptional circumstances?		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-05		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>		
B4840 B48250 B4831 B4843 B4836 B4832 B4811 B4788 B4819 B4862 B4801	11	SAFETY PIN BOW SHACKLE  Size: 3/4" Grade: 6 Manufacture: Lifmex Safety Factor: 6:1  Location: Store		4.75 TON	16.11.2023		
<b>Reference Standard:</b>		BS EN 13889					
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out:		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
				Within an interval of 6 months?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
				With an interval of 12 months?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		In accordance with an examination scheme?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
				After the occurrence of exceptional circumstances?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>							
Is the above a defect which is of immediate danger to persons:						<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE)							
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-06
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
15854 12172 17828 15851 17431 16750	06	SAFETY PIN BOW SHACKLE  Size: 3/4" Grade: 6 Manufacture: G T Safety Factor: 6:1    Location: Store		4.75 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
		YES	NO	✓	
		YES	NO	✓	
Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?					
YES ✓ NO ✓ YES ✓ YES ✓ YES ✓					
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons: YES NO ✓					
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by:					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b> YES ✓ NO					

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-07
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
B2866 B2852	02	SAFETY PIN BOW SHACKLE  Size: 3/4" Grade: 6 Manufacture: Toyolift Safety Factor: 6:1   Location: Store		4.75 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:		Within an interval of 6 months? YES ✓ NO With an interval of 12 months? YES ✓ NO ✓ In accordance with an examination scheme? YES ✓ NO ✓ After the occurrence of exceptional circumstances? YES ✓ NO ✓			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO ✓

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-08
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
L2783	01	SAFETY PIN BOW SHACKLE  Size: 3/4" Grade: 6 Manufacture: K.F Safety Factor: 6:1    Location: Store		4.75 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:		Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?			
		YES	✓	NO	✓
		YES	✓	NO	✓
		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-09
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
F151 F142	02	SAFETY PIN BOW SHACKLE  Size: 3/4" Grade: 6 Manufacture: G P Safety Factor: 6:1    Location: Store		4.75 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
		YES	NO	✓	
		YES	NO	✓	
Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?					
YES ✓ NO ✓ YES ✓ YES ✓					
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons: YES NO ✓					
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by:					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b> YES ✓ NO					

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-10		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>			<b>SWL</b>	<b>Date of last thorough examination</b>	
17804 17808 L6550 J503	04	SAFETY PIN BOW SHACKLE  Size: 1/2" Grade: 6 Manufacture: G T Safety Factor: 6:1    Location: Store			2 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889					
Is this the first examination after Installation or assembly at a new site or location?		YES		NO		✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO		✓	
Was the examination carried out:		Within an interval of 6 months?		YES		✓	
With an interval of 12 months?		YES		NO		✓	
In accordance with an examination scheme?		YES		✓		NO	
After the occurrence of exceptional circumstances?		YES		NO		✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>							
Is the above a defect which is of immediate danger to persons:						YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-11
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
H7	01	SAFETY PIN BOW SHACKLE  Size: 1/2" Grade: 6 Manufacture: D Y Safety Factor: 6:1  Location: Store		2 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	✓
With an interval of 12 months?		YES	✓	NO	✓
In accordance with an examination scheme?		YES	✓	NO	✓
After the occurrence of exceptional circumstances?		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-12
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
H6723	01	SAFETY PIN BOW SHACKLE  Size: 3/8" Grade: 6 Manufacture: MCKAT Safety Factor: 6:1    Location: Store		1 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-13		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>			<b>SWL</b>	<b>Date of last thorough examination</b>	
C28	01	SAFETY PIN BOW SHACKLE  Size: 7/16" Grade: 6 Manufacture: J & L Safety Factor: 6:1    Location: Store			1.5 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889					
Is this the first examination after Installation or assembly at a new site or location?		YES		NO		✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO		✓	
Was the examination carried out:		Within an interval of 6 months?		YES		✓	
		With an interval of 12 months?		YES		✓	
		In accordance with an examination scheme?		YES		✓	
		After the occurrence of exceptional circumstances?		YES		✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>							
Is the above a defect which is of immediate danger to persons:						YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.









## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-14
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
L6577 L6574 L1417 I7372 SN21	05	SAFETY PIN BOW SHACKLE  Size: 7/8" Grade: 6 Manufacture: G T Safety Factor: 6:1   Location: Store		6.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:		Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?			
		YES	✓	NO	✓
		YES	✓	NO	✓
		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-15
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
B4928 B4889 B2953	03	SAFETY PIN BOW SHACKLE  Size: 7/8" Grade: 6 Manufacture: Toyolift Safety Factor: 6:1   Location: Store		6.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	✓
With an interval of 12 months?		YES	✓	NO	✓
In accordance with an examination scheme?		YES	✓	NO	✓
After the occurrence of exceptional circumstances?		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-16
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
3313	01	SAFETY PIN BOW SHACKLE  Size: 7/8" Grade: 8 Manufacture: J & L Safety Factor: 6:1    Location: Store		6.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out:	
				Within an interval of 6 months?	
				With an interval of 12 months?	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>		In accordance with an examination scheme?	
				After the occurrence of exceptional circumstances?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>	

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-17
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
B4953 B4973 B4999 B4952 B4959 B4994	06	SAFETY PIN BOW SHACKLE  Size: 1" Grade: 6 Manufacture: Lifmex Safety Factor: 6:1    Location: Store		8.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
		YES	NO	✓	
		YES	NO	✓	
Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?					
YES ✓ NO ✓ YES ✓ YES ✓					
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons: YES NO ✓					
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by:					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b> YES ✓ NO					

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Thorough Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-18
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
J517 J521 L6179 L6178 17768	05	SAFETY PIN BOW SHACKLE  Size: 1" Grade: 6 Manufacture: G T Safety Factor: 6:1    Location: Store		8.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	✓
With an interval of 12 months?		YES	✓	NO	✓
In accordance with an examination scheme?		YES	✓	NO	✓
After the occurrence of exceptional circumstances?		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-19
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
B2983 B2353 B2963 B2964 A3870	05	SAFETY PIN BOW SHACKLE  Size: 1" Grade: 6 Manufacture: Toyolift Safety Factor: 6:1   Location: Store		8.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-20
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
H1	01	SAFETY PIN BOW SHACKLE  Size: 1" Grade: 6 Manufacture: D Y Safety Factor: 6:1  Location: Store 		8.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
		Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	✓
				NO	✓
				NO	✓
				NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-21
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
C178	01	SAFETY PIN BOW SHACKLE  Size: 1" Grade: 6 Manufacture: Grpton Safety Factor: 6:1  Location: Store		8.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	✓
With an interval of 12 months?		YES	✓	NO	✓
In accordance with an examination scheme?		YES	✓	NO	✓
After the occurrence of exceptional circumstances?		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-22
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
A965A	01	SAFETY PIN BOW SHACKLE  Size: 1 1/8" Grade: 6 Manufacture: Crosby Safety Factor: 6:1    Location: Store		9.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-23
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
B3002 B3004 B3006 B3014 B3013 B3016 B2996 B2997 B2988 B2989	10	SAFETY PIN BOW SHACKLE  Size: 1 1/8" Grade: 6 Manufacture: Toyolift Safety Factor: 6:1  Location: Store		9.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	NO	✓	
With an interval of 12 months?		YES	NO	✓	
In accordance with an examination scheme?		YES	NO	✓	
After the occurrence of exceptional circumstances?		YES	NO	✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-24
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
L4000 L4002 K222 I5882	04	SAFETY PIN BOW SHACKLE  Size: 1 1/8" Grade: 6 Manufacture: G T Safety Factor: 6:1    Location: Store		9.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
		YES	NO	✓	
		YES	NO	✓	
Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?					
YES ✓ NO ✓ YES ✓ YES ✓					
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons: YES NO ✓					
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by:					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b> YES ✓ NO					

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-25		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>			<b>SWL</b>	<b>Date of last thorough examination</b>	
BLP-280945-010 BLP-191183-07	02	SAFETY PIN BOW SHACKLE  Size: 1 1/8" Grade: 8 Manufacture: kookum-Usa Safety Factor: 6:1    Location: Store			18 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889					
Is this the first examination after Installation or assembly at a new site or location?		YES		NO		✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO		✓	
Was the examination carried out:		Within an interval of 6 months?		YES		✓	
With an interval of 12 months?		YES		NO		✓	
In accordance with an examination scheme?		YES		✓		NO	
After the occurrence of exceptional circumstances?		YES		NO		✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>							
Is the above a defect which is of immediate danger to persons:						YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-26
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
L4001	01	SAFETY PIN BOW SHACKLE  Size: 1 1/8" Grade: 6 Manufacture: Bash-p Safety Factor: 6:1  Location: Store		9.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	✓
With an interval of 12 months?		YES	✓	NO	✓
In accordance with an examination scheme?		YES	✓	NO	✓
After the occurrence of exceptional circumstances?		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-27
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
32721	01	SAFETY PIN BOW SHACKLE  Size: 1/2" Grade: 6 Manufacture: Toyolift Safety Factor: 6:1  Location: Store		2 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/>	NO <input type="checkbox"/>		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-28
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last thorough examination</b>	
A22130 A2201C C4088B 419	04	SAFETY PIN BOW SHACKLE  Size: 1 1/4" Grade: 6 Manufacture: Crosby Safety Factor: 6:1   Location: Store	12 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-29		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>			<b>SWL</b>	<b>Date of last thorough examination</b>	
H44	01	SAFETY PIN BOW SHACKLE  Size: 1 1/4" Grade: 6 Manufacture: J & L Safety Factor: 6:1    Location: Store			12 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889					
Is this the first examination after Installation or assembly at a new site or location?		YES		NO		✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO		✓	
Was the examination carried out:		Within an interval of 6 months?		YES		✓	
		With an interval of 12 months?		YES		✓	
		In accordance with an examination scheme?		YES		✓	
		After the occurrence of exceptional circumstances?		YES		✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>							
Is the above a defect which is of immediate danger to persons:						YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-30
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
L1251 L1248	02	SAFETY PIN BOW SHACKLE  Size: 1 1/4" Grade: 6 Manufacture: Bash-p Safety Factor: 6:1  Location: Store 		12 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Thorough Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-31
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
400	01	SAFETY PIN BOW SHACKLE  Size: 1 1/4" Grade: 6 Manufacture: H K Safety Factor: 6:1  Location: Store		12 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-32
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
L888 L9340 H9338	03	SAFETY PIN BOW SHACKLE  Size: 1 1/4" Grade: 6 Manufacture: G T Safety Factor: 6:1    Location: Store		12 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-33
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
A001 MD1	02	SAFETY PIN BOW SHACKLE  Size: 1 1/4" Grade: 6 Manufacture: M X Safety Factor: 6:1    Location: Store		12 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> With an interval of 12 months? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> After the occurrence of exceptional circumstances? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	<input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <i>The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory</i>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	<input checked="" type="checkbox"/> NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-34
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
A7917	01	SAFETY PIN BOW SHACKLE  Size: 1 1/4" Grade: 6 Manufacture: GMW Safety Factor: 6:1    Location: Store		12 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		
		Was the examination carried out:			
		Within an interval of 6 months?		YES ✓ NO	
		With an interval of 12 months?		YES NO ✓	
		In accordance with an examination scheme?		YES ✓ NO	
		After the occurrence of exceptional circumstances?		YES NO ✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO ✓

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-35
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
L4094 L4095	02	SAFETY PIN BOW SHACKLE  Size: 1 1/8" Grade: 6 Manufacture: K.F Safety Factor: 6:1    Location: Store		9.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
		YES	NO	✓	
		YES	NO	✓	
Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?					
YES ✓ NO ✓ YES ✓ YES ✓ YES ✓					
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons: YES NO ✓					
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by:					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b> YES ✓ NO					

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-36		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>			<b>SWL</b>	<b>Date of last thorough examination</b>	
E70 E82 I6733	03	SAFETY PIN BOW SHACKLE  Size: 5/8" Grade: 6 Manufacture: G T Safety Factor: 6:1    Location: Store			3.25 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889					
Is this the first examination after Installation or assembly at a new site or location?		YES		NO		✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO		✓	
Was the examination carried out:		Within an interval of 6 months?		YES		✓	
With an interval of 12 months?		YES		NO		✓	
In accordance with an examination scheme?		YES		✓		NO	
After the occurrence of exceptional circumstances?		YES		NO		✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>							
Is the above a defect which is of immediate danger to persons:						YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-37
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last thorough examination</b>	
B3058	01	SAFETY PIN BOW SHACKLE  Size: 1 3/8" Grade: 6 Manufacture: Toyolift Safety Factor: 6:1  Location: Store 	13.5 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			Within an interval of 6 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			In accordance with an examination scheme?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-38		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>			<b>SWL</b>	<b>Date of last thorough examination</b>	
H1 2492	02	SAFETY PIN BOW SHACKLE  Size: 1 3/8" Grade: 6 Manufacture: Mckat Safety Factor: 6:1  Location: Store			13.5 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889					
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out:		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				Within an interval of 6 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		With an interval of 12 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				In accordance with an examination scheme?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
				After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE)							
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-39
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
17871	01	SAFETY PIN BOW SHACKLE  Size: 1 3/8" Grade: 6 Manufacture: Bash-p Safety Factor: 6:1  Location: Store		13.5 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	✓
With an interval of 12 months?		YES	✓	NO	✓
In accordance with an examination scheme?		YES	✓	NO	✓
After the occurrence of exceptional circumstances?		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-40
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last thorough examination</b>	
B5000	01	SAFETY PIN BOW SHACKLE  Size: 7/8" Grade: 6 Manufacture: Lifmex Safety Factor: 6:1  Location: Store 	8.5 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			Within an interval of 6 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			In accordance with an examination scheme?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-41
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
0203	01	SAFETY PIN BOW SHACKLE  Size: 2 1/2" Grade: 6 Manufacture: D Y Safety Factor: 6:1    Location: Store		55 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:		Within an interval of 6 months? YES ✓ NO With an interval of 12 months? YES ✓ NO ✓ In accordance with an examination scheme? YES ✓ NO ✓ After the occurrence of exceptional circumstances? YES NO ✓			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO ✓

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-42		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>			<b>SWL</b>	<b>Date of last thorough examination</b>	
B3094 B3030 B3095 B3093 B3092	05	SAFETY PIN BOW SHACKLE  Size: 2" Grade: 6 Manufacture: Toyolift Safety Factor: 6:1  Location: Store			35 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889					
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out:		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				Within an interval of 6 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
				In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE)							
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>		Hong Hua Oil & Gas Engineering Services Ltd				<b>Job Number:</b>		QC-HH-04-24-0135															
<b>Date of Examination:</b>		28.04.2024		<b>Location:</b>		HH Rig 029		<b>Certificate No:</b>		QC-HH-04-24-0135-09-43													
<b>Serial Number:</b>		<b>QTY</b>		<b>Description</b>				<b>SWL</b>		<b>Date of last thorough examination</b>													
B3082 B3086		02		SAFETY PIN BOW SHACKLE  Size: 1 3/4" Grade: 6 Manufacture: Toyolift Safety Factor: 6:1  Location: Store 				25 TON		16.11.2023													
<b>Reference Standard:</b>		BS EN 13889																					
Is this the first examination after Installation or assembly at a new site or location?				YES		NO		√		Was the examination carried out: Within an interval of 6 months? With an interval of 12 months?			YES		√		NO		√				
													YES				NO		√				
If the answer to the above question is YES has the equipment been installed correctly?				YES		NO				In accordance with an examination scheme? After the occurrence of exceptional circumstances?			YES		√		NO		√				
													YES				NO		√				
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE																							
Is the above a defect which is of immediate danger to persons:																YES				NO		√	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)												YES by:											
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																							
Particulars of any tests carried out as part of the examination: (If none state NONE)																							
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																							
IS THIS EQUIPMENT SAFE TO OPERATE?																YES		√		NO			

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations & Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.









## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-44
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
H6790 H6792 I5898 I5896 I5895 H6791 SH884	07	SAFETY PIN BOW SHACKLE  Size: 1 3/4" Grade: 6 Manufacture: G T Safety Factor: 6:1   Location: Store		25 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
		YES	NO	✓	
		YES	NO	✓	
Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?					
YES ✓ NO ✓ YES ✓ YES ✓					
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons: YES NO ✓					
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by:					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b> YES ✓ NO					

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-45
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
S001 46	02	SAFETY PIN BOW SHACKLE  Size: 1 3/4" Grade: 6 Manufacture: G Y Safety Factor: 6:1    Location: Store		25 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd		<b>Job Number:</b>	QC-HH-04-24-0135	
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-46
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last thorough examination</b>
005	01	SAFETY PIN BOW SHACKLE  Size: 1 3/4" Grade: 6 Manufacture: APLIO Safety Factor: 6:1  Location: Store		25 TON	16.11.2023
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	✓
With an interval of 12 months?		YES	✓	NO	✓
In accordance with an examination scheme?		YES	✓	NO	✓
After the occurrence of exceptional circumstances?		YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-47
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last thorough examination</b>	
M2783 M2784	02	SAFETY PIN DEE SHACKLE  Size: 2" Grade: 6 Manufacture: Bash-p Safety Factor: 6:1  Location: Store	35 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	✓	NO	
With an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme?		YES	✓	NO	
After the occurrence of exceptional circumstances?		YES		NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO

REV: 01 Dated: 20 June 2022


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-04-24-0135		
<b>Date of Examination:</b>	28.04.2024	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-04-24-0135-09-48		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>			<b>SWL</b>	<b>Date of last thorough examination</b>	
H777	01	SAFETY PIN DEE SHACKLE  Size: 1 3/4" Grade: 8 Manufacture: J & L Safety Factor: 6:1    Location: Store			40 TON	16.11.2023	
<b>Reference Standard:</b>		BS EN 13889					
Is this the first examination after Installation or assembly at a new site or location?		YES		NO		✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO		✓	
Was the examination carried out:		Within an interval of 6 months?		YES		✓	
With an interval of 12 months?		YES		NO		✓	
In accordance with an examination scheme?		YES		✓		NO	
After the occurrence of exceptional circumstances?		YES		NO		✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>							
Is the above a defect which is of immediate danger to persons:						YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						YES	NO

REV: 01 Dated: 20 June 2022

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.