

Al Takamul Company For Engineering Services Quality Control - Iraq



Visual & Magnetic Particles Examination Report

| Client Name: | Daqing Drilling | Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 | |
|--|---------------------------------------|----------------------------|-------------------|---------------|-----------------|--------------------------------------|--|
| Date of Examination: | 28-04-20 | 28-04-2024 Date of Report: | | 28-04-2024 | Certificate No: | QC-DQ-04-24-0138-9-01 | |
| Unit Serial Number | Description of the examined equipment | | | | | Result | |
| 701120876100 | | LADDER LIFTING LUGS | | | | Pass | |
| LIFTING POIN SN: | L9,L10,L11, | L12 , L13 | , L14 , L15 , L16 | | | | |
| | | | | | | | |
| | NDT Equipment Details | | | | | | |
| Standard | ASTM E709 | Vie | ewing Condition: | Colored Medi | a Method | WET | |
| Yoke | Permanent | | Serial No: | PY-09 | Due Date | | |
| White Contrast | WCP-2 | | Batch No: | 220602 | Due Date | | |
| Black Ink | 7HF | | Batch No: | 220605 | Due Date | 7-1-2025 | |
| Vicual and MDL as | NDT procedure | | | | | | |
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection | | | | | | | |
| Identification of any part found to have a defect and a description of the defect: | | | | | | | |
| None Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | | | | | |
| None | | | | | | | |
| ASNT Level II Inspector Name: Name of pe | | of person | authenticating: | omul Co | | Date of Next Through Examination: | |
| | | Mohamed | Abdullah | 27-10-2024 | | | |
| REV: 01 Dated: 20 June 2022 | | | | | | | |

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







Al Takamul Company For Engineering Services Quality Control - Iraq



Visual & Magnetic Particles Examination Report

| Client Name: | Daqing Drilling Compar | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 | |
|--|--------------------------|---|-----------------|----------------------|--------------------------------------|--|
| Date of Examination: | 30-04-2024 | Date of Report: | 30-04-2024 | Certificate No: | QC-DQ-04-24-0138-9-02 | |
| Unit Serial Number | Desc | Description of the examined equipment | | | | |
| L003 | | LADDER LIFTIN | IG LUGS | | Pass | |
| LIFTING POIN SN: | L17,L18,L19,L20, | L17 , L18 , L19 , L20 , L21 , L22 , L23 , L24 | | | | |
| <image/> | | | | | | |
| | | NDT Equipment | | | | |
| Standard | | Viewing Condition: Serial No: | Colored Medi | | WET | |
| Yoke White Contrast | Permanent WCP-2 | Batch No: | PY-09 220602 | Due Date Due Date | | |
| Black Ink | 7HF | Batch No: | 220602 | Due Date | | |
| | | NDT proced | | | . 1 2020 | |
| Visual and MPL o | arried out for the above | • | | ce defects at the | e time of inspection | |
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection Identification of any part found to have a defect and a description of the defect: | | | | | | |
| None | | | | | | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | | | | |
| None | | | | | | |
| ASNT Level II Inspector Name: Name of pe | | on authenticating: | | | Date of Next Through Examination: | |
| Abdullah Mofeed | | ed Abdullah | 29-10-2024 | | 29-10-2024 | |
| REV: 01 Dated: 20 June 2022 | | | | | | |

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







Al Takamul Company For Engineering Services Quality Control - Iraq



Visual & Magnetic Particles Examination Report

| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
|----------------------|-------------------------|-----------------|---------------|-----------------|-----------------------|
| Date of Examination: | 30-04-2024 | Date of Report: | 30-04-2024 | Certificate No: | QC-DQ-04-24-0138-9-03 |
| Unit Serial Number | Descrip | Result | | | |
| LD-01 | LADDER LIFTING LUGS | | | | Pass |
| LUGS SN: | L5 , L6 , L7 , L8 | | | | |











| NDT Equipment Details | | | | | | |
|--|--|--------------------|---------------------|----------|-----------------------------------|--|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET | |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 | |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 | |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 | |
| NDT procedure | | | | | | |
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection | | | | | | |
| Identification of any part found to have a defect and a description of the defect: | | | | | | |
| None | | | | | | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | | | | |
| None | | | | | | |
| ASNT Level II Inspecto | ASNT Level II Inspector Name: Name of pe | | Signature & Starop: | Dat | e of Next Through Examination: | |
| Abdullah Mofeed Moha | | phamed Abdullah | G OUALITE | | 29-10-2024 | |
| REV: 01 Dated: 20 June 202 | 22 | | Re-Lagineering 36. | | | |

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



