




CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135		
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-01		
Serial Number:	QTY	Description			SWL	Date of last thorough examination	
L01 L02	02	Tow Leg Chain Sling Drum Lifter Diameter: 6 mm Length: 0.5 m Grad: G80 Manufacture: HUA YUAN Location: Store			1 TON	05.12.2023	
Reference Standard:		BS EN 818-1,2&4:1996+A1:2008					
Is this the first examination after Installation or assembly at a new site or location?				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out:	
						Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
						With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?				YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme?	
						YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
						After the occurrence of exceptional circumstances?	
						YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE)							
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd		Job Number:	QC-HH-04-24-0135	
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-02
Serial Number:	QTY	Description		SWL	Date of last thorough examination
202308110 202308103	02	CHAIN BLOCK Manufacture: Moveit Date of Manufacture: 2023 Model: MT5T Lift: 6m Grade: 80 F.O.S: 4:1 Location: Store		5 TON	05.12.2023
Reference Standard:		BS EN 13157: 2004 + A1: 2009			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:					
Within an interval of 6 months?		YES	NO	✓	
With an interval of 12 months?		YES	NO	✓	
In accordance with an examination scheme?		YES	NO	✓	
After the occurrence of exceptional circumstances?		YES	NO	✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd		Job Number:	QC-HH-04-24-0135	
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-03
Serial Number:	QTY	Description		SWL	Date of last thorough examination
50610272 50610267	02	CHAIN BLOCK Manufacture: Bash-p Date of Manufacture: 2015 Model: VCB177-1.5 Lift: 3m Grade: 80 F.O.S: 4:1 Location: Store		1500 KG	05.12.2023
Reference Standard:		BS EN 13157: 2004 + A1: 2009			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
Was the examination carried out:		Within an interval of 6 months?		YES	✓
		With an interval of 12 months?		YES	NO
In accordance with an examination scheme?		After the occurrence of exceptional circumstances?		YES	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operation Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135		
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-04		
Serial Number:	QTY	Description			SWL	Date of last thorough examination	
T22010208	01	CHAIN BLOCK Manufacture: TOYO Date of Manufacture: 2022 Model: TCB-010 Lift: 3m Grade: 80 F.O.S: 4:1 Location: Store			1 TON	05.12.2023	
Reference Standard:		BS EN 13157: 2004 + A1: 2009					
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135		
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-05		
Serial Number:	QTY	Description			SWL	Date of last thorough examination	
XB1700/42 XB1700/44 XB1161/373	03	CHAIN BLOCK Manufacture: G T Date of Manufacture: 07.2021 Model: HSZ-A Lift: 3m Grade: 80 F.O.S: 4:1 Location: Store			5 TON	05.12.2023	
Reference Standard:		BS EN 13157: 2004 + A1: 2009					
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135		
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-06		
Serial Number:	QTY	Description			SWL	Date of last thorough examination	
53010237 5310051 5310074	03	CHAIN BLOCK Manufacture: Liftman Date of Manufacture: 2021 Model: LMCB-3 Lift: 3m Grade: 80 F.O.S: 4:1 Location: Store			3 TON	05.12.2023	
Reference Standard:		BS EN 13157: 2004 + A1: 2009					
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135		
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-07		
Serial Number:	QTY	Description			SWL	Date of last thorough examination	
95011640	01	Lever Hoist Manufacture: TOHO Date of Manufacture: 2022 Model: TLH30 Lift: 1.5m Grade: 80 F.O.S: 4:1 Location: Store			3 TON	05.12.2023	
Reference Standard:		BS EN 13157: 2004 + A1: 2009					
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-08
Serial Number:	QTY	Description		SWL	Date of last thorough examination
H7728	1	Snatch Block Manufacture: BASH-P Wire Rope Diameter: 3/4" Size:6" Model:H418BB Safety Factor: 4:1 Location: Store		8 Ton	25.08.2023
Reference Standard:		BS EN 13157: 2004 + A1: 2009			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135		
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-09		
Serial Number:	QTY	Description			SWL	Date of last thorough examination	
K1601	01	Manual Plain Trolley Manufacturer: Bash-p Model NO: PT01 Type: VTP 184 Location: Store			1000 KG	05.01.2024	
Reference Standard:		BS EN 13157 :2004+A1 2009					
Is this the first examination after Installation or assembly at a new site or location?		YES		NO	✓	Was the examination carried out: Within an interval of 6 months?	
						YES	✓
						NO	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO		Was the examination carried out: With an interval of 12 months?	
						YES	✓
						NO	
						In accordance with an examination scheme?	
						YES	✓
						NO	
						After the occurrence of exceptional circumstances?	
						YES	✓
						NO	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						NO	✓
Particulars of any repair, renewal or alteration required to remedy the defect identified above:						YES by:	
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES	✓
						NO	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135		
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-10		
Serial Number:	QTY	Description			SWL	Date of last thorough examination	
11086132 11086130 11247572 11247573 11070825 11070826 11256426 11256427	08	ISO CONTAINER LIFTING LUG RH, LH - CE TYPE ISO CORNERS CIDE LIFTING 10 T AT 36° 18 AT 50° THICKNESS: 45 MM DIM. HOLE: 41 MM DIM. Location: Store			12.5 TON	05.01.2024	
Reference Standard:		BS ISO 3874: 2017					
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd		Job Number:	QC-HH-04-24-0135	
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-11
Serial Number:	QTY	Description		SWL	Date of last thorough examination
M2644 M2845 M2605 M2606	04	MASTER LINK SIZE: 1 3/4"W-5JD MANUFACTURE: GT GRADE: 80 DIMENSION: 305 MM (L) X 152 MM (W) FOS: 5:1 Location: Store		28.1 TON	05.01.2024
Reference Standard:		BS EN 1677-4			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-12
Serial Number:	QTY	Description		SWL	Date of last thorough examination
H30	01	MASTER LINK SIZE: 38mm Product Code: G80 ML38B7 PART NO: 38B7 MANUFACTURE: GT GRADE: 80 DIMENSION: 240 MM (L) X 220 MM (W) FOS: 5:1 Location: Store		19.1 TON	05.01.2024
Reference Standard:		BS EN 1677-4			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135		
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-13		
Serial Number:	QTY	Description			SWL	Date of last thorough examination	
232661	01	Fall Arrester Manufacture: Ikar Date of Manufacture: 12.2011 Length: 6 M Dia Of Wire: 6 MM Model NO: HDS6 Location: Store			136 KG	05.01.2024	
Reference Standard:		BS EN 360:2002 / BS EN 363:2018 - TC					
Is this the first examination after Installation or assembly at a new site or location?		YES		NO		✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO		✓	
Was the examination carried out:		YES		NO		✓	
Within an interval of 6 months?		YES		NO		✓	
With an interval of 12 months?		YES		NO		✓	
In accordance with an examination scheme?		YES		NO		✓	
After the occurrence of exceptional circumstances?		YES		NO		✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE)							
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd		Job Number:	QC-HH-04-24-0135	
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-14
Serial Number:	QTY	Description		SWL	Date of last thorough examination
245177	01	Fall Arrester Manufacture: SALA Date of Manufacture: 03.2019 Length: 50 FT Dia Of Wire: 6 MM Model NO: 3504450 Location: Store		141 KG	05.01.2024
Reference Standard:		BS EN 360:2002 / BS EN 363:2018 - TC			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out:	
				Within an interval of 6 months?	
				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		With an interval of 12 months?	
				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
				In accordance with an examination scheme?	
				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				After the occurrence of exceptional circumstances?	
				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-04-24-0135		
Date of Examination:	28.04.2024	Location:	HH Rig 029	Certificate No:	QC-HH-04-24-0135-11-15		
Serial Number:	QTY	Description			SWL	Date of last thorough examination	
245177	01	Fall Arrester Manufacture: SALA Date of Manufacture: 03.2019 Length: 50 FT Dia Of Wire: 6 MM Model NO: 3504450 Location: Store			141 KG	05.01.2024	
Reference Standard:		BS EN 360:2002 / BS EN 363:2018 - TC					
Is this the first examination after Installation or assembly at a new site or location?		YES		NO		✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO		✓	
Was the examination carried out:		YES		NO		✓	
Within an interval of 6 months?		YES		NO		✓	
With an interval of 12 months?		YES		NO		✓	
In accordance with an examination scheme?		YES		NO		✓	
After the occurrence of exceptional circumstances?		YES		NO		✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		27.10.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.