



Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-01 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701121456500 | RIG FLOOR AIR WINCH SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W49 , W50 , W51 , W52 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-02 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701121451000 | RIG FLOOR AIR WINCH & MAN RAIDER SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W33 , W34 , W35 , W36 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022




THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-03 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 7011121459000 | RIG FLOOR SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W5 , W6 , W7 , W8 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

| | | | | | |
|----------------------|---------------------------------------|-----------------|---------------|-----------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-04 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701120858600 | RIG FLOOR SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W21 , W22 | | | | |



| NDT Equipment Details | | | | | |
|-----------------------|-----------|--------------------|---------------|----------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

| NDT procedure | |
|--|--|
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection | |
| Identification of any part found to have a defect and a description of the defect: | |
| None | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | |
| None | |

| | | | |
|-------------------------------|--------------------------------|--|-----------------------------------|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-05 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701121452000 | RIG FLOOR SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W23 , W24 , W25 , W26 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|----------------------|--|-----------------|---------------|-----------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-06 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701121455000 | RIG FLOOR CAT HEAD SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W13 , W14 , W15 , W16 | | | | |



NDT Equipment Details

| | | | | | |
|----------------|-----------|--------------------|---------------|----------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|-------------------------------|--------------------------------|--|-----------------------------------|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|----------------------|--|-----------------|---------------|-----------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-07 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701121456000 | RIG FLOOR CAT HEAD SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W27 , W28 , W29 , W30 , W31 , W32 | | | | |



NDT Equipment Details

| | | | | | |
|----------------|-----------|--------------------|---------------|----------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|-------------------------------|--------------------------------|--|-----------------------------------|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-08 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701120853000 | RIG FLOOR SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W1 , W2 , W3 , W4 | | | | |



| NDT Equipment Details | | | | | |
|-----------------------|-----------|--------------------|---------------|----------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

| NDT procedure | |
|--|--|
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection | |
| Identification of any part found to have a defect and a description of the defect: | |
| None | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | |
| None | |

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-09 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 7011208580 | RIG FLOOR SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W41 , W42 , W43 , W44 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-10 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701120343100 | RIG FLOOR SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W17 , W18 , W19 , W20 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 29-04-2024 | Date of Report: | 29-04-2024 | Certificate No: | QC-DQ-04-24-0138-14-11 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701121459000 | RIG FLOOR SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W45 , W46 , W47 , W48 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 28-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-12 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| LL701120852500 | RIG FLOOR SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W9 , w10 , w11 , w12 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-13 |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701120343100 | RIG FLOOR V-DOOR SECTION LIFTING POINT | | | | Pass |
| LIFTING POIN SN: | W17 , W18 , W19 , W20 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


| | | | | | |
|-----------------------------|-------------------------|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-14 |

| Serial Number: | QTY | Description | SWL | Date of last Thorough examination |
|----------------|-----|---|-------|---|
| 081 | 04 | Fabricated Pad Eyes RIG FLOOR AIR TANK SECTION 20019 Pad Eye Dimension Thickness: 24 MM Pin Hole: 31 MM Length: 160 MM Height: 114 MM | 50 KN | 14-11-2023 |
| 082 | | | | Last Proof Load Test:- BY Manufacture |
| 083 | | | |  |
| 084 | | | | |

| | | | |
|---|---|--|---|
| Reference Standard: | | LEEA DOC 048:2015 | |
| Is this the first examination after Installation or assembly at a new site or location? | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | Was the examination carried out: | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO |
| | | Within an interval of 6 months? | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO |
| | | With an interval of 12 months? | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO |
| Is the answer to the above question is YES has the equipment been installed correctly? | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | In accordance with an examination scheme? | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO |
| | | After the occurrence of exceptional circumstances? | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO |
| Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE | | | |
| Is the above a defect which is of immediate danger to persons: | | | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | | | N/A |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | |
| IS THIS EQUIPMENT SAFE TO OPERATE? | | | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO |

| NDT Equipment Details | | | | | |
|-----------------------|-----------|--------------------|---------------|----------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

| NDT procedure |
|--|
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection |
| Identification of any part found to have a defect and a description of the defect: |
| None |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: |
| None |

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|-------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-14A |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 20019 | RIG FLOOR AIR TANK SECTION PAD EYES | | | | Pass |
| PAD EYES SN: | 081 , 082 , 083 , 084 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|--|---------------------------------------|---|---|--|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-15 |
| Serial Number: | QTY | Description | SWL | Date of last Thorough examination | |
| P01 P02 | 02 | Fabricated Pad Eyes RIG FLOOR V-DOOR PACKUP POST 701120155703 , 701120155703-2 Pad Eye Dimension Thickness: 20 MM Pin Hole: 30 MM Length: 100 MM Height: 80 MM | 5 TON | 19-11-2023 | |
| | | | Last Proof Load Test:- N/A | | |
| | | |  | | |
| Reference Standard: | | LEEA DOC 048:2015 | | | |
| Is this the first examination after Installation or assembly at a new site or location? | | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | | Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | |
| If the answer to the above question is YES has the equipment been installed correctly? | | YES <input type="checkbox"/> NO <input type="checkbox"/> | | | |
| Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE | | | | | |
| Is the above a defect which is of immediate danger to persons: | | | | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | | | | N/A | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | | | |
| IS THIS EQUIPMENT SAFE TO OPERATE? | | | | YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> | |
| NDT Equipment Details | | | | | |
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |
| NDT procedure | | | | | |
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection | | | | | |
| Identification of any part found to have a defect and a description of the defect: | | | | | |
| None | | | | | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | | | |
| None | | | | | |
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | | Date of Next Through Examination: | |
| Abdullah Mofeed | Mohamed Abdullah |  | | 31-10-2024 | |

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|--------------------------------|--|------------------------|---------------|------------------------|-------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-15A |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701120155703 701120155703-2 | RIG FLOOR V-DOOR PACKUP POST PAD EYES | | | | Pass |
| PAD EYEYS SN: | P01 , P02 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


| | | | | | |
|-----------------------------|-------------------------|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-16 |

| Serial Number: | QTY | Description | SWL | Date of last Thorough examination |
|----------------|-----|--|---|-----------------------------------|
| P1 P2 | 02 | Fabricated Pad Eyes RIG FLOOR Pad Eye Dimension Thickness: 30 MM Pin Hole: 40 MM Length: 120 MM Height: 125 MM | 10 TON | 19-11-2023 |
| | | | Last Proof Load Test:- N/A | |
| | | |  | |

| | | | |
|---|-----|--|------|
| Reference Standard: | | LEEA DOC 048:2015 | |
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ |
| | | | |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | NO | |
| | | | |
| | | Was the examination carried out: Within an interval of 6 months? YES ✓ NO With an interval of 12 months? YES NO ✓ In accordance with an examination scheme? YES ✓ NO After the occurrence of exceptional circumstances? YES NO ✓ | |
| Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE | | | |
| Is the above a defect which is of immediate danger to persons: | | YES | NO ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | | N/A | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | |
| IS THIS EQUIPMENT SAFE TO OPERATE? | | YES | NO ✓ |

| NDT Equipment Details | | | | | |
|-----------------------|-----------|--------------------|---------------|----------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

| NDT procedure |
|--|
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection |
| Identification of any part found to have a defect and a description of the defect: |
| None |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: |
| None |

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|----------------------|---------------------------------------|-----------------|---------------|-----------------|-------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-16A |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701120343100 | RIG FLOOR PAD EYES | | | | Pass |
| PAD EYEYS SN: | P1 , P2 | | | | |



NDT Equipment Details

| | | | | | |
|----------------|-----------|--------------------|---------------|----------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|-------------------------------|--------------------------------|--|-----------------------------------|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | | | | |
|---|-------------------------|---|---------------|--|--|---|----|---|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 | | | |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-17 | | | |
| Serial Number: | QTY | Description | | SWL | Date of last Thorough examination | | | |
| P3 | 03 | Fabricated Pad Eyes RIG FLOOR PACKUP POST 701120836100 | | 5 TON | 24-11-2023 | | | |
| P4 | | Pad Eye Dimension | | Last Proof Load Test:- N/A | | | | |
| P5 | | Thickness: 24 MM | |  | | | | |
| | | Pin Hole: 30 MM | | | | | | |
| | | Length: 120 MM | | | | | | |
| | | Height: 128 MM | | | | | | |
| Reference Standard: | | LEEA DOC 048:2015 | | | | | | |
| Is this the first examination after Installation or assembly at a new site or location? | | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances? | | | |
| | | YES | NO | | | | | |
| If the answer to the above question is YES has the equipment been installed correctly? | | YES | NO | | YES | ✓ | NO | ✓ |
| Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE | | | | | | | | |
| Is the above a defect which is of immediate danger to persons: | | | | | | | | |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | | | | | | | | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | | | | | | |
| IS THIS EQUIPMENT SAFE TO OPERATE? | | | | | | | | |
| YES | | | | | | | | |
| YES | | | | | | | | |
| NO | | | | | | | | |
| NO | | | | | | | | |
| NDT Equipment Details | | | | | | | | |
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET | | | |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 | | | |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 | | | |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 | | | |
| NDT procedure | | | | | | | | |
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection | | | | | | | | |
| Identification of any part found to have a defect and a description of the defect: | | | | | | | | |
| None | | | | | | | | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | | | | | | |
| None | | | | | | | | |
| ASNT Level II Inspector Name: | | Name of person authenticating: | | Signature & Stamp: | | | | |
| Abdullah Mofeed | | Mohamed Abdullah | |  | | | | |
| | | | | Date of Next Through Examination: | | | | |
| | | | | 31-10-2024 | | | | |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|-------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-17A |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| 701120836100 | RIG FLOOR PACKUP POST PAD EYES | | | | Pass |
| PAD EYEYS SN: | P3 , P4 , P5 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


| | | | | | |
|-----------------------------|-------------------------|------------------------|---------------|------------------------|------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-18 |

| Serial Number: | QTY | Description | SWL | Date of last Thorough examination | |
|----------------------------|-----|---|-------|-----------------------------------|--|
| P6 | 01 | Fabricated Pad Eye RIG FLOOR PACKUP POST P6 | 3 TON | 24-11-2023 | |
| | | Last Proof Load Test:- N/A | | | |
| | |  | | | |
| Reference Standard: | | LEEA DOC 048:2015 | | | |

| | | | | | | | | |
|---|-----|----|---|--|-----|---|----|---|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | ✓ |
| | YES | NO | | | YES | ✓ | NO | |
| Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE | | | | | | | | |
| Is the above a defect which is of immediate danger to persons: | | | | | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | | | | | N/A | | | |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: | | | | | | | | |
| IS THIS EQUIPMENT SAFE TO OPERATE? | | | | | YES | ✓ | NO | |

| NDT Equipment Details | | | | | |
|-----------------------|-----------|--------------------|---------------|----------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

| NDT procedure |
|--|
| Visual and MPI carried out for the above description and found free of surface defects at the time of inspection |
| Identification of any part found to have a defect and a description of the defect: |
| None |
| Particulars of any repair, renewal or alteration required to remedy the defect identified above: |
| None |

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

| | | | | | |
|-----------------------------|--|------------------------|---------------|------------------------|-------------------------|
| Client Name: | Daqing Drilling Company | Location: | Rig (DQ 1202) | Job Number: | QC-DQ-04-24-0138 |
| Date of Examination: | 01-05-2024 | Date of Report: | 01-05-2024 | Certificate No: | QC-DQ-04-24-0138-14-18A |
| Unit Serial Number | Description of the examined equipment | | | | Result |
| P6 | RIG FLOOR PACKUP POST PAD EYE | | | | Pass |
| PAD EYEN SN: | P6 | | | | |



NDT Equipment Details

| | | | | | |
|-----------------------|-----------|---------------------------|---------------|-----------------|------------|
| Standard | ASTM E709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | Permanent | Serial No: | PY-09 | Due Date | 14-08-2024 |
| White Contrast | WCP-2 | Batch No: | 220602 | Due Date | 06-2025 |
| Black Ink | 7HF | Batch No: | 220605 | Due Date | 7-1-2025 |

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

| | | | |
|--------------------------------------|---------------------------------------|--|--|
| ASNT Level II Inspector Name: | Name of person authenticating: | Signature & Stamp: | Date of Next Through Examination: |
| Abdullah Mofeed | Mohamed Abdullah |  | 31-10-2024 |

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

