





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
QC-DQ-04-24-0138					
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-01
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
DZ025 DZ026	02	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM  Pad Eye Dimension Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 129 MM		30 KN	17-11-2023
				Last Proof Load Test:- N/A	
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-01A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	DZ025 , DZ026				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-02
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
DZ027 DZ028	02	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM  Pad Eye Dimension Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 129 MM		30 KN	17-11-2023
				Last Proof Load Test:- N/A	
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-02A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	DZ027 , DZ028				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-03

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ017 DZ018 DZ019 DZ020	04	<p style="text-align: center;">Fabricated Pad Eyes SUBSTRUCTURE H- SUPPORT BEAM</p> <p>Pad Eye Dimension Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 129 MM</p>	30 KN	17-11-2023
			Last Proof Load Test:- N/A	
				

<b>Reference Standard:</b>		LEEA DOC 048:2015									
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>			
					YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>			
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>			
					YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>											
Is the above a defect which is of immediate danger to persons:								YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:											
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>								YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-03A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE H- SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	DZ017 , DZ018 , DZ019 , DZ020				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-04

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ021 DZ022	02	<p style="text-align: center;">Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM</p> <p>Pad Eye Dimension            Thickness: 24 MM            Pin Hole: 30 MM            Length: 120 MM            Height: 129 MM</p>	50 KN	17-11-2023
			Last Proof Load Test:- N/A	
				

<b>Reference Standard:</b>		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?
			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>			
Is the above a defect which is of immediate danger to persons:			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-04A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	DZ021 , DZ022				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			31-10-2024	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-05
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
DZ021 DZ022	02	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM  Pad Eye Dimension Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 129 MM	30 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			31-10-2024	

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-05A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	DZ021 , DZ022				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			31-10-2024	


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-06
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
049	04	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM 7# 20019  Pad Eye Dimension Thickness: 25 MM Pin Hole: 30 MM Length: 120 MM Height: 125 MM		50 KN	14-11-2023
050				Last Proof Load Test:- N/A	
051					
052					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:		YES <input type="checkbox"/>		NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		N/A			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>		YES <input checked="" type="checkbox"/>		NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Thorough Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.









## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-15-06A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SUPPORT BEAM 7# PAD EYES				Pass
PAD EYES SN:	049 , 050 , 051 , 052				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-07
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
041	04	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM 4# 20019  Pad Eye Dimension Thickness: 25 MM Pin Hole: 30 MM Length: 120 MM Height: 125 MM		50 KN	14-11-2023
042					
043					
044					
Last Proof Load Test:- N/A					
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-07A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE SUPPORT BEAM 4# PAD EYES				Pass
<b>PAD EYES SN:</b>	041 , 042 , 043 , 044				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.









## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-08
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
073 074	02	Fabricated Pad Eyes SUB STRUCTURE SUPPORT BEAM 20019		50 KN	14-11-2023
		Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 122 MM Height: 87 MM		Last Proof Load Test:- N/A	
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out:	
				Within an interval of 6 months?	
				With an interval of 12 months?	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme?	
				After the occurrence of exceptional circumstances?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Thorough Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-08A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUB STRACTURE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	073 , 074				



NDT Equipment Details					
<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-09
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUB STRUCTURE BOX LIFTING LUGS				Pass
<b>LUGS SN:</b>	D9 , D10 , D11 , D12				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>		
Abdullah Mofeed	Mohamed Abdullah		31-10-2024		

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-10
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUB STRUCTURE BOX LIFTING LUGS				Pass
<b>LUGS SN:</b>	D13 , D14 , D15 , D16				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-11
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE DRAWWORKS BASE LIFTING LUGS				Pass
<b>LUGS SN:</b>	077 , 078 , 079 , 080			<b>ECHE LUG SWL</b>	70 KN



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-12
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	ROTARY TABLE LIFTING LUGS				Pass
<b>LUGS SN:</b>	069 , 070 , 071 , 072			<b>ECHE LUG SWL</b>	80 KN



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-13
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE SIT BACK BOX LIFTING LUGS				Pass
<b>LUGS SN:</b>	065 , 066 , 067 , 068	<b>ECHE LUG SWL</b>			70 KN



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-14
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
045	04	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM 6# 20019	50 KN	16-11-2023	
046		Pad Eye Dimension	Last Proof Load Test:- N/A		
047		Thickness: 25 MM			
048		Pin Hole: 30 MM Length: 120 MM Height: 125 MM			
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-14A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE SUPPORT BEAM 6# PAD EYES				Pass
<b>PAD EYES SN:</b>	045 , 046 , 047 , 048				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>		

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








Abdullah Mofeed	Mohamed Abdullah	31-10-2024
-----------------	------------------	------------

REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-15

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
037 038 039 040	04	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM 2# 20019  Pad Eye Dimension Thickness: 25 MM Pin Hole: 30 MM Length: 120 MM Height: 125 MM	50 KN  Last Proof Load Test:- N/A  	16-11-2023

Reference Standard:	LEEA DOC 048:2015												
Is this the first examination after Installation or assembly at a new site or location?					Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?								
	YES		NO	✓		YES	✓	NO					
						YES		NO	✓				
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO			YES	✓	NO					
						YES		NO	✓				
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE													
Is the above a defect which is of immediate danger to persons:										YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)							N/A						
Particulars of any repair, renewal or alteration required to remedy the defect identified above:													
IS THIS EQUIPMENT SAFE TO OPERATE?										YES	✓	NO	

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and compliance with the requirements of the Lifting Equipment Regulations.





Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-15A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE SUPPORT BEAM 2# PAD EYES				Pass
<b>PAD EYES SN:</b>	037 , 038 , 039 , 040				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>		

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Abdullah Mofeed	Mohamed Abdullah	31-10-2024
-----------------	------------------	------------

REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-16

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
057 058 059 060	04	Fabricated Pad Eyes SUBSTRUCTURE OFF DRILL SIDE SUPPORT BEAM  Pad Eye Dimension Thickness: 25 MM Pin Hole: 31 MM Length: 118 MM Height: 90 MM	50 KN  Last Proof Load Test:- N/A  	17-11-2023

Reference Standard:	LEEA DOC 048:2015												
Is this the first examination after Installation or assembly at a new site or location?					Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?								
	YES		NO	✓		YES	✓	NO					
						YES		NO	✓				
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO			YES	✓	NO					
						YES		NO	✓				
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE													
Is the above a defect which is of immediate danger to persons:										YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)							N/A						
Particulars of any repair, renewal or alteration required to remedy the defect identified above:													
IS THIS EQUIPMENT SAFE TO OPERATE?										YES	✓	NO	

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and conformance with the requirements of the Lifting Equipment Regulations.







Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-16A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE OFF DRILL SIDE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	057 , 058 , 059 , 060				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>		

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered safe for lifting.






Abdullah Mofeed	Mohamed Abdullah	31-10-2024
-----------------	------------------	------------

REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-17

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
033 034 035 036	04	Fabricated Pad Eyes SUBSTRUCTURE OFF DRILL SIDE SUPPORT BEAM  Pad Eye Dimension Thickness: 25 MM Pin Hole: 31 MM Length: 118 MM Height: 90 MM	50 KN  Last Proof Load Test:- N/A  	17-11-2023

<b>Reference Standard:</b>	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	✓
				With an interval of 12 months?	YES		NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES ☐ NO ☒

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ☒ NO ☐

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

**NDT procedure**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and compliance with the requirements of the Lifting Equipment Regulations.







Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-17A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE OFF DRILL SIDE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	033 , 034 , 035 , 036				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
--------------------------------------	---------------------------------------	-------------------------------	--

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








Abdullah Mofeed	Mohamed Abdullah	31-10-2024
-----------------	------------------	------------

REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-18

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
053 054 055 056	04	Fabricated Pad Eyes SUBSTRUCTURE DRILL SIDE SUPPORT BEAM  Pad Eye Dimension Thickness: 25 MM Pin Hole: 31 MM Length: 118 MM Height: 90 MM	50 KN	17-11-2023
Last Proof Load Test:- N/A				
				

Reference Standard:	LEEA DOC 048:2015												
Is this the first examination after Installation or assembly at a new site or location?					Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?								
	YES		NO	✓		YES	✓	NO					
						YES		NO	✓				
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO			YES	✓	NO					
						YES		NO	✓				
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE													
Is the above a defect which is of immediate danger to persons:										YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)							N/A						
Particulars of any repair, renewal or alteration required to remedy the defect identified above:													
IS THIS EQUIPMENT SAFE TO OPERATE?										YES	✓	NO	

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and conformance with the requirements of the Lifting Equipment Regulations.





Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-18A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE DRILL SIDE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	053 , 054 , 055 , 056				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>		

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered safe for lifting.






Abdullah Mofeed	Mohamed Abdullah	31-10-2024
-----------------	------------------	------------

REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-19

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
029 030 031 032	04	Fabricated Pad Eyes SUBSTRUCTURE DRILL SIDE SUPPORT BEAM  Pad Eye Dimension Thickness: 25 MM Pin Hole: 31 MM Length: 118 MM Height: 90 MM	50 KN  Last Proof Load Test:- N/A  	17-11-2023

Reference Standard:	LEEA DOC 048:2015												
Is this the first examination after Installation or assembly at a new site or location?					Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?								
	YES		NO	✓					YES	✓	NO		
									YES		NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO						YES	✓	NO		
									YES		NO	✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE													
Is the above a defect which is of immediate danger to persons:										YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:													
IS THIS EQUIPMENT SAFE TO OPERATE?										YES	✓	NO	

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and compliance with the requirements of the Lifting Equipment Regulations.







Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-19A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE DRILL SIDE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	029 , 030 , 031 , 032				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>		

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered safe for lifting.






Abdullah Mofeed	Mohamed Abdullah	31-10-2024
-----------------	------------------	------------

REV: 01 Dated: 20 June 2022

## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-20

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
S13 S14 S21 S22	04	Fabricated Pad Eyes SUBSTRUCTURE DRILL SIDE & OFF DRILL SIDE SUPPORT BEAM  Pad Eye Dimension Thickness: 20 MM Pin Hole: 30 MM Length: 118 MM Height: 90 MM	50 KN  Last Proof Load Test:- N/A  	17-11-2023

<b>Reference Standard:</b>	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	✓
				Within an interval of 12 months?	YES		NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ✓ NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

**NDT procedure**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and conformance with the requirements of the Lifting Equipment Regulations.





Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-20A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE DRILL SIDE & OFF DRILL SIDE SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	S13 ,S14 , S21 , S22				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-21
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE LOWER OFF DRILL SIDE LIFTING LUGS				Pass
<b>LUGS SN:</b>	DZ013 , DZ014 , DZ015 , DZ016			<b>ECHE LUG SWL</b>	280 KN



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
--------------------------------------	---------------------------------------	-------------------------------	--

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-22
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE LOWER OFF DRILL SIDE LIFTING LUGS				Pass
<b>LUGS SN:</b>	DZ005 , DZ006 , DZ007 , DZ008			<b>ECHE LUG SWL</b>	280 KN



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-23
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE UPPER OFF DRILL SIDE LIFTING LUGS				Pass
<b>LUGS SN:</b>	085 , 086 , 087 , 088	<b>ECHE LUG SWL</b>			80 KN



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of the Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-24
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE LOWER DRILL SIDE LIFTING LUGS				Pass
<b>LUGS SN:</b>	DZ001 , DZ002 , DZ003 , DZ004			<b>ECHE LUG SWL</b>	280 KN



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
--------------------------------------	---------------------------------------	-------------------------------	--

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-25
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE LOWER DRILL SIDE LIFTING LUGS				Pass
<b>LUGS SN:</b>	DZ001 , DZ002 , DZ003 , DZ004			<b>ECHE LUG SWL</b>	280 KN



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
-------------------------------	--------------------------------	--------------------	-----------------------------------

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-26
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	SUBSTRUCTURE UPPER DRILL SIDE LIFTING LUGS				Pass
<b>LUGS SN:</b>	061 , 062 , 063 , 064	<b>ECHE LUG SWL</b>			80 KN



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
--------------------------------------	---------------------------------------	-------------------------------	--

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of the Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







Abdullah Mofeed	Mohamed Abdullah		31-10-2024
-----------------	------------------	--	------------

REV: 01 Dated: 20 June 2022

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	01-05-2024	<b>Date of Report:</b>	01-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-15-27
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	ROTARY TABLE SECONDARY RETENTION FALL ARRESTORE				Pass
<b>LUGS SN:</b>	C1 , C2 , C3, C4				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered safe for lifting.





ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

