





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-25
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
P1 P2 P3	03	Fabricated Pad Eyes DRILL SIDE 2ND SECTION MAST MANUAL TONG  Pad Eye Dimension Thickness: 20 MM Pin Hole: 30 MM Length: 198 MM Height: 156 MM	70 KN	16-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			01-11-2024	

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-25A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	DRIIL SIDE 2ND SECTION MAST MANUAL TONG PAD EYES				Pass
<b>PAD EYES SN:</b>	P1 , P2 , P3				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-26
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
P7 P8 P9 P10	04	Fabricated Pad Eyes DRILL SIDE 2ND SECTION MAST MANUAL TONG SECONDARY RETENTION  Pad Eye Dimension Thickness: 16 MM Pin Hole: 37 MM Length: 280 MM Height: 100 MM	30 KN	16-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-26A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	DRILL SIDE 2ND SECTION MAST MANUAL TONG SECONDARY RETENTION PAD EYES				Pass
<b>PAD EYES SN:</b>	P7 , P8 , P9 , P10				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-27

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
JJ045 JJ046 JJ047 JJ048	04	Fabricated Pad Eyes DRILL SIDE 2ND SECTION MAST  Pad Eye Dimension Thickness: 24 MM Pin Hole: 45 MM Length: 170 MM Height: 137 MM	100 KN	16-11-2023
			Last Proof Load Test:- N/A	
				

<b>Reference Standard:</b>		LEEA DOC 048:2015	
----------------------------	--	-------------------	--

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	
				With an interval of 12 months?	YES		NO	✓
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES ☐ NO ☒

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) **N/A**

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ☒ NO ☐

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

**NDT procedure**


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-27A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE 2ND SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ045 , JJ046 , JJ047 , JJ048				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-28
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
P4 P5 P6	03	Fabricated Pad Eyes OFF DRILL SIDE 2ND SECTION MAST MANUAL TONG  Pad Eye Dimension Thickness: 20 MM Pin Hole: 30 MM Length: 198 MM Height: 156 MM	70 KN	16-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			01-11-2024	

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-28A
Unit Serial Number	Description of the examined equipment				Result
20019	OFF DRILL SIDE 2ND SECTION MAST MANUAL TONG PAD EYES				Pass
PAD EYES SN:	P4 , P5 , P6				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.








## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-29

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
P11 P12 P13 P14	04	<p style="text-align: center;">Fabricated Pad Eyes OFF DRILL SIDE 2ND SECTION MAST MANUAL TONG SECONDARY RETENTION</p> <p>Pad Eye Dimension Thickness: 16 MM Pin Hole: 37 MM Length: 280 MM Height: 100 MM</p>	<p>30 KN</p> <p>Last Proof Load Test:- N/A</p> 	16-11-2023

<b>Reference Standard:</b>		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	
		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>			
Is the above a defect which is of immediate danger to persons:		YES	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>		YES	NO <input checked="" type="checkbox"/>

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-29A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	OFF DRIIL SIDE 2ND SECTION MAST MANUAL TONGSECONDARY RETENTION PAD EYES				Pass
<b>PAD EYES SN:</b>	P11 , P12 , P13 , P14				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-30

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
JJ037 JJ038 JJ039 JJ040	04	Fabricated Pad Eyes OFF DRILL SIDE 2ND SECTION MAST  Pad Eye Dimension Thickness: 24 MM Pin Hole: 45 MM Length: 170 MM Height: 137 MM	100 KN	16-11-2023
			Last Proof Load Test:- N/A	
				


<b>Reference Standard:</b>		LEEA DOC 048:2015	
----------------------------	--	-------------------	--

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	
				With an interval of 12 months?	YES		NO	✓
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>			
Is the above a defect which is of immediate danger to persons:			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-30A
Unit Serial Number	Description of the examined equipment				Result
20019	OFF DRILL SIDE 2ND SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ037 , JJ038 , JJ039 , JJ040				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-31
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
JJ017 JJ018 JJ041 JJ042	04	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE 2ND SECTION MAST  Pad Eye Dimension Thickness: 26 MM Pin Hole: 40 MM Length: 270 MM Height: 230 MM	100 KN	16-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-31A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE & OFF DRILL SIDE 2ND SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ017 , JJ018 , JJ041 , JJ042				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.









## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-32
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
JJ013 JJ014 JJ015 JJ016	04	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE 2ND SECTION MAST  Pad Eye Dimension Thickness: 24 MM Pin Hole: 42 MM Length: 270 MM Height: 240 MM	100 KN	16-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-32A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE & OFF DRILL SIDE 2ND SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ013 , JJ014 , JJ015 , JJ016				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-33
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
JJ200 JJ201 JJ202 JJ203	04	Fabricated Pad Eyes DRILL SIDE 2ND SECTION MAST  Pad Eye Dimension Thickness: 16 MM Pin Hole: 31 MM Length: 92 MM Height: 245 MM	100 KN	N/A	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>					
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>					
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-33A
Unit Serial Number	Description of the examined equipment				Result
20019	DRIIL SIDE 2ND SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ200 , JJ201 , JJ202 , JJ203				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-34

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
JJ204 JJ205 JJ206 JJ207	04	<p style="text-align: center;">Fabricated Pad Eyes OFF DRILL SIDE 2ND SECTION MAST</p> <p>Pad Eye Dimension Thickness: 16 MM Pin Hole: 31 MM Length: 92 MM Height: 245 MM</p>	100 KN	N/A
			Last Proof Load Test:- N/A	
				

<b>Reference Standard:</b>		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	
		Was the examination carried out: Within an interval of 6 months? YES ✓ NO With an interval of 12 months? YES NO ✓ In accordance with an examination scheme? YES ✓ NO After the occurrence of exceptional circumstances? YES NO ✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>			
Is the above a defect which is of immediate danger to persons:		YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)		N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>		YES	NO ✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-34A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	OFF DRILL SIDE 2ND SECTION MAST PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ204 , JJ205 , JJ206 , JJ207				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.









## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-35
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
C5 C7	01	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE 2ND SECTION MAST ESCAPE DEVICE SECONDARY RETENTION Pad Eye Dimension Thickness: 25 MM Pin Hole: 40 MM Length: 370 MM Height: 230 MM	100 KN	16-11-2023	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			01-11-2024	

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-35A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	DRILL SIDE & OFF DRILL SIDE 2ND SECTION MAST SECONDARY ESCAPE DEVICE RETENTION PAD EYES				Pass
<b>PAD EYES SN:</b>	C5 , C7				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	14-08-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-36

Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
C4	01	Fabricated Pad Eyes DRILL SIDE 2ND SECTION MAST ESCAPE DEVICE SECONDARY RETENTION	2.3 TON	16-11-2023	
		Last Proof Load Test:- N/A			
					
		Pad Eye Dimension Thickness: 22 MM Pin Hole: 29 MM Length: 100 MM Height: 85 MM			
<b>Reference Standard:</b>		LEEA DOC 048:2015			

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**


Is the above a defect which is of immediate danger to persons:	YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)	N/A		

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

IS THIS EQUIPMENT SAFE TO OPERATE?	YES	NO	✓
------------------------------------	-----	----	---

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-36A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE 2ND SECTION MAST SECONDARY ESCAPE DEVICE RETENTION PAD EYES				Pass
PAD EYES SN:	C4				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-37
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
01	04	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE 2ND SECTION MAST FALL ARRESTORE HANG OFF	6 TON	16-11-2023	
02		Pad Eye Dimension	Last Proof Load Test:- 26-05-2023 BY GAMMA		
03		Thickness: 21 MM			
04		Pin Hole: 40 MM Length: 278 MM Height: 310 MM			
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		
Was the examination carried out:					
Within an interval of 6 months?		YES	NO	✓	
With an interval of 12 months?		YES	NO	✓	
In accordance with an examination scheme?		YES	NO	✓	
After the occurrence of exceptional circumstances?		YES	NO	✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Abdullah Mofeed	Mohamed Abdullah			01-11-2024	

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-37A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE & OFF DRILL SIDE 2ND SECTION MAST FALL ARRESTORE HANG OFF PAD EYES				Pass
PAD EYES SN:	01 , 02 , 03 , 04				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.









## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	02-05-2024	<b>Date of Report:</b>	02-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-16-38
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	DRILL SIDE & OFF DRILL SIDE 2ND SECTION MAST CONNECTING TO MONKEY BOARD PAD EYES				Pass
<b>PAD EYES SN:</b>	CB01 , CB02				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

