





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company			Job Number:	QC-DQ-05-24-0145
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/31
Serial Number:	QTY	Description		SWL Each Pad Eye:	Date of last Thorough examination
B4027 B4054 B4058	03	Pad Eyes for Flow Line Pad Eye Dimension Thickness: 25 mm Pin Hole: 22 mm Length: 138 mm Height: 100 mm		5 TON	29.10.2023
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above: None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/32
Serial Number	Description of the examined equipment				Result
B4027 & B4054 & B4058	Pad Eyes for Flow Line				Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment


This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Job Number:	QC-DQ-05-24-0145
Date of Examination:	02.05.2024	Location:	DQ Rig 012
Certificate No:	QC-DQ-05-24-0145/33		

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
06 07 08 09	04	Pad Eyes for V-Door Pad Eye Dimension Thickness: 32 mm Pin Hole: 28 mm Length: 98 mm Height: 190 mm	6.5 TON	29.10.2023
				
Reference Standard:		LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY				
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO <input type="checkbox"/>	

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above: None	

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/34
Serial Number	Description of the examined equipment				Result
06 & 07 & 08 & 09	Pad Eyes for V-Door				Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/35
Serial Number	Description of the examined equipment				Result
V1 & V2 & V3 & V4	Lifting Lugs for V-Door				Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/36
Serial Number	Description of the examined equipment				Result
CW01-1 TO CW01-4	Lifting Lugs for Cat Walk SN: CW01				Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/37
Serial Number	Description of the examined equipment				Result
CW02-1 TO CW02-4	Lifting Lugs for Cat Walk SN: CW02				Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/38
Serial Number	Description of the examined equipment				Result
SK-1 TO SK-4	Lifting Lugs for Emergency Sleep				Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/39
Serial Number	Description of the examined equipment				Result
9 TO 16	Lifting Lugs for Bop Hoist				Pass




NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025

NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

