




## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	08-05-2024	<b>Date of Report:</b>	08-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-35-01

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DQ38-LB-02	01	<u>Bracket Fabricated Pad Eyes</u> Bracket Dimension: Height: 810MM, Length: 540MM, Width: 330MM Bracket Body Jaw Inside Width: 315 mm Bracket Body Jaw Inside Depth: 485 mm Bracket Body Pin Holes Dia: 80 mm Bracket Pins Dia: 78 mm Pad Eye Dimension: Length: 540 MM      Thickness: 89 MM Pin Hole: - 73 MM      Height: 280 MM	50Ton	N/A
				

<b>Reference Standard:</b>	LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓
Was the examination carried out:			
Within an interval of 6 months?	YES	✓	NO
With an interval of 12 months?	YES	✓	NO
In accordance with an examination scheme?	YES	✓	NO
After the occurrence of exceptional circumstances?	YES	✓	NO

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES ☐ NO ☒

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ☒ NO ☐

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

**NDT procedure**


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Thorough Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		07-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	08-05-2024	<b>Date of Report:</b>	08-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-35-01

<b>Bracket SWL:</b>	<b>Description of the examined Equipment</b>	<b>Result</b>
50 Ton	Bracket Lifting Pad Eyes	Pass
<b>Unit Serial Number:</b>	DQ38-LB-02	



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	17-02-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		07-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Certificate of Thorough Examination & NDT of Lifting Equipment


This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	08-05-2024	<b>Date of Report:</b>	08-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-35-01

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DQ38-LB-03	01	<b>Bracket Fabricated Pad Eyes</b> Bracket Dimension: Height: 810MM, Length: 540MM, Width: 330MM Bracket Body Jaw Inside Width: 315 mm Bracket Body Jaw Inside Depth: 485 mm Bracket Body Pin Holes Dia: 80 mm Bracket Pins Dia: 78 mm Pad Eye Dimension: Length: 540 MM      Thickness: 89 MM Height: 280 MM      Pin Hole: - 73 MM	50Ton	N/A
				

Reference Standard:	LEEA DOC 048:2015												
Is this the first examination after Installation or assembly at a new site or location?					Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?								
	YES		NO	✓		YES	✓	NO					
						YES		NO	✓				
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO			YES	✓	NO					
						YES		NO	✓				
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE													
Is the above a defect which is of immediate danger to persons:										YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)							N/A						
Particulars of any repair, renewal or alteration required to remedy the defect identified above:													
IS THIS EQUIPMENT SAFE TO OPERATE?										YES	✓	NO	

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Thorough Examination:
Abdullah Mofeed	Mohamed Abdullah		07-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	08-05-2024	<b>Date of Report:</b>	08-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-35-01

<b>Bracket SWL:</b>	<b>Description of the examined Equipment</b>	<b>Result</b>
50 Ton	Bracket Lifting Pad Eyes	Pass
<b>Unit Serial Number:</b>	DQ38-LB-03	



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	17-02-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		07-11-2024

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	08-05-2024	<b>Date of Report:</b>	08-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-35-01

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DQ38-LB-04	01	<u>Bracket Fabricated Pad Eyes</u> Bracket Dimension: Height: 810MM, Length: 540MM, Width: 330MM Bracket Body Jaw Inside Width: 315 mm Bracket Body Jaw Inside Depth: 485 mm Bracket Body Pin Holes Dia: 80 mm Bracket Pins Dia: 78 mm Pad Eye Dimension: Length: 540 MM    Thickness: 89 MM Height: 280 MM    Pin Hole: - 73 MM	50Ton	N/A
				

Reference Standard:	LEEA DOC 048:2015											
Is this the first examination after Installation or assembly at a new site or location?					Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?							
	YES		NO	√		YES	√	NO				
						YES		NO	√			
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO			YES	√	NO				
						YES		NO	√			

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES ☐ NO ☒

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) **N/A**

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ☒ NO ☐

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

**NDT procedure**


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

**None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**None**

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		07-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	08-05-2024	<b>Date of Report:</b>	08-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-35-01

<b>Bracket SWL:</b>	<b>Description of the examined Equipment</b>	<b>Result</b>
50 Ton	Bracket Lifting Pad Eyes	Pass
<b>Unit Serial Number:</b>	DQ38-LB-04	



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	17-02-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		07-11-2024

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	08-05-2024	<b>Date of Report:</b>	08-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-35-01

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
GPS-DQDR-07	01	<u>Bracket Fabricated Pad Eyes</u> Bracket Dimension: Height: 810MM, Length: 540MM, Width: 330MM Bracket Body Jaw Inside Width: 315 mm Bracket Body Jaw Inside Depth: 485 mm Bracket Body Pin Holes Dia: 80 mm Bracket Pins Dia: 78 mm Pad Eye Dimension: Length: 540 MM      Thickness: 89 MM Height: 280 MM      Pin Hole: - 73 MM	45Ton	11.03.2023
				

<b>Reference Standard:</b>	LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓
Was the examination carried out:			
Within an interval of 6 months?	YES	✓	NO
With an interval of 12 months?	YES	✓	NO
In accordance with an examination scheme?	YES	✓	NO
After the occurrence of exceptional circumstances?	YES	✓	NO

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES ☐ NO ☒

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ☒ NO ☐

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	17-02-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

**NDT procedure**


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		07-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-DQ-04-24-0138
<b>Date of Examination:</b>	08-05-2024	<b>Date of Report:</b>	08-05-2024	<b>Certificate No:</b>	QC-DQ-04-24-0138-35-01

<b>Bracket SWL:</b>	<b>Description of the examined Equipment</b>	<b>Result</b>
45 Ton	Bracket Lifting Pad Eyes	Pass
<b>Unit Serial Number:</b>	GPS-DQDR-07	



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	17-02-2024
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	06-2025
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdullah		07-11-2024

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

