





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company			Job Number:	QC-DQ-05-24-0145
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/40
Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination	
H20 H21 B461 B456	04	Pad Eyes for Rig Floor Plate Pad Eye Dimension Thickness: 24 mm Pin Hole: 28 mm Length: 110 mm Height: 150 mm	5 TON	29.10.2023	
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	✓	
		Was the examination carried out:			
		Within an interval of 6 months?		YES	✓ NO
		With an interval of 12 months?		YES	✓ NO
		In accordance with an examination scheme?		YES	✓ NO
		After the occurrence of exceptional circumstances?		YES	✓ NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	✓ NO
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above: None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No: QC-DQ-05-24-0145/41
Serial Number	Description of the examined equipment			Result
H20, H21, B461, B456	Pad Eyes for Rig Floor Plate			Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company			Job Number:	QC-DQ-05-24-0145
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/42
Serial Number:	QTY	Description		SWL Each Pad Eye:	Date of last Thorough examination
A1 A2	02	Pad Eyes for Rig Floor Plate Pad Eye Dimension Thickness: 24 mm Pin Hole: 28 mm Length: 110 mm Height: 150 mm		5 TON	29.10.2023
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above: None					





ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/43
Serial Number	Description of the examined equipment				Result
A1, A2	Pad Eyes for Rig Floor Plate				Pass
   					
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/44
Serial Number	Description of the examined equipment				Result
A1, A2, A3, A4	Lifting Lugs for Rig Floor Air Tank				Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No: QC-DQ-05-24-0145/45
Serial Number	Description of the examined equipment			Result
R1, R2, R3, R4	Lifting Lugs for Rig Floor Plate			Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/46
Serial Number	Description of the examined equipment				Result
/	U Clamp for Rig Floor Plate				Pass



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company		Job Number:	QC-DQ-05-24-0145	
Date of Examination:	02.05.2024	Location:	DQ Rig 012	Certificate No:	QC-DQ-05-24-0145/47
Serial Number	Description of the examined equipment			Result	
/	U Clamp for Rig Floor Plate			Pass	



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06.2025
Black Ink	7HF	Batch No:	220605	Due Date	07.01.2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		01.11.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

