





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-64
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
SP01	02	Fabricated Pad Eyes CROWN BLOCK MAN RAIDER SECONDARY RETENTION		2.3 ton	17-11-2023
		Pad Eye Dimension Thickness: 17 MM Pin Hole: 50 MM Double Hole Length: 270 MM Height: 215 MM		Last Proof Load Test:- 26-05-2023 BY GAMMA	
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	YES	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-64A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK MAN RAIDER SECONDARY RETENTIONPAD EYES				Pass
PAD EYES SN:	SP01				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-65
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
PE1	01	Fabricated Pad Eyes CROWN BLOCK MAN RAIDER Pad Eye Dimension Thickness: 20 MM Pin Hole: 30 MM Length: 220 MM Height: 310 MM	8.5 TON	17-11-2023	
			Last Proof Load Test:- 26-05-2023 BY GAMMA		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-65A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK MAN RAIDER PAD EYES				Pass
PAD EYES SN:	PE1				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024



REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-66
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
XG001 XG002 XG003 XG004	04	Double Fabricated Pad Eyes CROWN BLOCK AIR WINCH SHEAVES Pad Eye Dimension Thickness: 24 MM Pin Hole: 90 MM Length: 280 MM Height: 390 MM Width: 185 MM	100 KN	17-11-2023	
			Last Proof Load Test:- 26-05-2023 BY GAMMA		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Abdullah Mofeed	Mohamed Abdullah			31-10-2024	

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-66A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK AIR WINCH SHEAVES PAD EYES				Pass
PAD EYES SN:	XG001 , XG002 , XG003 , XG004				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-67
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
XG007 XG008 XG009 XG010 XG011 XG012 XG013 XG014	08	Fabricated Pad Eyes CROWN BLOCK AIR WINCH SHEAVES SECONDARY RETENTION Pad Eye Dimension Thickness: 21 MM Pin Hole: 50 MM Length: 90 MM Height: 100 MM	50 KN	17-11-2023	
			Last Proof Load Test:- 26-05-2023 BY GAMMA		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Abdullah Mofeed	Mohamed Abdullah			31-10-2024	

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-67A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK AIR WINCH SHEAVES SECONDARY RETENTION PAD EYES				Pass
PAD EYES SN:	XG007 , XG008 , XG009 , XG010 , XG011 , XG012 , XG013 , XG014				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-68

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
XG005	01	Fabricated Pad Eyes CROWN BLOCK HANG OFF LINE	350 KN	17-11-2023
		Pad Eye Dimension Thickness: 50 MM Pin Hole: 70 MM Length: 320 MM Height: 370 MM	Last Proof Load Test:- N/A	
				

Reference Standard:		LEEA DOC 048:2015									
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓			
	YES	NO	YES		✓	NO	✓				
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	✓			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE											
Is the above a defect which is of immediate danger to persons:								YES	NO	✓	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:											
IS THIS EQUIPMENT SAFE TO OPERATE?								YES	✓	NO	✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-68A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK HANG OFF LINE PAD EYES				Pass
PAD EYES SN:	XG005				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-69

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
XG006	01	Fabricated Pad Eyes CROWN BLOCK TDS HANG OFF LINE	300 KN	17-11-2023
		Pad Eye Dimension Thickness: 79 MM Pin Hole: 61 MM Length: 560 MM Height: 300 MM	Last Proof Load Test:- 26-05-2023 BY GAMMA	
				

Reference Standard:		LEEA DOC 048:2015								
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓		
	YES	NO	YES		NO	YES	NO	YES	NO	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE										
Is the above a defect which is of immediate danger to persons:								YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
IS THIS EQUIPMENT SAFE TO OPERATE?								YES	✓	NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-69A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK TDS HANG OFF LINE PAD EYES				Pass
PAD EYES SN:	XG006				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-70
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
FBE04 FBE06	02	Fabricated Pad Eyes CROWN BLOCK FALL ARRESTORE POST Pad Eye Dimension Thickness: 12 MM Pin Hole: 25 MM Length: 102 MM Height: 84 MM	2.3 TON	17-11-2023	
			Last Proof Load Test:- 26-05-2023 BY GAMMA		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-70A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK FALL ARRESTORE POST PAD EYES				Pass
PAD EYES SN:	FBE04 , FBE06				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-71

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
FBE03 FBE05	02	<p style="text-align: center;">Fabricated Pad Eyes CROWN BLOCK ESCAPE LINE</p> <p>Pad Eye Dimension Thickness: 16 MM Pin Hole: 50 MM Double Hole Length: 220 MM Height: 96 MM</p>	<p>2.3 TON</p> <p>Last Proof Load Test:- 26-05-2023 BY GAMMA</p> 	17-11-2023

Reference Standard:		LEEA DOC 048:2015								
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓		
	YES	NO	YES		NO	YES	NO	YES	NO	
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	✓		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE										
Is the above a defect which is of immediate danger to persons:								YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
IS THIS EQUIPMENT SAFE TO OPERATE?								YES	✓	NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-71A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK ESCAPE LINE PAD EYES				Pass
PAD EYES SN:	FBE03 , FBE05				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-72
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
AOXG001 AOXG002 AOXG003 AOXG004 AOXG005	05	Fabricated Pad Eyes CROWN BLOCK FRAME Pad Eye Dimension Thickness: 16 MM Pin Hole: 52 MM Length: 90 MM Height: 80 MM		24 KN	17-11-2023
				Last Proof Load Test:- 26-05-2023 BY GAMMA	
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-72A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK FRAME PAD EYES				Pass
PAD EYES SN:	AOXG001 , AOXG002 , AOXG003 , AOXG004 , AOXG005				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-73
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
TC001 TC002 TC003 TC004	04	Fabricated Pad Eyes CROWN BLOCK Pad Eye Dimension Thickness: 36 MM Pin Hole: 76 MM Length: 150 MM Height: 340 MM		80 KN	17-11-2023
				Last Proof Load Test:- N/A	
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:		Name of person authenticating:		Signature & Stamp:	
Abdullah Mofeed		Mohamed Abdullah			
				Date of Next Through Examination:	
				31-10-2024	

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	01-05-2024	Date of Report:	01-05-2024	Certificate No:	QC-DQ-04-24-0138-16-73A
Unit Serial Number	Description of the examined equipment				Result
2020	CROWN BLOCK PAD EYES				Pass
PAD EYES SN:	TC001 , TC002 , TC003 , TC004				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		31-10-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

