





CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION



Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-01			
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171			
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)			
		UNIT DESCRIPTION:		INJECTOR PADEYES		
		UNIT S/N:		11454365		
		PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK
		C01	4	Thickness :- 22 mm	3.25 TON	Satisfactory
		C02		Pin Hole :- 20 mm		
		C27		Length :- 102 mm		
C28	Height :- 50 mm					
INSPECTION RESULT :						
VISUAL , THOROUGH EXAMINATION			Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage			
MAGNETIC PARTICLE INSPECTION			Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects			
FINAL RESULTS			unit found satisfactory and free of defects at the time of inspection			
COMMENT:						
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast						

EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY				
Equipment:	AC-Yoke Test Block		Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH	
S.No:	1657		S.No:	2722003		S.No:	201504052						
Cal Due Date:	12-Aug-24		Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24						
Black Magnetic Ink Manufacture:			Magnaflux		Batch No:	220605	Expiry Date:	JULY.2025	QUALIFICATION ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI	
Whie Contrast Paint Manufacture:			Magnaflux		Batch No:	220602	Expiry Date:	JUN,2025					
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity			STAMP & SIGNATURE:		CLIENT:		
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux							
Original - Client Files		Copy - Area Office		OC/FN/MPI/065		Rev.00		DATED 07 Nov 2021					

CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-02	
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171	
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	









UNIT DESCRIPTION:		INJECTOR PADEYES		
UNIT S/N:		11454365		
PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK
C06 C05 C15 C16	4	Thickness :- 25 mm Pin Hole :- 31 mm Length :- 77 mm Height :- 72 mm	6.5 TON	Satisfactory

INSPECTION RESULT :	
VISUAL , THOROUGH EXAMINATION	Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage
MAGNETIC PARTICLE INSPECTION	Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection

COMMENT:

 Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast



EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY					
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH			
S.No:	1657	S.No:	2722003		S.No:	201504052								
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24								
Black Magnetic Ink Manufacture:		Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025		QUALIFICATION ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI			
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025								
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		CLIENT:				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux								
Original - Client Files		Copy - Area Office		OC/FN/MPI/065		Rev.00		DATED 07 Nov 2021						

CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-03	
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171	
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)





UNIT DESCRIPTION:		INJECTOR PADEYES		
UNIT S/N:		11454365		
PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK
C09	6	Thickness :- 55 mm	17 TON	Satisfactory
C10		Pin Hole :- 42 mm		
C11		Length :- 180 mm		
C12		Height :- 230 mm		
C13				
C14				


INSPECTION RESULT :	
VISUAL , THOROUGH EXAMINATION	Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage
MAGNETIC PARTICLE INSPECTION	Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection

COMMENT: Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast	
---	--

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY		
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID	SENIOR INSPECTOR:	MOHAMMED ABDULLAH	
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION	SUPERVISOR:	HANI ALI
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24	Cal Due Date:	12-Aug-24			ASNT LEVEL II	CLIENT:	
Black Magnetic Ink Manufacture:		Magnaflux		Batch No:	220605	Expiry Date:	JULY.2025			
Whie Contrast Paint Manufacture:		Magnaflux		Batch No:	220602	Expiry Date:	JUN,2025			
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux				
						STAMP & SIGNATURE:				





Original - Client Files Copy - Area Office QC/FN/MP/065 Rev.00 DATED 07 Nov 2021


CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-04
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		
  		Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	INJECTOR PADEYES
		UNIT S/N:	11454365
		PAD EYES S/N:	C07, C08
INSPECTION RESULT :			
VISUAL , THOROUGH EXAMINATION		unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage	
MAGNETIC PARTICLE INSPECTION		Welds & forgn areas inspected and found free from cracks and other defects	
FINAL RESULTS		unit found satisfactory and free of defects at the time of inspection	
COMMENT:			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY		
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH	
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION ASNT LEVEL II MT & PT & VT	SUPERVISOR:	HANI ALI
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24	Cal Due Date:	12-Aug-24			CLIENT:		
Black Magnetic Ink Manufacture:		Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025				
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025				
Magnetic Partical Concentration			Method		WMPT Light Intensity	STAMP &				



CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-05			
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171			
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)			
  		UNIT DESCRIPTION:		GOOSE NECK PADEYES		
		UNIT S/N:		11454363		
		PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK
		C18 C17	2	Thickness :- 26 mm Pin Hole :- 26 mm Length :- 155 mm Height :- 120 mm	4.75 TON	Satisfactory
INSPECTION RESULT :						
VISUAL , THOROUGH EXAMINATION			Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage			
MAGNETIC PARTICLE INSPECTION			Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects			
FINAL RESULTS			unit found satisfactory and free of defects at the time of inspection			
COMMENT:						
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast						

EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY					
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH			
S.No:	1657	S.No:	2722003		S.No:	201504052								
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24								
Black Magnetic Ink Manufacture:		Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025		QUALIFICATION ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI			
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025								
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		CLIENT:				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux								
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00		DATED 07 Nov 2021						



Corporate Partner










Address: Noth Rumaila, Al Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-06			
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171			
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)			
    		UNIT DESCRIPTION:	GOOSE NECK PADEYES			
		UNIT S/N:	11454363			
		PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK
		C19 C20 C21 C22	4	Thickness :- 20 mm Pin Hole :- 16 mm Length :- 77 mm Height :- 44 mm	2 TON	Satisfactory
		INSPECTION RESULT :				
VISUAL , THOROUGH EXAMINATION		Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage				
MAGNETIC PARTICLE INSPECTION		Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects				
FINAL RESULTS		unit found satisfactory and free of defects at the time of inspection				
COMMENT:						
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast						

EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY				
Equipment:	AC-Yoke Test Block		Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH	
S.No:	1657		S.No:	2722003		S.No:	201504052						
Cal Due Date:	12-Aug-24		Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24						
Black Magnetic Ink Manufacture:			Magnaflux		Batch No:	220605	Expiry Date:	JULY.2025	QUALIFICATION ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI	
Whie Contrast Paint Manufacture:			Magnaflux		Batch No:	220602	Expiry Date:	JUN,2025					
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity			STAMP & SIGNATURE:		CLIENT:		
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux							
Original - Client Files		Copy - Area Office		OC/FN/MP/065		Rev.00		DATED 07 Nov 2021					







Corporate Partner




Address: North Rumaila, Al Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-07
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		
  	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	GOOSE NECK PADEYES	
	UNIT S/N:	11454363	
	PAD EYES S/N:	J3, J4	
	INSPECTION RESULT :		
VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
COMMENT:			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH
S.No:	1657	S.No:	2722003	S.No:	201504052			SUPERVISOR:	HANI ALI
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24	Cal Due Date:	12-Aug-24				
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025	QUALIFICATION ASNT LEVEL II MT & PT & VT			
Magnetic Partical Concentration			Method		WMPT Light Intensity	STAMP &		CLIENT:	








Corporate Partner




Address: Noth Rumaila, Al Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657
Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-08			
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171			
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)			
   		UNIT DESCRIPTION:	FALL ARRESTOR STAND INJECTOR PAD EYES			
		UNIT S/N:	CTU 1			
		PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK
		C25 C26	2	Thickness :- 13 mm Pin Hole :- 15 mm Length :- ROUND PASS Height :- 138 mm	1 TON	Satisfactory
INSPECTION RESULT :						
VISUAL , THOROUGH EXAMINATION		Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage				
MAGNETIC PARTICLE INSPECTION		Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects				
FINAL RESULTS		unit found satisfactory and free of defects at the time of inspection				
COMMENT:						
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast						

EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY				
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH		
S.No:	1657	S.No:	2722003		S.No:	201504052							
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24							
Black Magnetic Ink Manufacture:		Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025		QUALIFICATION ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI		
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025							
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		CLIENT:			
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux							
Original - Client Files		Copy - Area Office		QC/FN/MP/065 Rev.00		DATED 07 Nov 2021							



Corporate Partner






Address: North Rumaila, Al Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-09	
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171	
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	







UNIT DESCRIPTION:					FALL ARRESTOR STAND REEL PAD EYES				
UNIT S/N:					CTU 2				
PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK					
CT05	1	Thickness :- 13 mm	1 TON	Satisfactory					
		Pin Hole :- 15 mm							
		Length :- ROUND PASS							
		Height :- 138 mm							

INSPECTION RESULT :	
VISUAL , THOROUGH EXAMINATION	Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage
MAGNETIC PARTICLE INSPECTION	Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection

COMMENT:



Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast



EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY					
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH			
S.No:	1657	S.No:	2722003		S.No:	201504052								
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24								
Black Magnetic Ink Manufacture:		Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025		QUALIFICATION ASNT LEVEL II MT & PT & VT			SUPERVISOR:	HANI ALI		
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025								
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		CLIENT:				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux								
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00		DATED 07 Nov 2021						

CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-10	
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171	
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	






UNIT DESCRIPTION:		HYDRAULIC CABLE SHEAVE FRAME PADEYE		
UNIT S/N:		263499		
PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK
J5	1	Thickness :- 13 mm	2 TON	Satisfactory
		Pin Hole :- 31 mm		
		Length :- 153 mm		
		Height :- 102 mm		

INSPECTION RESULT :	
VISUAL , THOROUGH EXAMINATION	Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage
MAGNETIC PARTICLE INSPECTION	Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection






COMMENT:


Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast



EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY					
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH			
S.No:	1657	S.No:	2722003		S.No:	201504052								
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24								
Black Magnetic Ink Manufacture:		Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025		QUALIFICATION ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI			
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025								
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		CLIENT:				
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux								
Original - Client Files Copy - Area Office OC/FN/MPI/065 Rev.00 DATED 07 Nov 2021														

CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-11			
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171			
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024			
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)			
   		UNIT DESCRIPTION:	REEL DRUM PAD EYES			
		UNIT S/N:	11429776			
		PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK
		C23 C24 C29	3	Thickness :- 20 mm Pin Hole :- 18 mm Length :- 67 mm Height :- 69 mm	2 TON	Satisfactory
INSPECTION RESULT :						
VISUAL , THOROUGH EXAMINATION		Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage				
MAGNETIC PARTICLE INSPECTION		Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects				
FINAL RESULTS		unit found satisfactory and free of defects at the time of inspection				
COMMENT:						
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast						

EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY				
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH		
S.No:	1657	S.No:	2722003		S.No:	201504052							
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24							
Black Magnetic Ink Manufacture:		Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025		QUALIFICATION ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI		
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025							
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		CLIENT:			
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux							
Original - Client Files		Copy - Area Office		QC/FN/MPI/065 Rev.00		DATED 07 Nov 2021							

CERTIFICATION OF VISUAL THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION


Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-12	
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171	
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	



UNIT DESCRIPTION:		REEL DRUM PAD EYES		
UNIT S/N:		11429776		


PAD EYES S/N	QTY	PADEYE DIM	SWL	REMARK
CT01	4	Thickness :- 50 mm	55 TON	Satisfactory
CT02		Pin Hole :- 76 mm		
CT03		Length :- 175 mm		
CT04		Height :- 170 mm		

INSPECTION RESULT :	
VISUAL , THOROUGH EXAMINATION	Unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage
MAGNETIC PARTICLE INSPECTION	Weldings associate with padeyes and critical areas are inspected and found free from cracks and other defects
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection

COMMENT: Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast	
---	--

EQUIPMENT DETAILS							PERSON DETAILS		REVIEW BY							
Equipment:	AC-Yoke Test Block		Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH				
S.No:	1657		S.No:	2722003		S.No:	201504052									
Cal Due Date:	12-Aug-24		Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24									
Black Magnetic Ink Manufacture:			Magnaflux		Batch No:	220605	Expiry Date:	JULY.2025			SUPERVISOR:	HANI ALI				
Whie Contrast Paint Manufacture:			Magnaflux		Batch No:	220602	Expiry Date:	JUN,2025								
Technical Details:		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP & SIGNATURE:		CLIENT:						
		1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3560 Lux										
Original - Client Files		Copy - Area Office		OC/FN/MP/065		Rev.00		DATED 07 Nov 2021								

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-13
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		
		Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	CABIN PADEYES
		UNIT S/N:	11397531
		PAD EYES S/N:	B01, B02, B03, B04
INSPECTION RESULT :			
VISUAL , THOROUGH EXAMINATION		unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage	
MAGNETIC PARTICLE INSPECTION		Welds & forgn areas inspected and found free from cracks and other defects	
FINAL RESULTS		unit found satisfactory and free of defects at the time of inspection	
COMMENT:			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH
S.No:	1657	S.No:	2722003	S.No:	201504052			SUPERVISOR:	HANI ALI
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24	Cal Due Date:	12-Aug-24			CLIENT:	
Black Magnetic Ink Manufacture:		Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025			
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025			
Magnetic Partical Concentration			Method		WMPT Light Intensity	STAMP &			





Corporate Partner




Address: Noth Rumaila, Al Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-14
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		
		Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	HOSE CLAMP PAD EYES
		UNIT S/N:	CTU 3
		PAD EYES S/N:	HL01, HL02
INSPECTION RESULT :			
VISUAL , THOROUGH EXAMINATION		unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage	
MAGNETIC PARTICLE INSPECTION		Welds & forgn areas inspected and found free from cracks and other defects	
FINAL RESULTS		unit found satisfactory and free of defects at the time of inspection	
COMMENT:			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS								PERSON DETAILS		REVIEW BY		
Equipment:	AC-Yoke Test Block		Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH
S.No:	1657		S.No:	2722003		S.No:	201504052					
Cal Due Date:	12-Aug-24		Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24					
Black Magnetic Ink Manufacture:		Magnaflux		Batch No:	220605	Expiry Date:	JULY.2025		QUALIFICATION ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI
Whie Contrast Paint Manufacture:		Magnaflux		Batch No:	220602	Expiry Date:	JUN,2025					
		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP &		CLIENT:		












Corporate
Partner



Address: Noth Rumaila, Al Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657
Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-15
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification:
      		UNIT DESCRIPTION:	ENJECTOR STAND CONNECTION PAD EYES & WELDING AREA
		UNIT S/N:	CTU 4
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage
MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
COMMENT:			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			




EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: ASHRAF ELSAID QUALIFICATION ASNT LEVEL II MT & PT & VT		SENIOR INSPECTOR:	MOHAMMED ABDULLAH
S.No:	1657	S.No:	2722003	S.No:	201504052			SUPERVISOR:	HANI ALI
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24	Cal Due Date:	12-Aug-24			CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025				
Magnetic Partical Concentration			Method		WMPT Light Intensity	STAMP &			




Address: Noth Rumaila, Al Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-16
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		
 		UNIT DESCRIPTION:	ADJUSTABLE ADAPTOR
		UNIT S/N:	80315
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage
		MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects
FINAL RESULTS		unit found satisfactory and free of defects at the time of inspection	
COMMENT:			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH
S.No:	1657	S.No:	2722003	S.No:	201504052			SUPERVISOR:	HANI ALI
Cal Due Date:	12-Aug-24	Cal Due Date:	14-Aug-24	Cal Due Date:	12-Aug-24				
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	220605	Expiry Date:	JULY.2025				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	220602	Expiry Date:	JUN,2025	QUALIFICATION ASNT LEVEL II MT & PT & VT			
Magnetic Partical Concentration			Method		WMPT Light Intensity	STAMP &		CLIENT:	






Corporate Partner




Address: Noth Rumaila, Al Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657
Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON -HPS	Report No:	QC-HALL-0171-17	
Location:	HPS- WORKSHOP (CTU 1)	Job Number:	QC-HALL-0171	
Date:	May 6, 2024	Next Inspection Date:	November 5, 2024	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
 		UNIT DESCRIPTION:	ADJUSTABLE ADAPTOR	
		UNIT S/N:	81960	
		INSPECTION RESULT :		
		VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage	
		MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects	
FINAL RESULTS		unit found satisfactory and free of defects at the time of inspection		
COMMENT: Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast				

EQUIPMENT DETAILS								PERSON DETAILS		REVIEW BY		
Equipment:	AC-Yoke Test Block		Equipment:	Digital Lux Meter		Equipment:	AC/DC Yoke		INSPECTOR NAME: ASHRAF ELSAID		SENIOR INSPECTOR:	MOHAMMED ABDULLAH
S.No:	1657		S.No:	2722003		S.No:	201504052					
Cal Due Date:	12-Aug-24		Cal Due Date:	14-Aug-24		Cal Due Date:	12-Aug-24					
Black Magnetic Ink Manufacture:			Magnaflux		Batch No:	220605	Expiry Date:	JULY.2025	QUALIFICATION ASNT LEVEL II MT & PT & VT		SUPERVISOR:	HANI ALI
Whie Contrast Paint Manufacture:			Magnaflux		Batch No:	220602	Expiry Date:	JUN,2025				
		Magnetic Partical Concentration		Method		WMPT Light Intensity		STAMP &		CLIENT:		



Corporate Partner





Address: Noth Rumaila, Al Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657
Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations



Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-18
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description	SWL	Date of last thorough examination	
SA776	01	SAFETY PIN BOW SHACKLE Size: 7/8" Grade: 6 Manufacture: CROSBY Safety Factor: 6:1 Location: CTU 1	6.5 TON	8.Apr.2023	
Reference Standard:		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			Within an interval of 6 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			In accordance with an examination scheme?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:					YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?					YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:		
Ashraf El Said	Mohamed Abdullah				
Date of Next Through Examination:	05.Nov.2024				

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations



Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-19
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description	SWL	Date of last thorough examination	
SH01 SH02	02	SAFETY PIN BOW SHACKLE Size: 1 1/2" Grade: 6 Manufacture: CROSBY Safety Factor: 6:1 Location: CTU 1	17 TON	8.Apr.2023	
Reference Standard:		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			Within an interval of 6 months?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			With an interval of 12 months?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	In accordance with an examination scheme?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			After the occurrence of exceptional circumstances?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:		
Ashraf El Said	Mohamed Abdullah				
Date of Next Thorough Examination:	05.Nov.2024				

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations



Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-20
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description	SWL	Date of last thorough examination	
NVD3661	01	SAFETY PIN BOW SHACKLE Size: 2" Grade: 6 Manufacture: CROSBY Safety Factor: 6:1 Location: CTU 1	55 TON	8.Apr.2023	
Reference Standard:		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			Within an interval of 6 months?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			With an interval of 12 months?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	In accordance with an examination scheme?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			After the occurrence of exceptional circumstances?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO <input checked="" type="checkbox"/>
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:		
Ashraf El Said	Mohamed Abdullah				
Date of Next Through Examination:	05.Nov.2024				

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations



Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-21
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description	SWL	Date of last thorough examination	
SH11	01	SAFETY PIN BOW SHACKLE Size: 5/8" Grade: 6 Manufacture: CROSBY Safety Factor: 6:1 Location: CTU 1	3.25 TON	8.Apr.2023	
Reference Standard:		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			Within an interval of 6 months?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			With an interval of 12 months?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	In accordance with an examination scheme?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			After the occurrence of exceptional circumstances?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:					<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?					<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp		
Ashraf El Said	Mohamed Abdullah				
Date of Next Through Examination:	05.Nov.2024				

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations



Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-22
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description	SWL	Date of last thorough examination	
J4302D J4303C	02	SAFETY PIN BOW SHACKLE Size: 3/4" Grade: 6 Manufacture: CROSBY Safety Factor: 6:1 Location: CTU 1	4.75 TON	8.Apr.2023	
Reference Standard:		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			Within an interval of 6 months?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			In accordance with an examination scheme?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			After the occurrence of exceptional circumstances?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO <input checked="" type="checkbox"/>
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:		
Ashraf El Said	Mohamed Abdullah				
Date of Next Through Examination:	05.Nov.2024				

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-23
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description	SWL	Date of last thorough examination	
112 D8947B	02	SAFETY PIN BOW SHACKLE Size: 1/2" Grade: 6 Manufacture: CROSBY Safety Factor: 6:1 Location: CTU 1(REEL)	2 TON	8.Apr.2023	
Reference Standard:		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			Within an interval of 6 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			In accordance with an examination scheme?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:					YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?					YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:		
Ashraf El Said	Mohamed Abdullah				
Date of Next Through Examination:	05.Nov.2024				



REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-24
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description	SWL	Date of last thorough examination	
C01 C02	02	SAFETY PIN BOW SHACKLE Size: 1/2" Grade: 6 Manufacture: CROSBY Safety Factor: 6:1 Location: CTU 1(House Clamp)	2 TON	8.Apr.2023	
Reference Standard:		BS EN 13889			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	Was the examination carried out:		<input type="checkbox"/> YES <input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input type="checkbox"/>
			Within an interval of 6 months?		<input type="checkbox"/> YES <input type="checkbox"/> ✓ <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input type="checkbox"/>
			In accordance with an examination scheme?		<input type="checkbox"/> YES <input type="checkbox"/> ✓ <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓
			After the occurrence of exceptional circumstances?		<input type="checkbox"/> YES <input type="checkbox"/> ✓ <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:					<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?					<input type="checkbox"/> YES <input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input type="checkbox"/>
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:		
Ashraf El Said	Mohamed Abdullah				
Date of Next Thorough Examination:	05.Nov.2024				

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-25
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description		SWL	Date of last thorough examination
TB05 TB11	02	TURNBUCKLE Type: JAW X JAW Size: 1 1/2" Grade: 8 Manufacture: CROSBY Safety Factor: 4:1 Location: CTU 1		9.71 TON	8.Apr.2023
Reference Standard:		BS 4429:1987			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	Was the examination carried out:
					Within an interval of 6 months?
					With an interval of 12 months?
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		In accordance with an examination scheme?
					After the occurrence of exceptional circumstances?
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO

REV: 01 Dated: 20 June 2022



ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Ashraf El Said	Mohamed Abdulla		05.Nov.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned equipment work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-26
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
11130 11120	02	SINGLE LEG WIRE ROPE SLING Dim: 16 MM DIA x 0.8 M (L) FOS: 5:1 6X36 IWRC, ROPE GRAED 1770 N/MM2 GALV MECHANICALLY SPLICED WITH ALUMINUM FERRULE STEEL CORE. Hard Eye X Hard Eye Location: CTU 1	3 Ton	8.Apr.2023	
Reference Standard:	BS EN 13414-1+A2:2008				
Is this the first examination after Installation or assembly at a new site or location?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:					YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?					YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:		
Ashraf El Said	Mohamed Abdullah				
Date of Next Thorough Examination:	05.Nov.2024				



REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-27																
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171																
Serial Number:	QTY	Description		SWL	Date of last Thorough examination																
115/1 115/2	02	<p style="text-align: center;">2 LEG WIRE ROPE SLING</p> <p>Dim: 19 MM DIA x One Leg 2.28 M (L) & The Other Leg 2.48 M(L)</p> <p>FOS: 5:1 6X36 IWRC, ROPE GRAED 1770 N/MM2 GALV MECHANICALLY SPLICED WITH ALUMINUM FERRULE STEEL CORE. Hard Eye X Hard Eye</p> <p>Location: CTU 1</p>		6.4 Ton	8.Apr.2023																
Reference Standard:		BS EN 13414-1+A2:2008																			
Is this the first examination after Installation or assembly at a new site or location? If the answer to the above question is YES has the equipment been installed correctly?		Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>YES</td> <td>✓</td> <td>NO</td> <td></td> </tr> <tr> <td>YES</td> <td></td> <td>NO</td> <td>✓</td> </tr> <tr> <td>YES</td> <td>✓</td> <td>NO</td> <td></td> </tr> <tr> <td>YES</td> <td></td> <td>NO</td> <td>✓</td> </tr> </table>		YES	✓	NO		YES		NO	✓	YES	✓	NO		YES		NO	✓
				YES	✓	NO															
YES		NO	✓																		
YES	✓	NO																			
YES		NO	✓																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>YES</td> <td>✓</td> <td>NO</td> <td></td> </tr> </table>		YES	✓	NO																	
YES	✓	NO																			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE																					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓																
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A																	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																					
Particulars of any tests carried out as part of the examination: (If none state NONE)																					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO ✓																
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:																		
Ashraf El Said	Mohamed Abdullah																				
Date of Next Through Examination:	05.Nov.2024																				

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION



This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-28
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
CS05 C01	02	<u>SINGLE LEG CHAIN SLING</u> Length: 10 M Diameter: 10 MM Grade: G80 Alloy Chain C/W Connected link at end. Location : CTU 1		3.15 TON	8.Apr.2023
Reference Standard:		BS EN 818-1/4, ASME B30.9			
Is this the first examination after Installation or assembly at a new site or location?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:		
Ashraf El Said	Mohamed Abdullah				
Date of Next Through Examination:	05.Nov.2024				

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-29
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description		WLL	Date of last thorough examination
331	01	RATCHET LOAD BINDER Manufacture: Grosby Chain Size: 5/16- 3/8 " F.O.S : 3.5 Location : CTU 1		5400 LBS	8.Apr.2023
Reference Standard:		BS EN 12195-3:2001			
Is this the first examination after Installation or assembly at a new site or location?		YES		NO	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO	
Was the examination carried out:		Within an interval of 6 months?		YES	
		With an interval of 12 months?		YES	
		In accordance with an examination scheme?		YES	
		After the occurrence of exceptional circumstances?		YES	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO

REV: 01 Dated: 20 June 2022




ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Ashraf El Said	Mohamed Abdulla		05.Nov.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	HALLIBURTON - HPS			Job Number:	QC-HALL-0171-30
Date of Examination:	06.May.2024	Location:	HPS- WORKSHOP	Certificate No:	QC-HALL-0171
Serial Number:	QTY	Description		WLL	Date of last Thorough examination
M2443 M2445	02	MASTER LINK Manufacture: GT GRADE: A10 Thickness: 47 mm Length: 321 mm Width: 175 mm Safety Factor: 4:1 Location: CTU 1 		38.3 TON	8.Apr.2023
Reference Standard:		BS EN 1677-4: 2003 + A1: 2008			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/> N/A			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:					YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?					YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Name of Inspector:	Name of person authenticating this report:		Signature & Stamp:		
Ashraf El Said	Mohamed Abdullah				
Date of Next Through Examination:	05.Nov.2024				

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

