




Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-44

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
JJ049 JJ050 JJ051 JJ052	04	Fabricated Pad Eyes DRILL SIDE UPPER SECTION MAST Pad Eye Dimension Thickness: 24 MM Pin Hole: 45 MM Length: 170 MM Height: 137 MM	100 KN	17-11-2023
			Last Proof Load Test:- N/A	
				
Reference Standard:		LEEA DOC 048:2015		

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
				With an interval of 12 months?	YES	NO	✓
Is the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	NO	
				After the occurrence of exceptional circumstances?	YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES ☐ NO ☒

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

IS THIS EQUIPMENT SAFE TO OPERATE? YES ☒ NO ☐

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-44A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE UPPER SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ049 , JJ050 , JJ051 , JJ052				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-45
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ053 JJ054 JJ059 JJ060	04	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE UPPER SECTION MAST Pad Eye Dimension Thickness: 26 MM Pin Hole: 40 MM Length: 270 MM Height: 230 MM	100 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-45A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE & OFF DRILL SIDE UPPER SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ053 , JJ054 , JJ059 , JJ060				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-46
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ019 JJ020 JJ021 JJ022	04	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE UPPER SECTION MAST Pad Eye Dimension Thickness: 24 MM Pin Hole: 42 MM Length: 270 MM Height: 240 MM	100 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?		YES		NO	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO	
Was the examination carried out: Within an interval of 6 months?		YES		NO	
With an interval of 12 months?		YES		NO	
In accordance with an examination scheme?		YES		NO	
After the occurrence of exceptional circumstances?		YES		NO	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-46A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE & OFF DRILL SIDE UPPER SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ019 , JJ020 , JJ021 , JJ022				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-47
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ055 JJ056 JJ057 JJ058	04	Fabricated Pad Eyes OFF DRILL SIDE UPPER SECTION MAST Pad Eye Dimension Thickness: 24 MM Pin Hole: 45 MM Length: 170 MM Height: 137 MM	100 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Abdullah Mofeed	Mohamed Abdullah			01-11-2024	

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-47A
Unit Serial Number	Description of the examined equipment				Result
20019	OFF DRILL SIDE UPPER SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ055 , JJ056 , JJ057 , JJ058				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-48

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
XG015 XG019	02	Double Fabricated Pad Eyes MAST UPPER SECTION POWER TONG	100 KN	17-11-2023
		Pad Eye Dimension Thickness: 22 MM Pin Hole: 80 MM Length: 200 MM Height: 250 MM Width: 185 MM	Last Proof Load Test:- N/A	
				

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

IS THIS EQUIPMENT SAFE TO OPERATE? YES ✓ NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-48A
Unit Serial Number	Description of the examined equipment				Result
20019	MAST UPPER SECTION POWER TONG DOUBLE PAD EYES				Pass
PAD EYES SN:	XG015 , XG019				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-49
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
XG017 XG018 XG020 XG021	04	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE MAST UPPER SECTION POWER TONG SECONDARY RETENTION Pad Eye Dimension Thickness: 17 MM Pin Hole: 36 MM Length: 280 MM Height: 100 MM	50 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Abdullah Mofeed	Mohamed Abdullah			01-11-2024	

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-49A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE & OFF DRILL SIDE MAST UPPER SECTION POWER TONG SECONDARY RETENTION PAD EYES				Pass
PAD EYES SN:	XG017 , XG018 , XG020 , XG021				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-50
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
M11 M19	02	Fabricated Pad Eyes DRILL SIDE MAST UPPER SECTION ESCAPE DEVICE SECONDARY RETENTION Pad Eye Dimension Thickness: 26 MM Pin Hole: 34 MM Length: 144 MM Height: 150 MM	6 TON	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-50A
Unit Serial Number	Description of the examined equipment				Result
20019	OFF DRILL SIDE & DRILL SIDE MAST UPPER SECTION ESCAPE DEVICE SECONDARY RETENTION PAD EYE				Pass
PAD EYE SN:	M11 , M19				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-51
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ027 JJ028	02	Fabricated Pad Eyes MAST SUPPORT BEAM Pad Eye Dimension Thickness: 15 MM Pin Hole: 30 MM Length: 183 MM Height: 70 MM	30 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-51A
Unit Serial Number	Description of the examined equipment				Result
20019	MAST SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	JJ027 , JJ028				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-52
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ031 JJ032	02	Fabricated Pad Eyes MAST SUPPORT BEAM Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM	30 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-52A
Unit Serial Number	Description of the examined equipment				Result
20019	MAST SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	JJ031 , JJ032				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-53
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ033 JJ034	02	Fabricated Pad Eyes MAST SUPPORT BEAM Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM	30 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-53A
Unit Serial Number	Description of the examined equipment				Result
20019	MAST SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	JJ033 , JJ034				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-54
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ025 JJ026	02	Fabricated Pad Eyes MAST SUPPORT BEAM Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM	100 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-54A
Unit Serial Number	Description of the examined equipment				Result
20019	MAST SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	JJ025 , JJ026				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-55
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ029 JJ030	02	Fabricated Pad Eyes MAST SUPPORT BEAM Pad Eye Dimension Thickness: 17 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM	30 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-55A
Unit Serial Number	Description of the examined equipment				Result
20019	MAST SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	JJ029 , JJ030				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-56
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ059 JJ060	02	Fabricated Pad Eyes MAST SUPPORT BEAM Pad Eye Dimension Thickness: 15 MM Pin Hole: 30 MM Length: 183 MM Height: 70 MM	30 KN	17-11-2023	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-56A
Unit Serial Number	Description of the examined equipment				Result
20019	MAST SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	JJ059 , JJ060				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-57
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
3	01	Fabricated Pad Eye MAST SUPPORT BEAM		1 TON	17-11-2023
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 12 MM Pin Hole: 30 MM Length: 80 MM Height: 100 MM					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-57A
Unit Serial Number	Description of the examined equipment				Result
20019	MAST SUPPORT BEAM PAD EYE				Pass
PAD EYES SN:	3				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-58
Serial Number:	QTY	Description	SWL	Date of last Thorough examination	
JJ300 JJ301 JJ302 JJ303	04	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE UPPER SECTION MAST Pad Eye Dimension Thickness: 31 MM Pin Hole: 31 MM Length: 260 MM Height: 300 MM	100 KN	N/A	
			Last Proof Load Test:- N/A		
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> √	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> √ <input type="checkbox"/> NO <input type="checkbox"/>	
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-DQ-04-24-0138
Date of Examination:	02-05-2024	Date of Report:	02-05-2024	Certificate No:	QC-DQ-04-24-0138-16-58A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE & OFF DRILL SIDE UPPER SECTION MAST PAD EYE				Pass
PAD EYES SN:	JJ300 , JJ301 , JJ302 , JJ303				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Abdullah Mofeed	Mohamed Abdullah		01-11-2024

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

