




CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION														
Client:	HALLIBURTON (TSS)				Report No:	QC-15-07-TSS-NDT-003								
Location:	TSS WORKSHOP & INSPECTION TEST AREA				Job Number:	QC-15-07-TSS-NDT-001								
Date:	Monday, July 15, 2024				Next Inspection Date:	Tuesday, January 14, 2025								
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)								
					UNIT DESCRIPTION:	X-OVER: 4" 206 THREAD X 3" 206 WING								
					S/NO:	TSS-7243								
					INSPECTION RESULT :									
					VISUAL , THOROUGH EXAMINATION			VISUAL & MAGNETIC PARTICLE INSPECTION ( M.P.I. ) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION						
					MAGNETIC PARTICLE INSPECTION			Thread & Welding Critical areas inspected and found free from cracks and other defects						
					FINAL RESULTS			THE ABOVE INSPECTED AREAS WAS ACCEPTED						
COMMENT: (MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast														
														
EQUIPMENT DETAILS					PERSON DETAILS			REVIEW BY						
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT:	INSPECTOR NAME: USMAN SHABBIR  QUALIFICATION: ASNT LEVEL II MT & PT & VT&UT		SENIOR INSPECTOR:	NAVEED HUSSAIN					
S.NO:	201504048	S.NO:	22650	S.NO:	1898977			SUPERVISOR:	HANI ALI					
Cal Due Date:	14.OCT.2024	Cal Due Date:	15.OCT.2024	Cal Due Date:	14.OCT.2024			CLIENT:						
FLUORESCENT 14HF		Magnaflux	Batch No:	220306	EXPIRE DATE:	MARCH,2025								
Whie Contrast Paint Manufacture:		Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025								
Digital Lux Meter WHITE LIGHT INTENSITY:		TECHNICAL DETAILS			Black Magnetic Ink Manufacture:7HF		STAMP & SIGNATURE: 							
3620 Lux/S.NO:2722003		Wet FLUORESCENT Particle Concentration 14 HF		0.1 to 0.4 ml/100 ml		Batch No:220605								
Cal Due Date:16.OCT.2024		Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE: Jul-25								

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021