




CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175									
Date of Examination:	06.06.2024	Location:	HH-029									
		Certificate No:	QC-HH-06-24-0175-03-01									
Serial Number:	QTY	Description	SWL	Date of last thorough examination								
96271-12/59 96271-12/96 96271-12/19 96271-12/54 96271-12/24 96271-12/49	06	FLAT POLYESTER WOVEN WEBBING SLING C/W Folded Soft Eye at Each End Manufacturer: LIFTEK Date of Manufacturer: 22.12.2022 Length: 2 m Color: Violet Safety Factor: 7:1 Location: Store	Vertical 1000 kg Choker 800 Kg Basket 2000 kg	NEW								
Reference Standard:		Examined BS EN 1492-1:2000-A1:2008										
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">✓</td> <td style="width: 25%;"></td> </tr> </table>	YES	NO	✓		Was the examination carried out:	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">✓</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES	✓	NO	
YES	NO	✓										
YES	✓	NO										
			Within an interval of 6 months?	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">✓</td> </tr> </table>	YES		NO	✓				
YES		NO	✓									
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>	YES	NO			In accordance with an examination scheme?	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">✓</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES	✓	NO	
YES	NO											
YES	✓	NO										
			After the occurrence of exceptional circumstances?	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">✓</td> </tr> </table>	YES		NO	✓				
YES		NO	✓									
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE												
Is the above a defect which is of immediate danger to persons:			YES	NO								
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:									
Particulars of any repair, renewal or alteration required to remedy the defect identified above:												
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory												
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO								

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Thorough Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175																
Date of Examination:	06.06.2024	Location:	HH-029																
Certificate No:	QC-HH-06-24-0175-03-02																		
Serial Number:	QTY	Description	SWL	Date of last thorough examination															
96271-12/93 96271-12/44 96271-12/90 96271-12/63 96271-12/25 96271-12/87	06	FLAT POLYESTER WOVEN WEBBING SLING C/W Folded Soft Eye at Each End Manufacturer: LIFTEK Date of Manufacturer: 22.12.2022 Length: 2 m Color: Violet Safety Factor: 7:1 Location: Store	Vertical 1000 kg Choker 800 Kg Basket 2000 kg	NEW															
Reference Standard:		Examined BS EN 1492-1:2000-A1:2008																	
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√	Was the examination carried out: Within an interval of 6 months?												
YES		NO	√																
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES		NO		With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?												
YES		NO																	
			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES	√	NO		YES		NO	√	YES	√	NO		YES		NO	√
YES	√	NO																	
YES		NO	√																
YES	√	NO																	
YES		NO	√																
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE																			
Is the above a defect which is of immediate danger to persons:			YES	NO															
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:																
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																			
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																			
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO															

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175													
Date of Examination:	06.06.2024	Location:	HH-029													
Certificate No:	QC-HH-06-24-0175-03-03															
Serial Number:	QTY	Description	SWL	Date of last thorough examination												
98895-9/5 98895-9/24 98895-9/43 98895-9/14	04	FLAT POLYESTER WOVEN WEBBING SLING C/W Folded Soft Eye at Each End Manufacturer: LIFTEK Date of Manufacturer: 22.06.2023 Length: 10 m Color: Brown Safety Factor: 7:1 Location: Store	Vertical 6000 kg Choker 4800 Kg Basket 12000 kg	NEW												
Reference Standard:		Examined BS EN 1492-1:2000-A1:2008														
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√	Was the examination carried out:	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES	√	NO					
YES		NO	√													
YES	√	NO														
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES		NO		Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES	√	NO		YES		NO	√
YES		NO														
YES	√	NO														
YES		NO	√													
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE																
Is the above a defect which is of immediate danger to persons:				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√								
YES		NO	√													
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:												
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																
Particulars of any tests carried out as part of the examination: (If none state NONE)																
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																
IS THIS EQUIPMENT SAFE TO OPERATE?				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES	√	NO									
YES	√	NO														

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175								
Date of Examination:	06.06.2024	Location:	HH-029								
Certificate No:	QC-HH-06-24-0175-03-04										
Serial Number:	QTY	Description	SWL	Date of last thorough examination							
98895-8/27 98895-8/4	02	FLAT POLYESTER WOVEN WEBBING SLING C/W Folded Soft Eye at Each End Manufacturer: LIFTEK Date of Manufacturer: 22.06.2023 Length: 10 m Color: Red Safety Factor: 7:1 Location: Store	Vertical 5000 kg Choker 4000 Kg Basket 10,000 kg	NEW							
Reference Standard:		Examined BS EN 1492-1:2000-A1:2008									
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">✓</td> </tr> </table>	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?					
YES	NO	✓									
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES	NO		With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?					
YES	NO										
			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;">✓</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td>YES</td> <td>✓</td> <td>NO</td> <td>✓</td> </tr> </table>	YES	✓	NO		YES	✓	NO	✓
YES	✓	NO									
YES	✓	NO	✓								
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE											
Is the above a defect which is of immediate danger to persons:			YES	NO							
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:								
Particulars of any repair, renewal or alteration required to remedy the defect identified above:											
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory											
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO							

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operation Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-03-05			
Serial Number:	QTY	Description	SWL (Ton)	Date of last thorough examination
M2520 M2522 M2023 M2524 M2525 M2521	06	ANCHORAGE CONNECTOR for PERSONAL SAFETY WEBBING SLING Manufacturer: Safety Marine Service Date of Manufacturer: 03/2024 Length: 0.5 m Color: Violet Safety Factor: 7:1 Location: Store	 Straight Pull: 0.5 Basket Hitch: 1 Choker Hitch: 0.4	NEW
Reference Standard:	Examined BS EN 1492-1:2000-A1:2008			
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		
		Was the examination carried out:		
		Within an interval of 6 months?	YES	✓
		With an interval of 12 months?	YES	NO
		In accordance with an examination scheme?	YES	✓
		After the occurrence of exceptional circumstances?	YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operation Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-03-06			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
4063080	01	ANCHORAGE CONNECTOR for PERSONAL SAFETY Manufacturer: SALA Date of Manufacturer: 19/02 Length: 3 FT Model No:1003000 Lot :19020406 Location: Store	310 LBS	NEW
Reference Standard:		Examined BS EN 1492-1:2000-A1:2008		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	Was the examination carried out:	
			Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input type="checkbox"/> ✓ With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> ✓	In accordance with an examination scheme?	
			After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by: _____	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE)				
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operation Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-03-07			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
0295	01	ANCHORAGE CONNECTOR for PERSONAL SAFETY Manufacturer: SALA Date of Manufacturer: 22/07 Length: 3 FT Model No:1003000 Lot :4705912 Location: Store	310 LBS	NEW
Reference Standard:		Examined BS EN 1492-1:2000-A1:2008		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input type="checkbox"/> ✓ With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> ✓	In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input type="checkbox"/> ✓ After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE)				
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operation Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175																
Date of Examination:	06.06.2024	Location:	HH-029																
Certificate No:	QC-HH-06-24-0175-03-08																		
Serial Number:	QTY	Description	SWL	Date of last thorough examination															
126595	01	SAFETY SLING Manufacturer: SALA Date of Manufacturer: 23/01 Length: 4 FT Model No: 5900550 Lot :23011857 Location: Store	310 LBS	NEW															
Reference Standard:		BS EN 13414																	
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">✓</td> </tr> </table>	YES		NO	✓	Was the examination carried out: Within an interval of 6 months?												
YES		NO	✓																
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES		NO		With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?												
YES		NO																	
			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">✓</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">✓</td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">✓</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">✓</td> </tr> </table>	YES	✓	NO		YES		NO	✓	YES	✓	NO		YES		NO	✓
YES	✓	NO																	
YES		NO	✓																
YES	✓	NO																	
YES		NO	✓																
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE																			
Is the above a defect which is of immediate danger to persons:			YES	NO															
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:																
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																			
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																			
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO															

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

