





CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175																						
Date of Examination:	06.06.2024	Location:	HH-029																						
		Certificate No:	QC-HH-06-24-0175-06-01																						
Serial Number:	QTY	Description	SWL	Date of last thorough examination																					
0019 0017	02	Full Body Harness Manufacturer: KARAM Date of Manufacture: 02/2023 Type: PN56 Material: Polyester Batch No:1522185  Location: Rig Floor	One Person	05.12.2023																					
Reference Standard:		EN361:2002																							
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>		YES		NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?																	
YES		NO	√																						
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>		YES		NO		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>		YES	√	NO		YES		NO	√	YES	√	NO		YES		NO	√
YES		NO																							
YES	√	NO																							
YES		NO	√																						
YES	√	NO																							
YES		NO	√																						
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE																									
Is the above a defect which is of immediate danger to persons:				YES	NO	√																			
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:																					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																									
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																									
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	√	NO																			

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd			Job Number:	QC-HH-06-24-0175						
Date of Examination:	06.06.2024	Location:	HH-029	Certificate No:	QC-HH-06-24-0175-06-02						
Serial Number:	QTY	Description		SWL	Date of last thorough examination						
E00403500F0D9812	01	Full Body Harness (MAN RIDER) Manufacturer: SALA Date of Manufacture: 19/Nov Lot: 6140560 Material: Polyester Model No: 1108128 Location: Rig Floor		130-310 lbs	05.12.2023						
Reference Standard:		EN361:2002									
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	√	Was the examination carried out: Within an interval of 6 months?		YES	√	NO	√	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		With an interval of 12 months?		YES		NO	√	
					In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	√	NO	√	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE											
Is the above a defect which is of immediate danger to persons:								YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								YES by:			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:											
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory											
IS THIS EQUIPMENT SAFE TO OPERATE?								YES	√	NO	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175									
Date of Examination:	06.06.2024	Location:	HH-029									
Certificate No:	QC-HH-06-24-0175-06-03											
Serial Number:	QTY	Description	SWL	Date of last thorough examination								
0029	01	Full Body Harness Manufacturer: KARAM Date of Manufacture: 11/2022 Type: PN 42(02) Material: Polyester Batch No:1475665 Location: Rig Floor	One Person	05.12.2023								
Reference Standard:		EN361:2002										
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√	Was the examination carried out: Within an interval of 6 months?	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES	√	NO	
YES		NO	√									
YES	√	NO										
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES		NO		With an interval of 12 months?	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√
YES		NO										
YES		NO	√									
			In accordance with an examination scheme?	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES	√	NO					
YES	√	NO										
			After the occurrence of exceptional circumstances?	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√				
YES		NO	√									
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE												
Is the above a defect which is of immediate danger to persons:				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√				
YES		NO	√									
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:								
Particulars of any repair, renewal or alteration required to remedy the defect identified above:												
Particulars of any tests carried out as part of the examination: (If none state NONE)												
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory												
IS THIS EQUIPMENT SAFE TO OPERATE?				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES	√	NO					
YES	√	NO										

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-04			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
0045 0049	02	Full Body Harness Manufacturer: KARAM Date of Manufacture: 05/2023 Type: PN 42(02) Material: Polyester Batch No:1564687  Location: Harness Box	One Person	NEW
Reference Standard:	EN361:2002			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	Was the examination carried out: Within an interval of 6 months?	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> ✓	<input type="checkbox"/> YES <input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input type="checkbox"/> ✓	
			Was the examination carried out: With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	
			<input type="checkbox"/> YES <input type="checkbox"/> ✓ <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES	<input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE)				
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES	<input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input type="checkbox"/> ✓

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-05			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
0047 0046	02	Full Body Harness Manufacturer: KARAM Date of Manufacture: 07/2022 Type: PN 42(02) Material: Polyester Batch No:1356226  Location: Harness Box	One Person	NEW
Reference Standard:	EN361:2002			
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months?
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓	In accordance with an examination scheme? After the occurrence of exceptional circumstances?
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:				YES
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				NO
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				YES by:
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?				YES

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Thorough Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
		Certificate No:	QC-HH-06-24-0175-06-06	
Serial Number:	QTY	Description	SWL	Date of last thorough examination
0027	01	Full Body Harness Manufacturer: KARAM Date of Manufacture: 11/2022 Type: PN 42(02) Material: Polyester Batch No:1475665  Location: Harness Box	One Person	NEW
Reference Standard:		EN361:2002		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:	
			Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
			With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	In accordance with an examination scheme?	
			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
			After the occurrence of exceptional circumstances?	
			<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES	<input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by: _____	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE)				
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175		
Date of Examination:	06.06.2024	Location:	HH-029		
Certificate No:	QC-HH-06-24-0175-06-07				
Serial Number:	QTY	Description	SWL	Date of last thorough examination	
E00403500F66050D	01	Full Body Harness Manufacturer: SALA Date of Manufacture: 19/Mar Lot: 5550984 Material: Polyester Model No:1106106 Location: Harness Box	 130-310 lbs	NEW	
Reference Standard:		EN361:2002			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	Was the examination carried out:		
			Within an interval of 6 months?		
			With an interval of 12 months?		
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> ✓	In accordance with an examination scheme?		
			After the occurrence of exceptional circumstances?		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:			YES	<input type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			NO	<input checked="" type="checkbox"/> ✓	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	<input checked="" type="checkbox"/> ✓
				NO	<input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-08			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
0069	01	Full Body Harness Manufacturer: KARAM Date of Manufacture: 05/2021 Type: PN 42(01) Material: Polyester Batch No:1072662 Location: Generators	 One Person	05.12.2023
Reference Standard:		EN361:2002		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input type="checkbox"/> ✓ With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓ In accordance with an examination scheme? After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> ✓ <input type="checkbox"/> NO <input checked="" type="checkbox"/> ✓	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> ✓		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175																					
Date of Examination:	06.06.2024	Location:	HH-029																					
Certificate No:	QC-HH-06-24-0175-06-09																							
Serial Number:	QTY	Description	SWL	Date of last thorough examination																				
0377 0317 0373 0045 0313	05	Full Body Harness Manufacturer: KARAM Date of Manufacture: 07/2022 Type: PN 42(02) Material: Polyester Batch No:1356226 Location: Store	One Person	NEW																				
Reference Standard:		EN361:2002																						
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?																	
YES		NO	√																					
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES		NO		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>		YES	√	NO		YES		NO	√	YES	√	NO		YES		NO	√
YES		NO																						
YES	√	NO																						
YES		NO	√																					
YES	√	NO																						
YES		NO	√																					
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE																								
Is the above a defect which is of immediate danger to persons:			YES	NO																				
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:																					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																								
Particulars of any tests carried out as part of the examination: (If none state NONE)																								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																								
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO																				

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175							
Date of Examination:	06.06.2024	Location:	HH-029							
Certificate No:	QC-HH-06-24-0175-06-10									
Serial Number:	QTY	Description	SWL	Date of last thorough examination						
0049 0375 0044 0318	04	Full Body Harness Manufacturer: KARAM Date of Manufacture: 07/2022 Type: PN 42(02) Material: Polyester Batch No:1356226 Location: Store	 One Person	NEW						
Reference Standard:	EN361:2002									
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	✓		
					With an interval of 12 months?	YES		NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO			
					YES		NO	✓		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE										
Is the above a defect which is of immediate danger to persons:							YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
Particulars of any tests carried out as part of the examination: (If none state NONE)										
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory										
IS THIS EQUIPMENT SAFE TO OPERATE?							YES	✓	NO	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175							
Date of Examination:	06.06.2024	Location:	HH-029							
Certificate No:	QC-HH-06-24-0175-06-11									
Serial Number:	QTY	Description	SWL	Date of last thorough examination						
0046 0041 0042 0048 0043	05	Full Body Harness Manufacturer: KARAM Date of Manufacture: 05/2023 Type: PN 42(02) Material: Polyester Batch No:1564687 Location: Store	 One Person	NEW						
Reference Standard:	EN361:2002									
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	✓		
				With an interval of 12 months?	YES	✓	NO	✓		
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO			
				After the occurrence of exceptional circumstances?	YES		NO	✓		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE										
Is the above a defect which is of immediate danger to persons:							YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
Particulars of any tests carried out as part of the examination: (If none state NONE)										
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory										
IS THIS EQUIPMENT SAFE TO OPERATE?							YES	✓	NO	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd		Job Number:	QC-HH-06-24-0175			
Date of Examination:	06.06.2024	Location:	HH-029	Certificate No:	QC-HH-06-24-0175-06-12		
Serial Number:	QTY	Description		SWL	Date of last thorough examination		
0036	01	Full Body Harness Manufacturer: KARAM Date of Manufacture: 02/2023 Type : PN 56 Material: Polyester Batch No:1522185 Location: Store		One Person	NEW		
Reference Standard:		EN361:2002					
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓			
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO				
Was the examination carried out: Within an interval of 6 months?		YES	✓	NO			
With an interval of 12 months?		YES		NO	✓		
In accordance with an examination scheme?		YES	✓	NO			
After the occurrence of exceptional circumstances?		YES		NO	✓		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:					YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					YES by:		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE)							
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	✓	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd		Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	Certificate No:	QC-HH-06-24-0175-06-13
Serial Number:	QTY	Description	SWL	Date of last thorough examination	
002820	01	Full Body Harness Manufacturer: MILLER Date of Manufacture: 46/2018 Material: Polyester SKU: EH10001-L Location: Store	 One Person	NEW	
Reference Standard:	EN361:2002				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	✓ NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	✓ NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE				In accordance with an examination scheme?	
				YES	✓ NO
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?	YES	✓	NO		

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Thorough Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175
Date of Examination:	06.06.2024	Location:	HH-029
Certificate No:	QC-HH-06-24-0175-06-14		
Serial Number:	QTY	Description	SWL
002406	01	<p style="text-align: center;">Full Body Harness</p> <p>Manufacturer: MILLER Date of Manufacture: 45/2018 Material: Polyester SKU: EH10001-L</p> <p style="text-align: center;">Location: Store</p> 	One Person
Date of last thorough examination	NEW		
Reference Standard:	EN361:2002		
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓
	YES	NO	✓
Was the examination carried out: Within an interval of 6 months?			
With an interval of 12 months?			
In accordance with an examination scheme?			
After the occurrence of exceptional circumstances?			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE)			
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory			
IS THIS EQUIPMENT SAFE TO OPERATE?			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175							
Date of Examination:	06.06.2024	Location:	HH-029							
Certificate No:	QC-HH-06-24-0175-06-15									
Serial Number:	QTY	Description	SWL	Date of last thorough examination						
LL-98595-3/15	01	Lanyard (Shock Absorber Double) Manufacturer: Liftek Date of Manufacture: 06/2023 Length Lanyard: 1.6 M Material: Polyester Model No: LX200 Location: Rig Floor	 One Person	05.12.2023						
Reference Standard:	EN355:2002									
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO			
					YES		NO	√		
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	√	NO			
					YES		NO	√		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE										
Is the above a defect which is of immediate danger to persons:							YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory										
IS THIS EQUIPMENT SAFE TO OPERATE?							YES	√	NO	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-16			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
0004	01	Lanyard (Shock Absorber Double) Manufacturer: KARAM Date of Manufacture: 08/2022 Batch No: 1374428 Length Lanyard: 1.8 M Material: Polyester Type 351 N Location: Rig Floor	One Person	05.12.2023
Reference Standard:		EN355:2002		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	<input type="checkbox"/> Within an interval of 6 months? <input type="checkbox"/> Within an interval of 12 months? <input type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> After the occurrence of exceptional circumstances?	
			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
			<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE				
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES	<input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE)				
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175						
Date of Examination:	06.06.2024	Location:	HH-029						
Certificate No:	QC-HH-06-24-0175-06-17								
Serial Number:	QTY	Description	SWL	Date of last thorough examination					
793 378 968	03	Lanyard (Shock Absorber Double) Manufacturer: UFS Date of Manufacture: 2016/17 Batch No: 511 Model : USP-866 Length Lanyard: 1.8 M Material: Polyester Location: Harness Box	 One Person	NEW					
Reference Standard:	EN355:2002								
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO		
					YES		NO	√	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	√	NO		
					YES		NO	√	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE									
Is the above a defect which is of immediate danger to persons:						YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:									
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory									
IS THIS EQUIPMENT SAFE TO OPERATE?						YES	√	NO	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-18			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
LL-96424-3/19 LL-98595-3/24	02	Lanyard (Shock Absorber Double) Manufacturer: Liftek Date of Manufacture: 06/2023 Length Lanyard: 1.6 M Material: Polyester Model No: LX200 Location: Harness Box	One Person	NEW
Reference Standard:		EN355:2002		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	<input type="checkbox"/> Within an interval of 6 months? <input type="checkbox"/> With an interval of 12 months? <input type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> After the occurrence of exceptional circumstances?	
			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES	<input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by: _____	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-19			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
0044	01	Lanyard (Shock Absorber Double) Manufacturer: KARAM Date of Manufacture: 02/2020 Length Lanyard: 1.8 M Material: Polyester Type : PN 351N Location: Generator	One Person	NEW
Reference Standard:		EN355:2002		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES	<input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by: _____	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO <input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-20			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
016593	01	<p style="text-align: center;">Lanyard (Shock Absorber Double)</p> <p>Manufacturer: MILLER Date of Manufacture: 45/2018 Material: Polyester Length Lanyard: 2 M SKU: EL20001-L</p> <div style="text-align: center;">  </div> <p>Location: Store</p>	One Person	NEW
Reference Standard:	EN355:2002			
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		
		Was the examination carried out:		
		Within an interval of 6 months?	YES	√ NO
		With an interval of 12 months?	YES	NO √
		In accordance with an examination scheme?	YES	√ NO
		After the occurrence of exceptional circumstances?	YES	NO √
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			YES	NO √
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE)				
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	√ NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-21			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
E00403500CF679BB E00403500CF6519F	02	<p style="text-align: center;">Lanyard (Shock Absorber)</p> <p>Manufacturer: SALA Date of Manufacture: 19/JUN Material: Polyester Length Lanyard: 6 FT Model: 1244311</p> <p style="text-align: center;">Location: Store</p> 	One Person	NEW
Reference Standard:	EN355:2002			
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		
Was the examination carried out:				
Within an interval of 6 months?		YES	√	NO
With an interval of 12 months?		YES		NO
In accordance with an examination scheme?		YES	√	NO
After the occurrence of exceptional circumstances?		YES		NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE) <i>The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory</i>				
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-22			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
LL-101045-2/4	01	Lanyard (Shock Absorber Double) Manufacturer: Liftek Date of Manufacture: 11/2023 Material: Polyester Length Lanyard: 1.6 M Model: LX200 Location: Store	 One Person	NEW
Reference Standard:	EN355:2002			
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		
		Was the examination carried out:		
		Within an interval of 6 months?	YES	√ NO
		With an interval of 12 months?	YES	NO √
		In accordance with an examination scheme?	YES	√ NO
		After the occurrence of exceptional circumstances?	YES	NO √
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			YES	NO √
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	√ NO

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Lt (Basra- Iraq)	Job Number:	QC-HH-06-24-0175					
Date of Examination:	06.06.2024	Location:	HH-029					
Certificate No:	QC-HH-06-24-0175-06-24							
Serial Number:	QTY	Description	SWL	Date of last thorough examination				
477 2204 514 427 517 1071 976	07	Lanyard (Shock Absorber Double)  Manufacturer: UFS Date of Manufacture: 2016/17 Batch No: 511 Model : USP-866 Length Lanyard: 1.8 M Material: Polyester Location: Store	One Person	NEW				
Reference Standard:	EN355:2002							
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">✓</td> <td style="width: 25%;"></td> </tr> </table>	YES	NO	✓		Was the examination carried out:	
YES	NO	✓						
			Within an interval of 6 months?					
			With an interval of 12 months?					
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>	YES	NO			In accordance with an examination scheme?	
YES	NO							
			After the occurrence of exceptional circumstances?					
			YES					
			NO					
			✓					
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:			YES	NO				
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE)								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO				
			✓					

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Thorough Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175
Date of Examination:	06.06.2024	Location:	HH-029
		Certificate No:	QC-HH-06-24-0175-06-25

Serial Number:	QTY	Description	SWL	Date of last thorough examination																
0278 0229	02	Lanyard (Shock Absorber Double)  Manufacturer: KARAM Date of Manufacture: 03/2023 Length Lanyard: 1.8 M Batch No:1532236 Material: Polyester Type : PN 361N Location: Store	One Person	NEW																
Reference Standard:		EN355:2002																		
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;"></td> </tr> </table>		YES	NO	√		Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?												
YES	NO	√																		
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;"></td> </tr> </table>		YES	NO	√		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES	√	NO	√	YES	√	NO	√	YES	√	NO	√
YES	NO	√																		
YES	√	NO	√																	
YES	√	NO	√																	
YES	√	NO	√																	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE																				
Is the above a defect which is of immediate danger to persons:				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√												
YES		NO	√																	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:																
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																				
Particulars of any tests carried out as part of the examination: (If none state NONE)																				
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																				
IS THIS EQUIPMENT SAFE TO OPERATE?				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES	√	NO													
YES	√	NO																		

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd		Job Number:	QC-HH-06-24-0175				
Date of Examination:	06.06.2024	Location:	HH-029	Certificate No:	QC-HH-06-24-0175-06-26			
Serial Number:	QTY	Description	SWL	Date of last thorough examination				
0001	02	<p>Lanyard (Shock Absorber Double)</p>  <p>Manufacturer: KARAM Date of Manufacture: 08/2022 Length Lanyard: 1.8 M Batch No:1374428 Material: Polyester Type : PN 351N</p> <p>Location: Store</p>	One Person	NEW				
Reference Standard:	EN355:2002							
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months?	YES	NO	√	
				With an interval of 12 months?	YES	NO	√	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	NO		
				After the occurrence of exceptional circumstances?	YES	NO	√	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE								
Is the above a defect which is of immediate danger to persons:						YES	NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						YES by:		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE)								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?						YES	NO	√

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024


THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-27			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
LL-96424-3/35 LL-96424-3/27	02	Lanyard (Shock Absorber Double) Manufacturer: Liftek Date of Manufacture: 01/2023 Material: Polyester Length Lanyard: 1.6 M Model: LX200  Location: Store	One Person	NEW
Reference Standard:	EN355:2002			
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	Was the examination carried out: Within an interval of 6 months?	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	With an interval of 12 months?	
	<input type="checkbox"/>	<input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE	YES	NO	In accordance with an examination scheme?	
	<input type="checkbox"/>	<input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Is the above a defect which is of immediate danger to persons:	YES	NO	After the occurrence of exceptional circumstances?	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)	YES by:			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE)				
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	NO
			<input checked="" type="checkbox"/>	<input type="checkbox"/>

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd			Job Number:	QC-HH-06-24-0175		
Date of Examination:	06.06.2024	Location:	HH-029	Certificate No:	QC-HH-06-24-0175-06-28		
Serial Number:	QTY	Description		SWL	Date of last thorough examination		
LL-98595-3/14	01	Lanyard (Shock Absorber Double) Manufacturer: Liftek Date of Manufacture: 06/2023 Material: Polyester Length Lanyard: 1.6 M Model: LX200 Location: Store		One Person	NEW		
Reference Standard:		EN355:2002					
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	Was the examination carried out:		YES	NO
			✓	Within an interval of 6 months?		✓	
				Within an interval of 12 months?		YES	NO
				In accordance with an examination scheme?		YES	NO
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	After the occurrence of exceptional circumstances?		YES	NO
						✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE							
Is the above a defect which is of immediate danger to persons:						YES	NO
							✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
Particulars of any tests carried out as part of the examination: (If none state NONE)							
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory							
IS THIS EQUIPMENT SAFE TO OPERATE?						YES	NO
						✓	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Thorough Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175																					
Date of Examination:	06.06.2024	Location:	HH-029																					
Certificate No:	QC-HH-06-24-0175-06-29																							
Serial Number:	QTY	Description	SWL	Date of last thorough examination																				
LL-91411-13/79 LL-101045-2/2 LL-101045-2/1	03	Lanyard (Shock Absorber Double) Manufacturer: Liftek Date of Manufacture: 11/2021 Material: Polyester Length Lanyard: 1.6 M Model: LX200 Location: Store	One Person	NEW																				
Reference Standard:		EN355:2002																						
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%; text-align: center;">√</td> </tr> </table>	YES		NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?																	
YES		NO	√																					
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%;"></td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> </table>	YES		NO		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">YES</td> <td style="width: 25%; text-align: center;">√</td> <td style="width: 25%;">NO</td> <td style="width: 25%;"></td> </tr> <tr> <td>YES</td> <td></td> <td>NO</td> <td style="text-align: center;">√</td> </tr> <tr> <td>YES</td> <td style="text-align: center;">√</td> <td>NO</td> <td></td> </tr> <tr> <td>YES</td> <td></td> <td>NO</td> <td style="text-align: center;">√</td> </tr> </table>		YES	√	NO		YES		NO	√	YES	√	NO		YES		NO	√
YES		NO																						
YES	√	NO																						
YES		NO	√																					
YES	√	NO																						
YES		NO	√																					
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE																								
Is the above a defect which is of immediate danger to persons:			YES	√																				
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:																					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																								
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																								
IS THIS EQUIPMENT SAFE TO OPERATE?			YES	√																				

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






CERTIFICATE OF VISUAL AND THOROUGH EXAMINATION

Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil & Gas Engineering Services, Ltd	Job Number:	QC-HH-06-24-0175	
Date of Examination:	06.06.2024	Location:	HH-029	
Certificate No:	QC-HH-06-24-0175-06-30			
Serial Number:	QTY	Description	SWL	Date of last thorough examination
LL-101572-8/4 LL-101572-8/1 LL-101572-8/2 LL-101572-8/3	04	Lanyard (Shock Absorber Double) Manufacturer: Liftek Date of Manufacture: 12/2023 Material: Polyester Length Lanyard: 1.6 M Model: LX200 Location: Store	One Person	NEW
Reference Standard:		EN355:2002		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out:	
			<input type="checkbox"/> Within an interval of 6 months? <input type="checkbox"/> Within an interval of 12 months? <input type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> After the occurrence of exceptional circumstances?	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE				
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory				
IS THIS EQUIPMENT SAFE TO OPERATE?			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

REV: 01 Dated: 20 June 2022

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Khaled Mahmoud	Mohamed Abdulla		05.12.2024

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

