

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED


Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON (TSS)	Report No:	QC-24-08-TSS-MS-011
Location:	Burjesia Halliburton Camp Basra - Iraq (TSS)	STANDARD	DS-1 VOLUME-4 FIFTH EDITION,
Inspection Date:	Thursday, August 15, 2024	Next Inspection Date:	Friday, February 14, 2025
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Refrance Standard TSS	ST-GL-HAL-TT-510 REV NO 5.1
		DESCRIPTION:	5" GAUGE CARRIER
		S/N:	11387298
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION (M.P.I.) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Thread & Availiable critical areas inspected and found free from cracks and other defects
		FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED
		COMMENT: (MPI Wet Fluorescent Inspection Thread & Body With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast	



EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT: 3120 $\mu\text{w}/\text{cm}^2$	INSPECTOR NAME:	M.Shahzad Ahmed	SENIOR INSPECTOR:	NAVEED HUSSAIN
S.NO:	201504052	S.NO:	22650	S.NO:	1898977	QUALIFICATION:	ASNT LEVEL II MT & PT & VT	SUPERVISOR:	HANI ALI
Cal Due Date:	14.OCT.2024	Cal Due Date:	15.OCT.2024	Cal Due Date:	14.OCT.2024		CLIENT:		
FLUORESCENT 14HF	Magnaflux	Batch No:	220306	EXPIRE DATE:	MARCH,2025				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	220602	EXPIRE DATE:	JUN,2025				
Technical Details									
Digital Lux Meter WHITE LIGHT INTENSITY:					Black Magnetic Ink Manufacture:7HF				
3640 Lux/S.NO:2722003	Wet FLUORESCENT Particle Concentration 14 HF				0.1 to 0.4 ml/100 ml	Batch No:220605			
Cal Due Date:16.OCT.2024	Black Magnetic Ink Concentration 7 HF				1.2 to 2.4 ml/100 ml	EXPIRE DATE: Jul-25			
Original - Client Files		Copy - Area Office		QC/FN/MPI/065		Rev.00		DATED 07 NOV 2021	