





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-07-24-0202		
Date of Examination:	14.07.2024	Location:	HH Rig 029		
Certificate No:	QC-HH-07-24-0202/8-2				
Serial Number:	QTY	Description	SWL Each Pad Eye:		
B1 B2 B3 B4	04	Fabricated Pad Eyes Rotary Table Pad Eyes for fall arrestor Pad Eye Dimension Thickness: 20 mm Pin Hole: 30 mm Length: 75 mm Height: 80 mm	2 Ton		
		Date of last Thorough examination 06.01.2024			
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by: _____		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY					
IS THIS EQUIPMENT SAFE TO OPERATE?			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:		Authenticating This Report:		Signature & Stamp:	
Mohamed Abdalla		Ashraf Alsaid			
				Date of Next Through Examination: 13.01.2025	

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-07-24-0202
Date of Examination:	14.07.2024	Location:	HH Rig 029
Certificate No:	QC-HH-07-24-0202/8-03		
Serial Number	Description of the examined equipment		Result
RG15032	Rotary Table Pad Eyes for fall arrestor		Pass
Pad Eyes Serial Number	B1 & B2 & B3 & B4	SWL Each Pad Eye:	2 Ton



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mohamed Abdalla	Ashraf Alsaid		13.01.2025


REV: 01 Dated: 20 June 2022






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-07-24-0202
Date of Examination:	14.07.2024	Location:	HH Rig 029
Certificate No:	QC-HH-07-24-0202/8-4		
Serial Number:	QTY	Description	SWL Each Pad Eye:
B5 B6	02	Fabricated Pad Eyes Rotary Table Pad Eyes for fall arrestor Pad Eye Dimension Thickness: 20 mm Pin Hole: 30 mm Length: 130 mm Height: 100 mm	2 Ton
		Date of last Thorough examination 06.01.2024	
			
Reference Standard:		LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?		Was the examination carried out: Within an interval of 6 months?	
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
		With an interval of 12 months?	
YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		In accordance with an examination scheme?	
YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
		After the occurrence of exceptional circumstances?	
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE			
Is the above a defect which is of immediate danger to persons:			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by: _____
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
IS THIS EQUIPMENT SAFE TO OPERATE?			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
NDT Equipment Details			
Standard	ASTM E709	Viewing Condition:	Colored Media
Yoke	Permanent	Serial No:	PY-011
White Contrast	WCP-2	Batch No:	220602
Black Ink	7HF	Batch No:	220605
Method	WET		
Due Date	12.08.2024		
Due Date	06-2025		
Due Date	7-1-2025		
NDT procedure			
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection			
Identification of any part found to have a defect and a description of the defect:			
None			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
None			

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mohamed Abdalla	Ashraf Alsaid		13.01.2025

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-07-24-0202
Date of Examination:	14.07.2024	Location:	HH Rig 029
Certificate No:	QC-HH-07-24-0202/8-05		
Serial Number	Description of the examined equipment		Result
RG15032	Rotary Table Pad Eyes for fall arrestor		Pass
Pad Eyes Serial Number	B5 & B6	SWL Each Pad Eye:	2 Ton



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mohamed Abdalla	Ashraf Alsaid		13.01.2025

REV: 01 Dated: 20 June 2022



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd			Job Number:	QC-HH-07-24-0202
Date of Examination:	14.07.2024	Location:	HH Rig 029	Certificate No:	QC-HH-07-24-0202/8-6
Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination	
RP5 RP6	02	Fabricated Pad Eyes Rotary Table Pad Eyes for fall arrestor Secondary Retention Pad Eye Dimension Thickness: 18 mm Pin Hole: 40 mm Length: 130 mm Height: 120 mm	2 Ton	06.01.2024	
Reference Standard:			LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months? In accordance with an examination scheme?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:					YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY					
IS THIS EQUIPMENT SAFE TO OPERATE?					YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:		
Mohamed Abdalla	Ashraf Alsaid		13.01.2025		

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-07-24-0202
Date of Examination:	14.07.2024	Location:	HH Rig 029
Serial Number	Description of the examined equipment		Result
RG15032	Rotary Table Pad Eyes for fall arrestor Secondary Retention		Pass
Pad Eyes Serial Number	RP5 & RP6	SWL Each Pad Eye:	2 Ton



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mohamed Abdalla	Ashraf Alsaid		13.01.2025



REV: 01 Dated: 20 June 2022





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-07-24-0202																
Date of Examination:	14.07.2024	Location:	HH Rig 029																
Certificate No:	QC-HH-07-24-0202/8-8																		
Serial Number:	QTY	Description	SWL Each Pad Eye:																
RP3 RP4	02	Fabricated Pad Eyes Rotary Table Pad Eyes for fall arrestor Pad Eye Dimension Thickness: 38 mm Pin Hole: 50 mm Length: 190 mm Height: 123 mm	80 KN																
		Date of last Thorough examination 06.01.2024																	
																			
Reference Standard:		LEEA DOC 048:2015																	
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?												
YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>																
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input type="checkbox"/></td> </tr> </table>	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>YES</td> <td><input checked="" type="checkbox"/></td> <td>NO</td> <td><input type="checkbox"/></td> </tr> <tr> <td>YES</td> <td><input checked="" type="checkbox"/></td> <td>NO</td> <td><input type="checkbox"/></td> </tr> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
YES	<input type="checkbox"/>	NO	<input type="checkbox"/>																
YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>																
YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>																
YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>																
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE																			
Is the above a defect which is of immediate danger to persons:			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>												
YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>																
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:																
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY																			
IS THIS EQUIPMENT SAFE TO OPERATE?			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>YES</td> <td><input checked="" type="checkbox"/></td> <td>NO</td> <td><input type="checkbox"/></td> </tr> </table>	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>												
YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>																
NDT Equipment Details																			
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET														
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024														
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025														
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025														
NDT procedure																			
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection																			
Identification of any part found to have a defect and a description of the defect:																			
None																			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																			
None																			
ASNT Level II Inspector Name:		Authenticating This Report:		Signature & Stamp:															
Mohamed Abdalla		Ashraf Alsaid																	
				13.01.2025															

REV: 01 Dated: 20 June 2022






Visual & Magnetic Particles Examination Report

Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Job Number:	QC-HH-07-24-0202
Date of Examination:	14.07.2024	Location:	HH Rig 029
Certificate No:	QC-HH-07-24-0202/8-09		
Serial Number	Description of the examined equipment		Result
RG15032	Rotary Table Pad Eyes for fall arrestor		Pass
Pad Eyes Serial Number	RP3 & RP4	SWL Each Pad Eye:	80 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Authenticating This Report:	Signature & Stamp:	Date of Next Through Examination:
Mohamed Abdalla	Ashraf Alsaid		13.01.2025

REV: 01 Dated: 20 June 2022

