

CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS01																					
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203																					
Serial Number:	QTY	Description		MBL	Date of last Thorough examination																					
M2518 M2519	02	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 37.5 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Plain. FOS: 5:1 Location: Fitted to counter weight		118 KN	06-01-2024																					
Reference Standard:		BS EN 13414-1+A2:2008																								
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td>√</td> <td>NO</td> <td></td> </tr> </table>		YES	√	NO		Was the examination carried out: Within an interval of 6 months? Within an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td>√</td> <td>NO</td> <td></td> </tr> <tr> <td>YES</td> <td></td> <td>NO</td> <td>√</td> </tr> <tr> <td>YES</td> <td>√</td> <td>NO</td> <td></td> </tr> <tr> <td>YES</td> <td></td> <td>NO</td> <td>√</td> </tr> </table>	YES	√	NO		YES		NO	√	YES	√	NO		YES		NO	√
YES	√	NO																								
YES	√	NO																								
YES		NO	√																							
YES	√	NO																								
YES		NO	√																							
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td>√</td> <td>NO</td> <td></td> </tr> </table>		YES	√	NO																				
YES	√	NO																								
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE																										
Is the above a defect which is of immediate danger to persons:				YES																						
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A																						
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																										
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																										
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	√																					

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS02			
Client Name:	Hong Hua Oil & Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		MBL	Date of last Thorough examination			
M1356	01	SINGLE LEG WIRE ROPE SLINGE 19 mm Diameter, 120 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Plain. FOS: 5:1 Fitted to power tong		252 KN	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	✓	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	✓	NO				
Was the examination carried out: Within an interval of 6 months?		YES	✓	NO				
Within an interval of 12 months?		YES		NO	✓			
In accordance with an examination scheme?		YES	✓	NO				
After the occurrence of exceptional circumstances?		YES		NO	✓			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	✓	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS03
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
M2512 M2513	01	SINGLE LEG WIRE ROPE SLINGE 36 mm Diameter, 33 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Plain. FOS: 5:1 Fitted to TDS hang-off line		16.6 TON	06-01-2024
Reference Standard:		BS EN 13414-1+A2:2008			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO		With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
				In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO	
				After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS04			
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
14219	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 2 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Manual Tong Snatch Block NO: (41812920) as Secondary Retention D. S		2 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	✓	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	✓	NO				
Was the examination carried out: Within an interval of 6 months?		YES	✓	NO				
Was the examination carried out: Within an interval of 12 months?		YES		NO	✓			
In accordance with an examination scheme?		YES	✓	NO				
After the occurrence of exceptional circumstances?		YES		NO	✓			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE)								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	✓	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS05			
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
14215	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 2 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Manual Tong Snatch Block NO: (41812282) as Secondary Retention O. D. S		2 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO				
Was the examination carried out: Within an interval of 6 months?		YES	√	NO				
Was the examination carried out: Within an interval of 12 months?		YES		NO	√			
In accordance with an examination scheme?		YES	√	NO				
After the occurrence of exceptional circumstances?		YES		NO	√			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE)								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	√	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS06			
Client Name:	Hong Hua Oil & Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
16443	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.3 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Power Tong Snatch Block No (41812909) as Secondary Retention D. S		2 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO				
Was the examination carried out: Within an interval of 6 months?		YES	√	NO				
Was the examination carried out: Within an interval of 12 months?		YES		NO	√			
In accordance with an examination scheme?		YES	√	NO				
After the occurrence of exceptional circumstances?		YES		NO	√			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE)								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	√	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid	 For Engineering Services	
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS07
Client Name:	Hong Hua Oil & Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
SR01	01	SINGLE LEG WIRE ROPE SLINGE 16 mm Diameter, 2 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Air Winch Snatch Block No (41710421) as Secondary Retention D. S		3 TON	06-01-2024
Reference Standard:		BS EN 13414-1+A2:2008			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO		Was the examination carried out: Within an interval of 6 months?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO		Within an interval of 12 months?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO	
				In accordance with an examination scheme? After the occurrence of exceptional circumstances?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE)					
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				<input type="checkbox"/> YES <input checked="" type="checkbox"/> <input type="checkbox"/> NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS08			
Client Name:	Hong Hua Oil & Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
M2338	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.5 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Man-riding Winch Snatch Block No (41812912) as Secondary Retention D. S		2.1 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	✓	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	✓	NO				
Was the examination carried out: Within an interval of 6 months?		YES	✓	NO				
Was the examination carried out: Within an interval of 12 months?		YES		NO	✓			
In accordance with an examination scheme?		YES	✓	NO				
After the occurrence of exceptional circumstances?		YES		NO	✓			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	✓	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS09	
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203	
Serial Number:	QTY	Description		SWL	Date of last Thorough examination	
NS02	01	SINGLE LEG WIRE ROPE SLINGE 16 mm Diameter, 2 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Air Winch Snatch Block No (41812062) as Secondary Retention O.D. S		3 TON	06-01-2024	
Reference Standard:		BS EN 13414-1+A2:2008				
Is this the first examination after Installation or assembly at a new site or location?		YES	✓	NO		
If the answer to the above question is YES has the equipment been installed correctly?		YES	✓	NO		
Was the examination carried out: Within an interval of 6 months?		YES	✓	NO		
Was the examination carried out: Within an interval of 12 months?		YES		NO	✓	
In accordance with an examination scheme?		YES	✓	NO		
After the occurrence of exceptional circumstances?		YES		NO	✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE						
Is the above a defect which is of immediate danger to persons:					YES	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:						
Particulars of any tests carried out as part of the examination: (If none state NONE)						
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory						
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	✓

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS10																					
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203																					
Serial Number:	QTY	Description		SWL	Date of last Thorough examination																					
1807-LST1012-1 2018-S107-9311	02	SINGLE LEG WIRE ROPE SLINGE 10 mm Diameter, 1.2 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Crown block counter weight		1.15 TON	06-01-2024																					
Reference Standard:		BS EN 13414-1+A2:2008																								
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td>√</td> <td>NO</td> <td></td> </tr> </table>		YES	√	NO		Was the examination carried out: Within an interval of 6 months? Within an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td>√</td> <td>NO</td> <td></td> </tr> <tr> <td>YES</td> <td></td> <td>NO</td> <td>√</td> </tr> <tr> <td>YES</td> <td>√</td> <td>NO</td> <td></td> </tr> <tr> <td>YES</td> <td></td> <td>NO</td> <td>√</td> </tr> </table>	YES	√	NO		YES		NO	√	YES	√	NO		YES		NO	√
YES	√	NO																								
YES	√	NO																								
YES		NO	√																							
YES	√	NO																								
YES		NO	√																							
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td>√</td> <td>NO</td> <td></td> </tr> </table>		YES	√	NO																				
YES	√	NO																								
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE																										
Is the above a defect which is of immediate danger to persons:				YES																						
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A																					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:																										
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory																										
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	√																					

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS11			
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
M2849	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.5 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with fall arrester No (190000230) as Secondary Retention D. S		2.1 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO				
Was the examination carried out? Within an interval of 6 months?		YES	√	NO				
Was the examination carried out? Within an interval of 12 months?		YES		NO	√			
In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	√	NO				
YES				NO	√			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE)								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	√	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS12			
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
M2752	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.5 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with fall arrester No (0050) as Secondary Retention O. D. S		2.1 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO				
Was the examination carried out? Within an interval of 6 months?		YES	√	NO				
Was the examination carried out? Within an interval of 12 months?		YES		NO	√			
In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	√	NO				
YES				NO	√			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE)								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	√	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS13			
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
16455	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.5 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Crown Block fall arrester No (202898) as Secondary Retention D. S		2 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO				
Was the examination carried out? Within an interval of 6 months?		YES	√	NO				
Was the examination carried out? Within an interval of 12 months?		YES		NO	√			
In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	√	NO				
YES				NO	√			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	√	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS14	
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203	
Serial Number:	QTY	Description		SWL	Date of last Thorough examination	
16453	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.5 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Crown Block fall arrester No (196421) as Secondary Retention O.D. S		2 TON	06-01-2024	
Reference Standard:		BS EN 13414-1+A2:2008				
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO		
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO		
		Was the examination carried out? Within an interval of 6 months?		YES	√	
		With an interval of 12 months?		YES	NO	
		In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	√	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE						
Is the above a defect which is of immediate danger to persons:					YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:						
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory						
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	√

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS15			
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
16439	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.3 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Monkey Board fall arrester No (190000044) as Secondary Retention D. S		2 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO				
Was the examination carried out? Within an interval of 6 months?		YES	√	NO				
Was the examination carried out? Within an interval of 12 months?		YES		NO	√			
In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	√	NO				
YES				NO	√			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	√	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid	 For Engineering Services	
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS16			
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
16440	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.3 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Monkey Board fall arrester No (0136) as Secondary Retention O.D. S		2 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO				
Was the examination carried out? Within an interval of 6 months?		YES	√	NO				
Was the examination carried out? Within an interval of 12 months?		YES		NO	√			
In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	√	NO				
YES				NO	√			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE)								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	√	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS17			
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
M2341	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.5 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Poor Boy fall arrester No (11107) as Secondary Retention D. S		2.1 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	✓	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	✓	NO				
Was the examination carried out? Within an interval of 6 months?		YES	✓	NO				
Was the examination carried out? Within an interval of 12 months?		YES		NO	✓			
In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	✓	NO				
YES				NO	✓			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE)								
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	✓	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS18			
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203			
Serial Number:	QTY	Description		SWL	Date of last Thorough examination			
L1174	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.3 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Sub Structure fall arrester No (190000006) as Secondary Retention		2 TON	06-01-2024			
Reference Standard:		BS EN 13414-1+A2:2008						
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO				
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO				
Was the examination carried out? Within an interval of 6 months?		YES	√	NO				
Was the examination carried out? Within an interval of 12 months?		YES		NO	√			
In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	√	NO				
YES				NO	√			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	√	NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS19
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
M2335	01	SINGLE LEG WIRE ROPE SLINGE 13 mm Diameter, 1.5 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with fall arrester No (130000540) as Secondary Retention (Under)Monkey Board		2.1 TON	06-01-2024
Reference Standard:		BS EN 13414-1+A2:2008			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		Was the examination carried out? Within an interval of 6 months?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		With an interval of 12 months? In accordance with an examination scheme?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
				After the occurrence of exceptional circumstances?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	<input checked="" type="checkbox"/> NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	<input checked="" type="checkbox"/> NO

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS20
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
124	01	SINGLE LEG WIRE ROPE SLINGE 16 mm Diameter, 1.5 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE. Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with Sub Structure fall arrester No (190000006) as Secondary Retention		3 TON	06-01-2024
Reference Standard:		BS EN 13414-1+A2:2008			
Is this the first examination after Installation or assembly at a new site or location?		YES	√	NO	
If the answer to the above question is YES has the equipment been installed correctly?		YES	√	NO	
		Was the examination carried out? Within an interval of 6 months?		YES	√
		With an interval of 12 months?		YES	NO
		In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	√
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	√
				NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	15-07-2024	Date of Report:	15-07-2024	Certificate No:	QC-HH-07-24-0203-WS21
Client Name:	Hong Hua Oil& Gas Engineering Services Ltd	Location:	HH Rig 029	Job Number:	QC-HH-07-24-0203
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
17430	01	TWO LEG WIRE ROPE SLINGE 13 mm Diameter, 2 M Length, Const.6×36, IWRC, RHO, Galv Steel IWRC, MECHANICALLY SPLICED WITH ALUMINUM FERRULE, C/W MASTER LINK ON TOP Hard Eye X Hard Eye. FOS: 5:1 Location: Attached with MUD SAVER NO (MG-01)		2.8 TON	06-01-2024
Reference Standard:		BS EN 13414-1+A2:2008			
Is this the first examination after Installation or assembly at a new site or location?		YES	✓	NO	
If the answer to the above question is YES has the equipment been installed correctly?		YES	✓	NO	
Was the examination carried out? Within an interval of 6 months?		YES	✓	NO	
Was the examination carried out? Within an interval of 12 months?		YES		NO	✓
In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	✓	NO	
YES				NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	✓
				NO	

REV: 01 Dated: 20 June 2022

Name of Inspector:	Name of person authenticating this report:	Signature & Stamp:	
Mohamed Abdalla	Ashraf Elsaid		
Date of Next Through Examination:	14-01-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location, as stated above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

