




## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Daqing Drilling Company</b>			<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b>	QC-DQ-07-24-0206-08-01
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>	<b>Date of last Thorough examination</b>	
HBP21007A-2-04 HBP21007A-2-05 HBP21007A-2-06 HBP21007A-2-07	04	Fabricated Pad Eyes  Poor Boy Pad Eyes SN: HBP21007A-2  Pad Eye Dimension Thickness: 31 mm Pin Hole: 55 mm Length: 120 mm Height: 136 mm	5.5 Ton	26.02.2024	
<b>Reference Standard:</b>			LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months? In accordance with an examination scheme?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			After the occurrence of exceptional circumstances?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:					<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					<input type="checkbox"/> YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>					<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	<b>Daqing Drilling Company</b>		<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b> QC-DQ-07-24-0206-08-01A
<b>Serial Number</b>	<b>Description of the examined equipment</b>			<b>Result</b>
HBP21007A-2	Poor Boy Pad Eyes			Pass
<b>Pad Eyes SN:</b>	HBP21007A-2-04 To HBP21007A-2-07	<b>Each Pad Eyes SWL:</b>	5.5 Ton	



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025


REV: 01 Dated: 20 June 2022






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Daqing Drilling Company</b>			<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b>	QC-DQ-07-24-0206-08-02
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>	<b>Date of last Thorough examination</b>	
HBP21007A-2-11 HBP21007A-2-12 HBP21007A-2-13 HBP21007A-2-144	04	Fabricated Pad Eyes  Poor Boy Pad Eyes SN: HBP21007A-2  Pad Eye Dimension Thickness: 31 mm Pin Hole: 55 mm Length: 120 mm Height: 136 mm	5.5 Ton	26.02.2024	
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by: _____	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025


REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	<b>Daqing Drilling Company</b>		<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b> QC-DQ-07-24-0206-08-02A
<b>Serial Number</b>	<b>Description of the examined equipment</b>			<b>Result</b>
HBP21007A-2	Poor Boy Pad Eyes			Pass
<b>Pad Eyes SN:</b>	HBP21007A-2-11 To HBP21007A-2-14	<b>Each Pad Eyes SWL:</b>	5.5 Ton	



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025


REV: 01 Dated: 20 June 2022






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Daqing Drilling Company</b>			<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b>	QC-DQ-07-24-0206-08-03
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>	<b>Date of last Thorough examination</b>	
HBP21007A-2-08 HBP21007A-2-09 HBP21007A-2-18 HBP21007A-2-19	04	Fabricated Pad Eyes  Poor Boy Pad Eyes SN: HBP21007A-2  Pad Eye Dimension Thickness: 31 mm Pin Hole: 55 mm Length: 120 mm Height: 136 mm	5.5 Ton	26.02.2024	
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		Was the examination carried out: With an interval of 12 months?	
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				Was the examination carried out: In accordance with an examination scheme?	
				<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
				Was the examination carried out: After the occurrence of exceptional circumstances?	
				<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	<b>Daqing Drilling Company</b>		<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b> QC-DQ-07-24-0206-08-03A
<b>Serial Number</b>	<b>Description of the examined equipment</b>			<b>Result</b>
HBP21007A-2	Poor Boy Pad Eyes			Pass
<b>Pad Eyes SN:</b>	HBP21007A-2-08 , HBP21007A-2-09 , HBP21007A-2-18 , HBP21007A-2-19		<b>Each Pad Eyes SWL:</b>	5.5 Ton



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Daqing Drilling Company</b>			<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b>	QC-DQ-07-24-0206-08-04
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL Each Pad Eye:</b>	<b>Date of last Thorough examination</b>
HBP21007A-2-01 HBP21007A-2-02	02	Fabricated Pad Eyes  Poor Boy Pad Eyes SN: HBP23021A  Pad Eye Dimension Thickness: 20 mm Pin Hole: 48 mm Length: 100 mm Height: 155 mm		2.5 Ton	26.02.2024
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES	<input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	<b>Daqing Drilling Company</b>		<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b> QC-DQ-07-24-0206-08-04A
<b>Serial Number</b>	<b>Description of the examined equipment</b>			<b>Result</b>
HBP21007A-2	Poor Boy Pad Eyes			Pass
<b>Pad Eyes SN:</b>	HBP21007A-2-01 , HBP21007A-2-02	<b>Each Pad Eyes SWL:</b>	2.5 Ton	



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Daqing Drilling Company</b>			<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b>	QC-DQ-07-24-0206-08-05
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>	<b>Date of last Thorough examination</b>	
HBP21007A-2-15 HBP21007A-2-16	02	Fabricated Pad Eyes  Poor Boy Pad Eyes SN: HBP21007A-2  Pad Eye Dimension Thickness: 16 mm Pin Hole: 29 mm Length: 70 mm Height: 95 mm	2 Ton	26.02.2024	
<b>Reference Standard:</b>			LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months? In accordance with an examination scheme?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025


REV: 01 Dated: 20 June 2022





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	<b>Daqing Drilling Company</b>		<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b> QC-DQ-07-24-0206-08-05A
<b>Serial Number</b>	<b>Description of the examined equipment</b>			<b>Result</b>
HBP21007A-2	Poor Boy Pad Eyes			Pass
<b>Pad Eyes SN:</b>	HBP21007A-2-15 , HBP21007A-2-16	<b>Each Pad Eyes SWL:</b>	2 Ton	




NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022





<b>Client Name:</b>	<b>Daqing Drilling Company</b>			<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b>	QC-DQ-07-24-0206-08-06
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>	<b>Date of last Thorough examination</b>	
HBP21007A-2-10 HBP21007A-2-17 HBP21007A-2-21 HBP21007A-2-22	04	Fabricated Pad Eyes  Poor Boy Pad Eyes SN: HBP21007A-2  Pad Eye Dimension Thickness: 12 mm Pin Hole: 29 mm Length: 110 mm Height: 129 mm	2.3 Ton	26.02.2024	
<b>Reference Standard:</b>			LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months? In accordance with an examination scheme?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:					YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					YES by:
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>					YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect: None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above: None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	<b>Daqing Drilling Company</b>		<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b> QC-DQ-07-24-0206-08-06A
<b>Serial Number</b>	<b>Description of the examined equipment</b>			<b>Result</b>
HBP21007A-2	Poor Boy Pad Eyes			Pass
<b>Pad Eyes SN:</b>	HBP21007A-2-10 , HBP21007A-2-17 , HBP21007A-2-21 , HBP21007A-2-22		<b>Each Pad Eyes SWL:</b>	2.3 Ton



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Daqing Drilling Company</b>			<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b>	QC-DQ-07-24-0206-08-07
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL Each Pad Eye:</b>	<b>Date of last Thorough examination</b>
HBP21007A-02 HBP21007A-03	02	Fabricated Pad Eyes  Poor Boy Fall Aresstor Pad Eyes SN: HBP23021A  Pad Eye Dimension Thickness: 18 mm Pin Hole: 30 mm (With Two Pin Hole) Length: 320 mm Height: 125 mm		2.3 Ton	26.02.2024
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				<input type="checkbox"/> YES	<input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by:	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	<b>Daqing Drilling Company</b>		<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b> QC-DQ-07-24-0206-08-07A
<b>Serial Number</b>	<b>Description of the examined equipment</b>			<b>Result</b>
HBP21007A-2	Poor Boy Fall Aresstor Pad Eyes			Pass
<b>Pad Eyes SN:</b>	HBP21007A-02 , HBP21007A-03	<b>Each Pad Eyes SWL:</b>	2.3 Ton	



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025


REV: 01 Dated: 20 June 2022





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	<b>Daqing Drilling Company</b>		<b>Job Number:</b>	QC-DQ-07-24-0206
<b>Location:</b>	DQ -022	<b>Date of Examination:</b>	19-07-2024	<b>Certificate No:</b> QC-DQ-07-24-0206-08-08
<b>Serial Number</b>	<b>Description of the examined equipment</b>			<b>Result</b>
HBP21007A-2	Poor Boy Lifting Lugs			Pass
<b>Lifting Lugs SN:</b>	HBP21007A-2-23 , HBP21007A-2-24 , HBP21007A-2-25 , HBP21007A-2-26		<b>Each Lug SWL:</b>	5.5 Ton



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Abdullah Mofeed	Mohamed Abdalla		18.01.2025

REV: 01 Dated: 20 June 2022