





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01		
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029		
<b>Certificate No:</b>	QC-HH-07-0201-03/15				
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>		
29-1 29-2 30-1 30-2	04	Fabricated Pad Eyes Mast Section 3 Drill Site & off Drill Site  Pad Eye Dimension Thickness: 20 mm Pin Hole: 39 mm Length: 149 mm Height: 220 mm	180 KN		
		<b>Date of last Thorough examination</b> 06.01.2024			
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		Was the examination carried out: Within an interval of 6 months?			
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
If the answer to the above question is YES has the equipment been installed correctly?		With an interval of 12 months?			
<input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/>		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
		In accordance with an examination scheme?			
		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
		After the occurrence of exceptional circumstances?			
		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>		<b>Authenticating This Report:</b>		<b>Signature &amp; Stamp:</b>	
Mohamed Abdalla		Ashraf Alsaid			
				13.01.2025	


REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Certificate No:</b>	QC-HH-07-0201-03/16		
<b>Serial Number</b>	<b>Description of the examined equipment</b>		<b>Result</b>
JJ-18-001	Fabricated Pad Eyes Mast Section 3 Drill Site & off Drill Site		Pass
<b>Pad Eyes Serial Number</b>	29-1 & 29-2 & 30-1 & 30-2	<b>SWL Each Pad Eye:</b>	180 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025



REV: 01 Dated: 20 June 2022





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01		
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029		
<b>Certificate No:</b>	QC-HH-07-0201-03/17				
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>		
29-42 29-44 29-66 29-68	04	Connected Pad Eyes Mast Section 3 Drill Site & off Drill Site  Pad Eye Dimension Thickness: 20 mm X 2 Pin Hole: 65 mm Length: 290 mm Height: 174 mm	4 TON		
			<b>Date of last Thorough examination</b>		
			06.01.2024		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>		<b>Authenticating This Report:</b>		<b>Signature &amp; Stamp:</b>	
Mohamed Abdalla		Ashraf Alsaid			
				Date of Next Through Examination:	
				13.01.2025	

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Certificate No:</b>	QC-HH-07-0201-03/18		
<b>Serial Number</b>	<b>Description of the examined equipment</b>		<b>Result</b>
JJ-18-001	Connected Pad Eyes Mast Section 3 Drill Site & off Drill Site		Pass
<b>Pad Eyes Serial Number</b>	29-42 & 29-44 & 29-66 & 29-68	<b>SWL Each Pad Eye:</b>	4 TON



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025



REV: 01 Dated: 20 June 2022





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01		
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029		
<b>Certificate No:</b>	QC-HH-07-0201-03/19				
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>		
29-63 29-64 29-46 29-48	04	Connected Pad Eyes Mast Section 3 Drill Site & off Drill Site  Pad Eye Dimension Thickness: 50 mm Pin Hole: 65 mm Length: 290 mm Height: 174 mm	4 TON		
			<b>Date of last Thorough examination</b> 19.10.2023		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by:		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>		<b>Authenticating This Report:</b>		<b>Signature &amp; Stamp:</b>	
Mohamed Abdalla		Ashraf Alsaid			
				13.01.2025	

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Serial Number</b>	<b>Description of the examined equipment</b>		<b>Result</b>
JJ-18-001	Connected Pad Eyes Mast Section 3 Drill Site & off Drill Site		Pass
<b>Pad Eyes Serial Number</b>	29-43 & 29-44 & 29-46 & 29-48	<b>SWL Each Pad Eye:</b>	4 TON



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025



REV: 01 Dated: 20 June 2022





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Certificate No:</b>	QC-HH-07-0201-03/21		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye</b> <b>Date of last Thorough examination</b>
SP01	01	Fabricated Pad Eyes Mast Section 3 Drill Site (Escape Device)  Pad Eye Dimension Thickness: 20 mm Pin Hole: 32 mm Length: 320 mm Height: 200 mm	2.5 TON      06.01.2024  
<b>Reference Standard:</b>	LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO With an interval of 12 months? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO In accordance with an examination scheme? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO After the occurrence of exceptional circumstances? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>			
Is the above a defect which is of immediate danger to persons:			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by: _____
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY			
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<b>NDT Equipment Details</b>			
Standard	ASTM E709	Viewing Condition:	Colored Media
Yoke	Permanent	Serial No:	PY-011
White Contrast	WCP-2	Batch No:	220602
Black Ink	7HF	Batch No:	220605
Method	WET		
Due Date	12.08.2024		
Due Date	06-2025		
Due Date	7-1-2025		
<b>NDT procedure</b>			
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection			
Identification of any part found to have a defect and a description of the defect:			
None			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
None			
<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Serial Number</b>	<b>Description of the examined equipment</b>		<b>Result</b>
JJ-18-001	Fabricated Pad Eyes Mast Section 3 Drill Site (Escape Device)		Pass
<b>Pad Eyes Serial Number</b>	SP01	<b>SWL Each Pad Eye:</b>	2.5 TON



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025



REV: 01 Dated: 20 June 2022





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Certificate No:</b>	QC-HH-07-0201-03/23		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>
33-1 33-2 33-3 34-1 34-2 34-3	06	Fabricated Pad Eyes Mast Section 3 Drill Site & off Drill Site For manual tong  Pad Eye Dimension Thickness: 25 mm Pin Hole: 30 mm Length: 74 mm Height: 80 mm	25 KN
			<b>Date of last Thorough examination</b> 06.01.2024
			
<b>Reference Standard:</b>	LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓
Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
With an interval of 12 months?	YES	NO	✓
In accordance with an examination scheme?	YES	NO	✓
After the occurrence of exceptional circumstances?	YES	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>			
Is the above a defect which is of immediate danger to persons:	YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)	YES by:		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>			
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>	YES	NO	✓
<b>NDT Equipment Details</b>			
Standard	ASTM E709	Viewing Condition:	Colored Media
Yoke	Permanent	Serial No:	PY-011
White Contrast	WCP-2	Batch No:	220602
Black Ink	7HF	Batch No:	220605
Method	WET		
Due Date	12.08.2024		
Due Date	06-2025		
Due Date	7-1-2025		
<b>NDT procedure</b>			
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection			
Identification of any part found to have a defect and a description of the defect:			
None			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
None			
<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Serial Number</b>	<b>Description of the examined equipment</b>		<b>Result</b>
JJ-18-001	Pad Eyes Mast Section 3 Drill Site & off Drill Site For manual tong		Pass
<b>Pad Eyes Serial Number</b>	33-1 & 33-2 & 33-3 & 34-1 & 34-2 & 34-3	<b>SWL for pad eyes:</b>	50 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025


REV: 01 Dated: 20 June 2022





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-07-0201-03/25
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>	<b>Date of last Thorough examination</b>	
32-1 32-2 32-3 32-4 32-5 32-6	06	Fabricated Pad Eyes Mast Section 3 Drill Site For manual tong (Secure)  Pad Eye Dimension Thickness: 17 mm Pin Hole: 19 mm Length: 200 mm Height: 125 mm	25 KN	06.01.2024	
<b>Reference Standard:</b>			LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
			In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				YES by: _____	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>		
Mohamed Abdalla	Ashraf Alsaid		13.01.2025		

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Serial Number</b>	<b>Description of the examined equipment</b>		<b>Result</b>
JJ-18-001	Fabricated Pad Eyes Mast Section 3 Drill Site For manual tong (Secure)		Pass
<b>Pad Eyes Serial Number</b>	32-1 & 32-2 & 32-3 & 32-4 & 32-5 & 32-6	<b>SWL for pad eyes:</b>	25 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025



REV: 01 Dated: 20 June 2022





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd			<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029	<b>Certificate No:</b>	QC-HH-07-0201-03/27
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>	<b>Date of last Thorough examination</b>	
35-1 35-2 35-3 35-4 35-5 35-6	06	Fabricated Pad Eyes Mast Section 3 off Drill Site For manual tong (Secure)  Pad Eye Dimension Thickness: 17 mm Pin Hole: 19 mm Length: 200 mm Height: 125 mm	25 KN	06.01.2024	
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	YES	NO
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:				YES by:	
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>		
Mohamed Abdalla	Ashraf Alsaid		13.01.2025		


REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Certificate No:</b>	QC-HH-07-0201-03/28		
<b>Serial Number</b>	<b>Description of the examined equipment</b>		<b>Result</b>
JJ-18-001	Fabricated Pad Eyes Mast Section 3 O.D.S For manual tong (Secure)		Pass
<b>Pad Eyes Serial Number</b>	35-1 & 35-2 & 35-3 & 35-4 & 35-5 & 35-6	<b>SWL for pad eyes:</b>	25 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaïd		13.01.2025



REV: 01 Dated: 20 June 2022





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01		
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029		
<b>Certificate No:</b>	QC-HH-07-0201-03/29				
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>		
29-82 29-130	02	Fabricated Pad Eyes Mast Section 3 Drill Site & off Drill Site For (Fall Arrestor)	30 KN		
			<b>Date of last Thorough examination</b>		
			06.01.2024		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by: _____		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>		<b>Authenticating This Report:</b>		<b>Signature &amp; Stamp:</b>	
Mohamed Abdalla		Ashraf Alsaid			
				<b>Date of Next Through Examination:</b>	
				13.01.2025	

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Certificate No:</b>	QC-HH-07-0201-03/30		
<b>Serial Number</b>	<b>Description of the examined equipment</b>		<b>Result</b>
JJ-18-001	Pad Eyes Mast Section 3 Drill Site & off Drill Site (Fall Arrestor)		Pass
<b>Pad Eyes Serial Number</b>	29-82 & 29-130	<b>SWL Each Pad Eye:</b>	30 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025



REV: 01 Dated: 20 June 2022





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01		
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029		
<b>Certificate No:</b>	QC-HH-07-0201-03/31				
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL Each Pad Eye:</b>		
11-1 11-2	02	Fabricated Pad Eyes Mast Section 3 Drill Site & off Drill Site  Pad Eye Dimension Thickness: 16 mm Pin Hole: 30 mm Length: 99 mm Height: 90 mm	25 KN		
			<b>Date of last Thorough examination</b> 06.01.2024		
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			YES by: _____		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
Particulars of any tests carried out as part of the examination: (If none state NONE) <b>VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY</b>					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-011	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>		<b>Authenticating This Report:</b>		<b>Signature &amp; Stamp:</b>	
Mohamed Abdalla		Ashraf Alsaid			
				Date of Next Through Examination: 13.01.2025	

REV: 01 Dated: 20 June 2022






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Hong Hua Oil& Gas Engineering Services Ltd	<b>Job Number:</b>	QC-HH-07-0201-01
<b>Date of Examination:</b>	14.01.2025	<b>Location:</b>	HH Rig 029
<b>Serial Number</b>	<b>Description of the examined equipment</b>		<b>Result</b>
JJ-18-001	Pad Eyes Mast Section 3 Drill Site & off Drill Site		Pass
<b>Pad Eyes Serial Number</b>	11-1 & 11-2	<b>SWL Each Pad Eye:</b>	25 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	12.08.2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Authenticating This Report:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mohamed Abdalla	Ashraf Alsaid		13.01.2025

REV: 01 Dated: 20 June 2022

