

Test Certificate-Fire Extinguisher

QC Job Number :	QC/JN/24/00314	EXAMINATION DATE	08-08-2024
QC Report Number :	QC240808-01	EXP.DATE	07-02-2025
Adress: Rig:	Zhongman Petroleum Engineering ZPEC025	Location :	Basra, South Iraq
Testing And Inspection Method:	Based On NFPA (National Fire Protection Association); NFPA 10: Standard For Portable Fire Extinguisher.		

THIS IS TO CERTIFY THAT 'WE AT Quality Control (ALTAKAMUL) Have Inspected; Serviced& Refilled Below Stated Items:

Sr.	Extinguisher Type	Serial Number	DESCRIPTION	Weight	Refilling	Maintenance & inspected	Remarks.
01	Dry Powder	05250	FIRE EXTINGUISHER	2 kg	√	√	Pass
02	Dry Powder	03741	FIRE EXTINGUISHER	2 kg	√	√	Pass
03	Dry Powder	2036527	FIRE EXTINGUISHER	3 kg	√	√	Pass
04	Dry Powder	000394	FIRE EXTINGUISHER	3 kg	√	√	Pass
05	Dry Powder	007341	FIRE EXTINGUISHER	3 kg	√	√	Pass
06	Dry Powder	03360	FIRE EXTINGUISHER	3 kg	√	√	Pass
07	Dry Powder	2344	FIRE EXTINGUISHER	3 kg	√	√	Pass
08	Dry Powder	553159	FIRE EXTINGUISHER	3 kg	√	√	Pass
09	Dry Powder	1212	FIRE EXTINGUISHER	3 kg	√	√	Pass
10	Dry Powder	552754	FIRE EXTINGUISHER	3 kg	√	√	Pass
11	Dry Powder	1201	FIRE EXTINGUISHER	3 kg	√	√	Pass
12	Dry Powder	572563	FIRE EXTINGUISHER	3 kg	√	√	Pass

THE ABOVE FIRE EXTINGUISHERS ARE FREE FROM PATENT DEFECTS AND SUITABLE FOR FURTHER USE (IN THE TIME OF INSPECTION)

ENVIRONMENTAL CONDITIONS DURING TESTING:

HUMIDITY 41.0 % RH ±3%	TEMPERATURES MEAN: 36.0°C ±5°C
------------------------	--------------------------------

Tested By:

Hussein Alaa

Signature:



MASTER LOG CERTIFICATE (NEBOSH)

00136995/38678



Test Certificate-Fire Extinguisher

QC Job Number :	QC/JN/24/00314	EXAMINATION DATE	08-08-2024
QC Report Number :	QC240808-01	EXP.DATE	07-02-2025
Adress: Rig:	Zhongman Petroleum Engineering ZPEC025	Location :	Basra, South Iraq
Testing And Inspection Method:	Based On NFPA (National Fire Protection Association); NFPA 10: Standard For Portable Fire Extinguisher.		

THIS IS TO CERTIFY THAT 'WE AT Quality Control (ALTAKAMUL) Have Inspected; Serviced& Refilled Below Stated Items:

Sr.	Extinguisher Type	Serial Number	DESCRIPTION	Weight	Refilling	Maintenance & inspected	Remarks.
01	Dry Powder	579898	FIRE EXTINGUISHER	3 kg	√	√	Pass
02	Dry Powder	30031	FIRE EXTINGUISHER	3 kg	√	√	Pass
03	Dry Powder	72140	FIRE EXTINGUISHER	3 kg	√	√	Pass
04	Dry Powder	70187	FIRE EXTINGUISHER	3 kg	√	√	Pass
05	Dry Powder	72040	FIRE EXTINGUISHER	3 kg	√	√	Pass
06	Dry Powder	100278	FIRE EXTINGUISHER	3 kg	√	√	Pass
07	Dry Powder	100454	FIRE EXTINGUISHER	3 kg	√	√	Pass
08	Dry Powder	100280	FIRE EXTINGUISHER	3 kg	√	√	Pass
09	Dry Powder	131160	FIRE EXTINGUISHER	3 kg	√	√	Pass
10	Dry Powder	131283	FIRE EXTINGUISHER	3 kg	√	√	Pass
11	Dry Powder	131283	FIRE EXTINGUISHER	3 kg	√	√	Pass
12	Dry Powder	03432	FIRE EXTINGUISHER	3 kg	√	√	Pass

THE ABOVE FIRE EXTINGUISHERS ARE FREE FROM PATENT DEFECTS AND SUITABLE FOR FURTHER USE (IN THE TIME OF INSPECTION)

ENVIRONMENTAL CONDITIONS DURING TESTING:

HUMIDITY 41.0 % RH ±3%	TEMPERATURES MEAN: 36.0°C ±5°C
------------------------	--------------------------------

Tested By:

Hussein Alaa

Signature:



MASTER LOG CERTIFICATE (NEBOSH)

00136995/38678



Test Certificate-Fire Extinguisher

QC Job Number :	QC/JN/24/00314	EXAMINATION DATE	08-08-2024
QC Report Number :	QC240808-01	EXP.DATE	07-02-2025
Adress: Rig:	Zhongman Petroleum Engineering ZPEC025	Location :	Basra, South Iraq
Testing And Inspection Method:	Based On NFPA (National Fire Protection Association); NFPA 10: Standard For Portable Fire Extinguisher.		

THIS IS TO CERTIFY THAT 'WE AT Quality Control (ALTAKAMUL) Have Inspected; Serviced& Refilled Below Stated Items:

Sr.	Extinguisher Type	Serial Number	DESCRIPTION	Weight	Refilling	Maintenance & inspected	Remarks.
01	Dry Powder	03179	FIRE EXTINGUISHER	3 kg	√	√	Pass
02	Dry Powder	03331	FIRE EXTINGUISHER	3 kg	√	√	Pass
03	Dry Powder	B-37	FIRE EXTINGUISHER	3 kg	√	√	Pass
04	Dry Powder	70154	FIRE EXTINGUISHER	4 kg	√	√	Pass
05	Dry Powder	180629	FIRE EXTINGUISHER	4 kg	√	√	Pass
06	Dry Powder	03571	FIRE EXTINGUISHER	4 kg	√	√	Pass
07	Dry Powder	103360	FIRE EXTINGUISHER	4 kg	√	√	Pass
08	Dry Powder	082256	FIRE EXTINGUISHER	4 kg	√	√	Pass
09	Dry Powder	102295	FIRE EXTINGUISHER	4 kg	√	√	Pass
10	Dry Powder	082713	FIRE EXTINGUISHER	4 kg	√	√	Pass
11	Dry Powder	094832	FIRE EXTINGUISHER	4 kg	√	√	Pass
12	Dry Powder	5918	FIRE EXTINGUISHER	4 kg	√	√	Pass

THE ABOVE FIRE EXTINGUISHERS ARE FREE FROM PATENT DEFECTS AND SUITABLE FOR FURTHER USE (IN THE TIME OF INSPECTION)

ENVIRONMENTAL CONDITIONS DURING TESTING:

HUMIDITY 41.0 % RH ±3%	TEMPERATURES MEAN: 36.0°C ±5°C
------------------------	--------------------------------

Tested By:

Hussein Alaa

Signature:



MASTER LOG CERTIFICATE (NEBOSH)

00136995/38678



Test Certificate-Fire Extinguisher

QC Job Number :	QC/JN/24/00314	EXAMINATION DATE	08-08-2024
QC Report Number :	QC240808-02	EXP.DATE	07-02-2025
Adress: Rig:	Zhongman Petroleum Engineering ZPEC025	Location :	Basra, South Iraq
Testing And Inspection Method:	Based On NFPA (National Fire Protection Association); NFPA 10: Standard For Portable Fire Extinguisher.		

THIS IS TO CERTIFY THAT 'WE AT Quality Control (ALTAKAMUL) Have Inspected; Serviced& Refilled Below Stated Items:

Sr.	Extinguisher Type	Serial Number	DESCRIPTION	Weight	Refilling	Maintenance & inspected	Remarks.
01	Dry Powder	103364	FIRE EXTINGUISHER	4 kg	√	√	Pass
02	Dry Powder	001031	FIRE EXTINGUISHER	4 kg	√	√	Pass
03	Dry Powder	101690	FIRE EXTINGUISHER	4 kg	√	√	Pass
04	Dry Powder	010297	FIRE EXTINGUISHER	4 kg	√	√	Pass
05	Dry Powder	201106	FIRE EXTINGUISHER	4 kg	√	√	Pass
06	Dry Powder	002548	FIRE EXTINGUISHER	4 kg	√	√	Pass
07	Dry Powder	008981	FIRE EXTINGUISHER	4 kg	√	√	Pass
08	Dry Powder	0360	FIRE EXTINGUISHER	4 kg	√	√	Pass
09	Dry Powder	026880	FIRE EXTINGUISHER	4 kg	√	√	Pass
10	Dry Powder	64257	FIRE EXTINGUISHER	6 kg	√	√	Pass
11	Dry Powder	63163	FIRE EXTINGUISHER	6 kg	√	√	Pass
12	Dry Powder	63240	FIRE EXTINGUISHER	6 kg	√	√	Pass

THE ABOVE FIRE EXTINGUISHERS ARE FREE FROM PATENT DEFECTS AND SUITABLE FOR FURTHER USE (IN THE TIME OF INSPECTION)

ENVIRONMENTAL CONDITIONS DURING TESTING:

HUMIDITY 41.0 % RH ±3%	TEMPERATURES MEAN: 36.0°C ±5°C
------------------------	--------------------------------

Tested By:

Hussein Alaa

Signature:



MASTER LOG CERTIFICATE (NEBOSH)

00136995/38678



Test Certificate-Fire Extinguisher

QC Job Number :	QC/JN/24/00314	EXAMINATION DATE	08-08-2024
QC Report Number :	QC240808-02	EXP.DATE	07-02-2025
Adress: Rig:	Zhongman Petroleum Engineering ZPEC025	Location :	Basra, South Iraq
Testing And Inspection Method:	Based On NFPA (National Fire Protection Association); NFPA 10: Standard For Portable Fire Extinguisher.		

THIS IS TO CERTIFY THAT 'WE AT Quality Control (ALTAKAMUL) Have Inspected; Serviced& Refilled Below Stated Items:

Sr.	Extinguisher Type	Serial Number	DESCRIPTION	Weight	Refilling	Maintenance & inspected	Remarks.
01	Dry Powder	60123	FIRE EXTINGUISHER	6 kg	√	√	Pass
02	Dry Powder	66718	FIRE EXTINGUISHER	6 kg	√	√	Pass
03	Dry Powder	66719	FIRE EXTINGUISHER	6 kg	√	√	Pass
04	Dry Powder	269550	FIRE EXTINGUISHER	6 kg	√	√	Pass
05	Dry Powder	D14710	FIRE EXTINGUISHER	6 kg	√	√	Pass
06	Dry Powder	70136	FIRE EXTINGUISHER	8 kg	√	√	Pass
07	Dry Powder	127831	FIRE EXTINGUISHER	8 kg	√	√	Pass
08	Dry Powder	970981	FIRE EXTINGUISHER	8 kg	√	√	Pass
09	Dry Powder	130621	FIRE EXTINGUISHER	8 kg	√	√	Pass
10	Dry Powder	971834	FIRE EXTINGUISHER	9 kg	√	√	Pass
11	Dry Powder	72130	FIRE EXTINGUISHER	9 kg	√	√	Pass
12	Dry Powder	202206-1	FIRE EXTINGUISHER	9 kg	√	√	Pass

THE ABOVE FIRE EXTINGUISHERS ARE FREE FROM PATENT DEFECTS AND SUITABLE FOR FURTHER USE (IN THE TIME OF INSPECTION)

ENVIRONMENTAL CONDITIONS DURING TESTING:

HUMIDITY 41.0 % RH ±3%	TEMPERATURES MEAN: 36.0°C ±5°C
------------------------	--------------------------------

Tested By:

Hussein Alaa

Signature:



MASTER LOG CERTIFICATE (NEBOSH)

00136995/38678



Test Certificate-Fire Extinguisher

QC Job Number :	QC/JN/24/00314	EXAMINATION DATE	08-08-2024
QC Report Number :	QC240808-03	EXP.DATE	07-02-2025
Adress: Rig:	Zhongman Petroleum Engineering ZPEC025	Location :	Basra, South Iraq
Testing And Inspection Method:	Based On NFPA (National Fire Protection Association); NFPA 10: Standard For Portable Fire Extinguisher.		

THIS IS TO CERTIFY THAT 'WE AT Quality Control (ALTAKAMUL) Have Inspected; Serviced& Refilled Below Stated Items:

Sr.	Extinguisher Type	Serial Number	DESCRIPTION	Weight	Refilling	Maintenance & inspected	Remarks.
01	Dry Powder	202206-2	FIRE EXTINGUISHER	9 kg	√	√	Pass
02	Dry Powder	ZP108-19S	FIRE EXTINGUISHER	25 kg	√	√	Pass
03	Dry Powder	ZP108-2S	FIRE EXTINGUISHER	25 kg	√	√	Pass
04	Dry Powder	ZP108-4S	FIRE EXTINGUISHER	25 kg	√	√	Pass
05	Dry Powder	ZP108-6S	FIRE EXTINGUISHER	25 kg	√	√	Pass
06	Dry Powder	ZP108-7S	FIRE EXTINGUISHER	25 kg	√	√	Pass
07	Dry Powder	ZP108-12S	FIRE EXTINGUISHER	25 kg	√	√	Pass
08	Dry Powder	ZP108-17S	FIRE EXTINGUISHER	25 kg	√	√	Pass
09	Dry Powder	ZP108-18S	FIRE EXTINGUISHER	25 kg	√	√	Pass
10	Dry Powder	D17282	FIRE EXTINGUISHER	35 kg	√	√	Pass
11							
12							

THE ABOVE FIRE EXTINGUISHERS ARE FREE FROM PATENT DEFECTS AND SUITABLE FOR FURTHER USE (IN THE TIME OF INSPECTION)

ENVIRONMENTAL CONDITIONS DURING TESTING:

HUMIDITY 41.0 % RH ±3%	TEMPERATURES MEAN: 36.0°C ±5°C
------------------------	--------------------------------

Tested By:

Hussein Alaa

Signature:



MASTER LOG CERTIFICATE (NEBOSH)

00136995/38678



Test Certificate-Fire Extinguisher

QC Job Number :	QC/JN/24/00314	EXAMINATION DATE	08-08-2024
QC Report Number :	QC240808-04	EXP.DATE	07-02-2025
Adress: Rig:	Zhongman Petroleum Engineering ZPEC025	Location :	Basra, South Iraq
Testing And Inspection Method:	Based On NFPA (National Fire Protection Association); NFPA 10: Standard For Portable Fire Extinguisher.		

THIS IS TO CERTIFY THAT 'WE AT Quality Control (ALTAKAMUL) Have Inspected; Serviced& Refilled Below Stated Items:

Sr.	Extinguisher Type	Serial Number	DESCRIPTION	Weight	Refilling	Maintenance & inspected	Remarks.
01	FOAM	zp018-13s	FIRE EXTINGUISHER	25 L	√	√	Pass
02	FOAM	zp018-3s	FIRE EXTINGUISHER	25 L	√	√	Pass
03	FOAM	zp018-5s	FIRE EXTINGUISHER	25 L	√	√	Pass
04	FOAM	ZP108-16S	FIRE EXTINGUISHER	50 L	√	√	Pass
05	FOAM	F3347	FIRE EXTINGUISHER	50 L	√	√	Pass
06	CO2	0112	FIRE EXTINGUISHER	6 Kg	√	√	Pass
07	CO2	007163	FIRE EXTINGUISHER	7 Kg	√	√	Pass
08	CO2	22908	FIRE EXTINGUISHER	7 Kg	√	√	Pass
09	CO2	ZP108-9S	FIRE EXTINGUISHER	12 kg	√	√	Pass
10	CO2	001221947-1	FIRE EXTINGUISHER	12 kg	√	√	Pass
11	CO2	001221947-2	FIRE EXTINGUISHER	12 kg	√	√	Pass
12	CO3	001221947-3	FIRE EXTINGUISHER	12 kg	√	√	Pass

THE ABOVE FIRE EXTINGUISHERS ARE FREE FROM PATENT DEFECTS AND SUITABLE FOR FURTHER USE (IN THE TIME OF INSPECTION)

ENVIRONMENTAL CONDITIONS DURING TESTING:

HUMIDITY 41.0 % RH ±3%	TEMPERATURES MEAN: 36.0°C ±5°C
------------------------	--------------------------------

Tested By:

Hussein Alaa

MASTER LOG CERTIFICATE (NEBOSH)



Signature:



00136995/38678