

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	11/NOV/2024	Date of Report:	11/NOV/2024	Certificate No:	QC-24/-CMT-0311-020
Client Name:	HALLIBURTON	Location:	CMT WORKSHOP	Job Number:	03112025
Serial Number:	QTY	Description	SWL	Date of manufacture if known:	Date of last thorough examination
CMT-1007	01	<p align="center">LIFTING BAR</p> <p>Manufacturer: CUSTOMS ORGIN</p> <p>DIM: (L) 84 MM X (W) 20 MM X (H) 63 MM.</p> <p>SWL: 3000 LBS.</p>	3000 lbs.	N/A	01/07/2023
Reference Standard:	ST-GL-HAL-HS-0206 Rev. 4, 431.00005 Rev. D, 431.00001 Rev. G.				

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO			
	YES	NO			YES	✓	NO	✓		
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	✓		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE										
Is the above a defect which is of immediate danger to persons:								YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory										
IS THIS EQUIPMENT SAFE TO OPERATE?								YES	✓	NO

Name of Inspector:	Name of person authenticating this report:	Client Signature & Stamp:	
ASHRAF ELSAID	MOHAMED ABDALLAH		
Date of Next Through Examination:	10/05/2025		

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	11/11/2024	Date of Report:	11/11/2024	Certificate No:	QC-24/-CMT-0311-021				
Client Name:	HALLIBURTON	Location:	CMT WORKSHOP	Job Number:	03112025				
Serial Number:	QTY	Description	SWL	Date of manufacture if known:	Date of last thorough examination				
230 025	02	EYE SAFETY LATCH HOOK Body Size: 3/8 " Grade: 10 Manufacture: CROSBY S.F: 4:1	4 T	N/A	01/07/2023				
Reference Standard:		BS EN 1677-2 / HAL DOC: WM-GL-HAL-HSE-0420F & WM-GL-HAL-HSE-0420C REV 1							
Is this the first examination after Installation or assembly at a new site or location?		<table border="1"> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input checked="" type="checkbox"/></td> </tr> </table>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?	
YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>						
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1"> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input type="checkbox"/></td> </tr> </table>		YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	With an interval of 12 months?	
YES	<input type="checkbox"/>	NO	<input type="checkbox"/>						
				In accordance with an examination scheme?					
				After the occurrence of exceptional circumstances?					
				<table border="1"> <tr> <td>YES</td> <td><input checked="" type="checkbox"/></td> <td>NO</td> <td><input type="checkbox"/></td> </tr> </table>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>						
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE									
Is the above a defect which is of immediate danger to persons:				<table border="1"> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input checked="" type="checkbox"/></td> </tr> </table>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>						
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:									
Particulars of any tests carried out as part of the examination: (If none state NONE)									
The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory									
IS THIS EQUIPMENT SAFE TO OPERATE?				<table border="1"> <tr> <td>YES</td> <td><input checked="" type="checkbox"/></td> <td>NO</td> <td><input type="checkbox"/></td> </tr> </table>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>						
Name of Inspector:	Name of person authenticating this report:		Client Signature & Stamp:						
ASHRAF ELSAID	MOHAMED ABDALLAH								
Date of Next Through Examination:	10/05/2025								

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	11/11/2024	Date of Report:	11/11/2024	Certificate No:	QC-24/-CMT-0311-022								
Client Name:	HALLIBURTON	Location:	CMT WORKSHOP	Job Number:	03112025								
Serial Number:	QTY	Description	SWL	Date of manufacture if known:	Date of last thorough examination								
3F 03	02	<u>DOUBLE CLEVIS LINK</u> Manufacturer: CROSBY BODY SIZE: 1/2" GRADE: 10. S.F: 4:1	4.17 T	N/A	01/07/2023								
Reference Standard:		BS EN 1677-4 / HAL DOC: WM-GL-HAL-HSE-0420F & WM-GL-HAL-HSE-0420C REV 1											
Is this the first examination after Installation or assembly at a new site or location?		<table border="1"> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input checked="" type="checkbox"/></td> </tr> </table>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?					
YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>										
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1"> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input type="checkbox"/></td> </tr> </table>		YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	With an interval of 12 months?					
YES	<input type="checkbox"/>	NO	<input type="checkbox"/>										
				In accordance with an examination scheme?									
				After the occurrence of exceptional circumstances?									
				<table border="1"> <tr> <td>YES</td> <td><input checked="" type="checkbox"/></td> <td>NO</td> <td><input type="checkbox"/></td> </tr> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input checked="" type="checkbox"/></td> </tr> </table>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>										
YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>										
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE													
Is the above a defect which is of immediate danger to persons:				YES	<input type="checkbox"/>								
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	<input type="checkbox"/>								
Particulars of any repair, renewal or alteration required to remedy the defect identified above:													
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory													
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	<input checked="" type="checkbox"/>								
Name of Inspector:	Name of person authenticating this report:		Client Signature & Stamp:										
ASHRAF ELSAID	MOHAMED ABDALLAH												
Date of Next Through Examination:	10/05/2025												

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	11/11/2024	Date of Report:	11/11/2024	Certificate No:	QC-24/-CMT-0311-023				
Client Name:	HALLIBURTON	Location:	CMT WORKSHOP	Job Number:	03112025				
Serial Number:	QTY	Description	SWL	Date of manufacture if known:	Date of last thorough examination				
7B	01	<p align="center"><u>SAFETY PIN BOW SHACKLE</u></p> <p>MANUFACTURE: CROSBY</p> <p>SIZE: 3/4"</p> <p>GRADE: 6</p> <p>S.F: 6:1</p>	4.75 T	N/A	01/07/2023				
Reference Standard:	BS EN 13889 / HAL DOC: WM-GL-HAL-HSE-0420F & WM-GL-HAL-HSE-0420C REV 1								
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓	
	YES	NO	✓		YES	✓	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓		YES	✓	NO	✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE									
Is the above a defect which is of immediate danger to persons:							YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)							N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:									
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory									
IS THIS EQUIPMENT SAFE TO OPERATE?							YES	✓	NO
Name of Inspector:	Name of person authenticating this report:		Client Signature & Stamp:						
ASHRAF ELSAID	MOHAMED ABDALLAH								
Date of Next Through Examination:	10/05/2025								

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Date of Examination:	11/11/2024	Date of Report:	11/11/2024	Certificate No:	QC-24/-CMT-0311-024					
Client Name:	HALLIBURTON	Location:	CMT WORKSHOP	Job Number:	03112025					
Serial Number:	QTY	Description	SWL	Date of manufacture if known:	Date of last thorough examination					
3A WDI1840-34	01	<u>SAFETY PIN BOW SHACKLE</u> MANUFACTURE: SKOOKUM SIZE: 1 1/8" GRADE: 6 S.F: 6:1	9.5 T	N/A	01/07/2024					
Reference Standard:	BS EN 13889 / HAL DOC: WM-GL-HAL-HSE-0420F & WM-GL-HAL-HSE-0420C REV 1									
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO			
					YES		NO	✓		
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO			
					YES		NO	✓		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE										
Is the above a defect which is of immediate danger to persons:							YES		NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
Particulars of any tests carried out as part of the examination: (If none state NONE) The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory										
IS THIS EQUIPMENT SAFE TO OPERATE?							YES	✓	NO	
Name of Inspector:	Name of person authenticating this report:		Client Signature & Stamp:							
ASHRAF ELSAID	MOHAMED ABDALLAH									
Date of Next Through Examination:	10/05/2025									

REV: 01 Dated: 20 June 2022

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

