




Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-01
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Lug:	Date of last Thorough examination
DZ42-1 DZ42-2 DZ42-3 DZ42-4	04	Substructure Front Lower Section O.D.S Lifting Lugs Fully Welded Steel Construction With Eight Bottom Trunnions Lifting Lugs. Trunnion Lug Dimension: Pipe OD: 190 mm Pipe Length: 205 mm	18 Ton	N/A
				

Reference Standard: As Per Client Requirement

Is this the first examination after Installation or assembly at a new site or location?	YES		NO		Was the examination carried out: Within 6 months?	YES		NO	
				√		With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO		By an examination scheme?	YES	√	NO	
					After the occurrence of exceptional circumstances?	YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEAA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-02
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number	Description of the examined equipment	Result
DZ-12-045	Substructure Front Lower Section O.D.S Lifting Lugs	Accept
Connecting SN:	DZ42-1, DZ42-2, DZ42-3, DZ42-4	SWL Each Lug: 18 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEE A & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-03
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Lug:	Date of last Thorough examination
DZ45-1 DZ46-2 DZ45-3 DZ45-4	04	Substructure Rear Lower Section O.D.S Lifting Lugs Fully Welded Steel Construction With Eight Bottom Trunnions Lifting Lugs. Trunnion Lug Dimension: Pipe OD: 190 mm Pipe Length: 205 mm	18 Ton	N/A
				

Reference Standard: As Per Client Requirement

Is this the first examination after Installation or assembly at a new site or location?	YES		NO		Was the examination carried out: Within 6 months?	YES		NO	
				✓		With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO		By an examination scheme?	YES	✓	NO	
					After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEAA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-04
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Rear Lower Section O.D.S Lifting Lugs		Accept
Connecting SN:	DZ45-1, DZ45-2, DZ45-3, DZ45-4	SWL Each Lug:	18 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-05
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Lug:	Date of last Thorough examination
DZ38-1 DZ38-2 DZ38-3 DZ38-4	04	Substructure Upper Section O.D.S Lifting Lugs Fully Welded Steel Construction With Eight Bottom Trunnions Lifting Lugs. Trunnion Lug Dimension: Pipe OD: 190 mm Pipe Length: 205 mm	8.4 Ton	N/A
				

Reference Standard: As Per Client Requirement

Is this the first examination after Installation or assembly at a new site or location?	YES		NO		Was the examination carried out: Within 6 months?	YES		NO	
				✓		With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO		By an examination scheme?	YES	✓	NO	
					After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEAA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-06
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Upper Section O.D.S Lifting Lugs		Accept
Connecting SN:	DZ38-1, DZ38-2, DZ38-3, DZ38-4	SWL Each Lug:	8.4 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-07
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Lug:	Date of last Thorough examination
DZ41-1 DZ41-2 DZ41-3 DZ41-4	04	Substructure Front Lower Section D.S Lifting Lugs Fully Welded Steel Construction With Eight Bottom Trunnions Lifting Lugs. Trunnion Lug Dimension: Pipe OD: 190 mm Pipe Length: 205 mm	18 Ton	N/A
				

Reference Standard: As Per Client Requirement

Is this the first examination after Installation or assembly at a new site or location?	YES		NO	✓	Was the examination carried out: Within 6 months?	YES	✓	NO	
						With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO		By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	
						YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____



Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEAA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-08
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Front Lower Section D.S Lifting Lugs		Accept
Connecting SN:	DZ41-1, DZ41-2, DZ41-3, DZ41-4	SWL Each Lug:	18 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-09
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Lug:	Date of last Thorough examination
DZ46-1 DZ46-2 DZ46-3 DZ46-4	04	Substructure Rear Lower Section D.S Lifting Lugs Fully Welded Steel Construction With Eight Bottom Trunnions Lifting Lugs. Trunnion Lug Dimension: Pipe OD: 190 mm Pipe Length: 205 mm	18 Ton	N/A
				

Reference Standard: As Per Client Requirement

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____



Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEE & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-10
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Rear Lower Section D.S Lifting Lugs		Accept
Connecting SN:	DZ46-1, DZ46-2, DZ46-3, DZ46-4	SWL Each Lug:	18 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-11
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Lug:	Date of last Thorough examination
DZ34-1 DZ34-2 DZ34-3 DZ34-4	04	Substructure Upper Section D.S Lifting Lugs Fully Welded Steel Construction With Eight Bottom Trunnions Lifting Lugs. Trunnion Lug Dimension: Pipe OD: 190 mm Pipe Length: 205 mm	8.2 Ton	N/A
				

Reference Standard: As Per Client Requirement

Is this the first examination after Installation or assembly at a new site or location?	YES		NO	✓	Was the examination carried out: Within 6 months?	YES	✓	NO	
						With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES		NO		By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	
						YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____



Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEAA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-12
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Upper Section D.S Lifting Lugs		Accept
Connecting SN:	DZ34-1, DZ34-2, DZ34-3, DZ34-4	SWL Each Lug:	8.2 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-13
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Set Back Beam Lifting Lugs		Accept
Connecting SN:	DZ35-1, DZ35-2, DZ35-3, DZ35-4	SWL Each Lug:	5.2 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-14
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Rotary Table Motor Beam Lifting Lugs		Accept
Connecting SN:	DZ37-1, DZ37-2, DZ37-3, DZ37-4	SWL Each Lug:	0.7 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-15
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Rotary Table Base Lifting Lugs		Accept
Connecting SN:	DZ36-1, DZ36-2, DZ36-3, DZ36-4	SWL Each Lug:	2.8 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEE A & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-16
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Front Column O.D.S Lifting Lugs		Accept
Connecting SN:	DZ23-1, DZ23-2, DZ23-3, DZ23-4	SWL Each Lug:	2.1 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEE A & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-17
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Front Column D.S Lifting Lugs		Accept
Connecting SN:	DZ23-5, DZ23-6, DZ23-7, DZ23-8	SWL Each Lug:	2.1 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-18
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Lifting Bracket O.D.S Lifting Lugs		Accept
Connecting SN:	DZ2-5, DZ2-6, DZ2-7, DZ2-8	SWL Each Lug:	3.3 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-19
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Lifting Bracket D.S Lifting Lugs		Accept
Connecting SN:	DZ2-1, DZ2-2, DZ2-3, DZ2-4	SWL Each Lug:	3.3 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-20
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Vertical Bracket O.D.S Lifting Lugs		Accept
Connecting SN:	DZ1-5, DZ1-6, DZ1-7, DZ1-8	SWL Each Lug:	1.9 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-21
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Vertical Bracket D.S Lifting Lugs		Accept
Connecting SN:	DZ1-1, DZ1-2, DZ1-3, DZ1-4	SWL Each Lug:	1.9 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-22
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Inclined Support O.D.S Lifting Lugs		Accept
Connecting SN:	DZ6-1, DZ6-2, DZ6-3, DZ6-4	SWL Each Lug:	1 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-23
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Inclined Support D.S Lifting Lugs		Accept
Connecting SN:	DZ6-5, DZ6-6, DZ6-7, DZ6-8	SWL Each Lug:	1 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-24
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Inclined Support O.D.S Lifting Lugs		Accept
Connecting SN:	DZ7-23 DZ8-3, DZ9-3, DZ10-3	SWL Each Lug:	1.3 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-25
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Inclined Support D.S Lifting Lugs		Accept
Connecting SN:	DZ7-2, DZ8-2, DZ9-2, DZ10-2	SWL Each Lug:	1.3 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-26
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Column Rear O.D.S Lifting Lugs		Accept
Connecting SN:	DZ4-5, DZ4-6, DZ4-7, DZ4-8	SWL Each Lug:	2 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-27
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Column Rear D.S Lifting Lugs		Accept
Connecting SN:	DZ4-5, DZ4-6, DZ4-7, DZ4-8	SWL Each Lug:	2 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-28
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Connecting Support Lifting Lugs		Accept
Connecting SN:	DZ43-1, DZ43-2	SWL Each Lug:	5.8 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-29
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Connecting Support Lifting Lugs		Accept
Connecting SN:	DZ43-5, DZ43-4	SWL Each Lug:	5.8 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-30
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number	Description of the examined equipment	Result
DZ-12-045	Substructure D.W Rear Beam Lifting Lugs	Accept
Connecting SN:	DZ39-1, DZ39-2, DZ39-3, DZ39-4	SWL Each Lug: 1 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-31
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Dog House Beam Lifting Lugs		Accept
Connecting SN:	DZ14-1, DZ14-2, DZ14-3, DZ14-4	SWL Each Lug:	0.7 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-32
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number	Description of the examined equipment	Result
DZ-12-045	Substructure Dog House Beam Lifting Lugs	Accept
Connecting SN:	DZ14-5, DZ14-6, DZ14-7, DZ14-8	SWL Each Lug: 0.7 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEE & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-33
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Dog House Beam Lifting Lugs		Accept
Connecting SN:	DZ14-9, DZ14-10, DZ14-11, DZ14-12	SWL Each Lug:	0.7 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEE A & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-34
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number	Description of the examined equipment	Result
DZ-12-045	Substructure Dog House Beam Lifting Lugs	Accept
Connecting SN:	DZ28-9, DZ28-10, DZ28-11, DZ28-12	SWL Each Lug: 0.7 Ton





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEE & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-35
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Dog House Beam Lifting Lugs		Accept
Connecting SN:	DZ28-5, DZ28-6, DZ28-7, DZ28-8	SWL Each Lug:	0.7 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-36
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Substructure Dog House Beam Lifting Lugs		Accept
Connecting SN:	DZ28-1, DZ28-2, DZ28-3, DZ28-4	SWL Each Lug:	0.7 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEE A & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-37
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
S21 S22	02	Fabricated Pad Eyes Substructure Connecting Support Pad Eye Dimension Thickness: 22 MM Pin Hole: 26 MM Length: 60 MM Height: 85 MM	2 Ton	N/A
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details



Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-38
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Fabricated Pad Eyes Substructure Connecting Support		Accept
Connecting SN:	S21, S22	SWL Each Pad Eyes:	2 Ton





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-39
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
33-1 33-2	02	Fabricated Pad Eyes Substructure Front Cross Beam Pad Eye Dimension Thickness: 22 MM Pin Hole: 26 MM Length: 60 MM Height: 85 MM	2 Ton	N/A
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by:

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details



Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEE A & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-40
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025
Serial Number	Description of the examined equipment		Result
DZ-12-045	Fabricated Pad Eyes Substructure Front Cross Beam		Accept
Connecting SN:	33-1, 33-2	SWL Each Pad Eyes:	2 Ton





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-41
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
HS330 HS331 HS332 HS333	04	Fall Arrestor Pad Eyes Substructure Set Back Beam Pad Eye Dimension Thickness: 18 MM Pin Hole: 26 MM Length: 102 MM Height: 132 MM	25 KN	N/A
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by:



Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEE & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-42
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number	Description of the examined equipment	Result
DZ-12-045	Fall Arrestor Pad Eyes Substructure Set Back Beam	Accept
Connecting SN:	HS330, HS331, HS332, HS333	SWL Each Pad Eyes: 25 KN





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Hong Hua Oil & Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-43
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
HS342 HS343 HS344 HS345	04	Fall Arrestor Pad Eyes Substructure Rotary Table Motor Beam Pad Eye Dimension Thickness: 18 MM Pin Hole: 26 MM Length: 102 MM Height: 132 MM	25 KN	N/A
				

Reference Standard:	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details



Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	

THIS IS TO CERTIFY THAT a competent person attended the above-mentioned owner's work location on the date shown above, and the equipment described in this report was tested and inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER." The result was found Satisfactory at the time of inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-01-25-004-44
Location:	HH Rig 008	Job Order No:	QC-HH-01-25-004
Date of Examination:	19-January-2025	Next Inspection Due:	18-July-2025

Serial Number	Description of the examined equipment	Result
DZ-12-045	Fall Arrestor Pad Eyes Substructure Rotary Table Motor Beam	Accept
Connecting SN:	HS342, HS343, HS344, HS345	SWL Each Pad Eyes: 25 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026


NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mahmoud Ali		Mohamed Abdulla	